

This is a computer generated cover page.



STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY - TAMIL NADU

3rd Floor, Panagal Maaligai, No.1 Jeenis Road, Saidapet, Chennai-15.

ENVIRONMENTAL CLEARANCE (EC)

Letter No. SEIAA-TN/F. 7316/EC/ 8(b)/797/2022 dated: 02.02.2022.

To

The Managing Director

M/s. State Industries Promotion Corporation of Tamil Nadu Limited

19-A, Rukmani Lakshmipathy Road

Post Box No.7223

Egmore

Chennai-600 008

Sir,

- Sub: SEIAA, TN Environmental Clearance Proposed Expansion & change in concept of Development of Vallam Vadagal Industrial Park II by including Industrial Housing facility for the employees of Vallam Vadagal IP –II is 131.73 Ha (325.36 Acres) (Exclusively for industries which does not require EC neither A nor B category Construction of Industrial Housing Facility with built up area 2,07,736.10Sq.m comprising 3120 no of units promoted by M/s. State Industries Promotion Corporation of Tamil Nadu Limited at Survey No: 237pt, 238, 239pt/1-133, 241pt, 242pt, 243, 247pt, 265, 266, 267, 268pt, 269pt, 270 of Vallam 'A' Village & 271, 272 pt, 275pt, 276pt, 277pt, 278, 279pt, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302 of Vallam 'B' Village, Sriperumbudur Taluk, Kancheepuram District, Tamil Nadu Issued Regarding.
- Ref: 1. Earlier EC issued vide Letter No. SEIAA-TN/F.No.7316/EC/8(b)/727/2020 dated:23.10.2020
 - 2. Your application for Terms of Reference dated: 27.04.2021
 - 3. ToR Issued by SEIAA-TN Vide Lr.No.SEIAA-TN/F.No.7316/SEAC/8(b)/ToR-



967/2021 dated: 05.07.2021

- 4. EIA report submitted to SEIAA-TN on 19.07.2021
- 5. Minutes of the 233rd SEAC Meeting held on 21.09.2021
- 6. Proponent reply dated 01.10.2021
- 7. Minutes of the 239th SEAC Meeting held on 22.10.2021
- 8. Minutes of the 483rd SEIAA Meeting held on 28.01.2022

This has reference to your application 4th cited, the proposal is for obtaining Environmental Clearance to establish a construction project under Category B2 and Schedule S.No. 8(b) under the Environment Impact Assessment Notification, 2006, as amended.

The Competent Authority and Authorized signatory furnished detailed information in Form 1 and Form 1A and liquidate enclosures are as Annexures:

SL No	Description	Details
1)	Name of the Project proponent and	The Managing Director
	address	M/s. State Industries Promotion
1	1013	Corporation of Tamil Nadu Limited.
de	120	19-A, Rukmani Lakshmipathy Road
2		Post Box no.7223
	E North	Egmore
	2	Chennai-600 008
2)	Proposed Activity	Expansion & change in concept o
	05	Development of Vallam Vadaga
	orects if	Industrial Park II by including Industria
		Housing facility for the employees of
		Vallam Vadagal IP –II is 131.73 H
		(325.36 Acres)
	Provide the second s	(Exclusively for industries which doe
		not require EC neither A nor B categor

Annexure 1



3) 4)		Schedule No. Project Location i)Survey No	Facility 2,07,736. units prot 237pt, 2 243, 247p	tion of Indus with built 10Sq.m compris moted through SI 8(b) 38, 239pt/1-133 ot, 265, 266, 267 Vallam 'A' Villag	up area ing 3120 no of IPCOT. , 241pt, 242pt, , 268pt, 269pt,
			280, 281, 288, 289, 296, 297 Vallam	pt, 276pt, 277p 282, 283, 284, 290, 291, 292, , 298, 299, 300 'B' Village, S Cancheepuram E	285, 286, 287, 293, 294, 295, , 301, 302 of Sriperumbudur
		i)Revenue Village	Vallam 'A Village	A' Village & Va	llam 'B'
		iii)Taluk	1 ale	Sriperumbud	m / m
(Jacob)	A CE	iv)District	All I	Kancheepura	m/ 07
5)	13	Area of the Land	With a (325.36A)	CEREMANY AT	of 131.73Ha
6)	Built up	Area		all all	5
	S. No	Details		Area in ha	Area in Acre
	1.	Industrial Plots (including 33% green belt)		77.20	190.71
	2.	. Industrial Housing Facility (Overall area- 30.83, OSR13-1.98, GB-2.19, Commercial-1.51, SWM- 2.11 Acres, remaining Area- 23.04 excluding,)		9.33	23.04
	3.	Common amenities (Proje including health centre, w		1.26	3.10

增速的14、19的第三



	Description	Area (Sa	
B	Total Area	131.73	325.36
K-1	Water bodies	6.06	14.97
	Developable area	125.66	310.39
9.	Greenbelt (Housing GB-2.19 Acres, Industrial Park(5m along periphery of site) - 6.09 Acres)	3.35	8.28
8,	Greenbelt 3m along road side	3.0	7.41
7.	OSR area (Housing OSR 13-1.98 Acres + Industrial Park OSR 1 to12 -29.06 Acres)	12.57	31.04
6.	Solid waste management (housing including Biomethanation -2.11 Acres + Industrial Park including E-waste -4.91 Acres)	2.84	7.02
5.	Roads, Storm water drain	12.26	30.27
	(Bank, ATM, Shops, canteen, etc (Housing-1.51Acres+Industrial park-8.01Acres)		
4.	supply, EB, Fire station, etc) Commercial area	3.85	9.52

S. No	Description	Area (Sq. m)	
1.	Ground coverage for 13 Blocks	18885.10	
2.	Commercial area	5714.14	
3.	Health centre	400.0	
4.	Sewage treatment plant	3100.0	
5.	Solid waste management	3122.63	
6.	Green Belt	8862.30	
7.	Transformer Yard	200.0	
8.	Road	26737.65	
9.	Paver Block Area	19527.19	
10.	O.S.R area	8005.87	
11.	Road	24428.20	
12.	Recreational area	30209.70	

		Total				1,24,764.	58		
	Brief d	escription	of the pr	oject					
	"Development of Vallam-Vadagal industrial Park-II with Industrial Housing								
				.73 Ha (325.36					
1				ed for Non EC		ndustries			
				Blocks each of			of unite) wi		
							Contraction of the Contract		
			1207750.	10Sq.m. (to ac	commodate	e the emplo	yees of val		
		l IP -II)			CILIER CO.	(23)			
	100	p area - 2	-	S. CRAMMENT LEE		17	1		
	S.No	Floors	No of	No. of	FSI	Non	Total Bui		
	1	A	units	persons(@	Area	FSI	up area		
		ART	/floor	5 persons /unit)	(Sq.m)	Area (Sq.m)	(Sq.m)		
	1	Stilt	0	0	0	1452.70	1452.70		
	2	1 st	24	120	1452.70	0	1450.70		
	4	And	24	120	1432.70	U.	1452.70		
	3	Floor 2 nd	24	120	1452.70	0	1452.70		
		2 Floor	24	120	1432.70		1432.70		
	4	rd	24	120	1452.70	0	1452.70		
	I. Sa	5 Floor		120	1452.70	Ū	1452.70		
	5	th	24	120	1452.70	0	1452.70		
2		4 Floor			1102.70		1432.10		
	6	th 5	24	120	1452.70	0	1452.70		
	Pro 1	Floor					NO		
	70	6 th	24	120	1452.70	0	1452.70		
	1	Floor	CITAL NO.	Biotoma and	THE R. LEWIS CO.	21			
	8	7 th O	24	120	1452.70	0	1452.70		
		Floor	C1	sif	ME	W			
	9	8 th	24	120	1452.70	0	1452.70		
		Floor							
	10	9 th	24	120	1452.70	0	1452.70		
		Floor							
	11	10 th	24	120	1452.70	0	1452.70		
		Floor				0			

CHERREN CHERREN

MEMBER SECRETARY SEIAA-TN

Page 6 of 32

	12	Total for 1 Block	240	1200	14,527	1452.70	15,979.70
	13	Total for 13 Blocks	3120	15,600	15979	9.70 x 13	2,07,736.10
8)	Green	Belt:		~			
	44.39F	-	54 3	s) (35.33%	6 of tota	al develop	bable area
	125.66	(A)	9Acres))		Section 200	10	
	6	S.No	Green belt	area brea	k up	Area (Ha)	Area (Acres)
	1	1	OSR Area			11.07	27.35
			33% green plots	n belt in	industrial	25.48	62.94
		3	Green belt	3m along ro	ad side	3.0	7.41
		4	Additional	Green belt		4.84	11.95
		N	Total			44.39	109.65
9)		UTILIT	ES-WATI	ER	- OA		
てい	57 (ii) Fi	763 KLD. resh water	r requireme	nt -2094.5 F		xpansion &	modification
	(iii) Recycled water -3668.5 KLD(iv) Flushing for Industrial Housing -704 KLD.						
	(v) Process and Utilities -806.5 KLD						
	(vi) Green belt development -1554 KLD						
	(vii)Excess treated sewage of 145 KLD will be used for green belt						
				Ser. Harris		acont to the	
	de	evelopme	nt for Aero	space Park v	which is adj	accint to the	site.
10)	de		nt for Aero				
10)	de	a) Sour		ere the	Fresh water	r requireme	ent will be r
10)	de	a) Sour	ce from who	ere the d to be	Fresh water	r requireme barambakka	ent will be r
10)		a) Sourd water	ce from whe	ere the d to be	Fresh water from Chem	r requireme barambakka	site. ent will be r am Lake throu

EC Identification No. - EC22B039TN177183 File No. - 7316/2020 Date of Issue EC - 09/02/2022

Page 7 of 32


SEIAA-TN

IBER SECRETARY

MI


	S.No	Wastewater source	Existing	After expansio modifica	on & Treatment
	1	Sewage from industrial housing facility	Nil	1968 K	LD Treated in 2.5 MLD STP for Industrial Housing Facility. Treated sewage will be used for flushing for Industrial housing and green belt within the Industrial Park after disinfection. Excess treated sewage from housing facility will be sent to Aerospace Park which is adjacent to the site.
	2	Sewage from industries	435 KLD	1039 K	
Z	3	Effluent from individual industries	700 KLD	810 KI	LD Will be treated by individual industries and reused for process and utilities. ZLD will be maintained by individual industries.
11)	Solid W	Vaste Managem	ient		GIGI C
	S. No	Solid waste details	Quan (kg/da	Contract of the second s	Management
	4	1	In In	dustrial I	
	1	Organic waste	15652	0.5	Individual industries will segregate the waste and organic waste will be composted and used as manure.
	2	Inorganic waste	434	75	Sold to TNPCB authorized recyclers
			Ind	ustrial Ho	ousing

en MEMBER SECRETARY PZ SEIAA-TN



The Proponent has furnished affidavit in One Hundred Rupees stamp paper attested by the Notary stating that

I, Thiru. T. Anand, I.A.S, Managing Director, Authorized Signatory, representing M/s. State Industries Promotion Corporation of Tamil Nadu Limited (SIPCOT) having registered office at 19-A, Rukmani Lakshmipathy Road, Egmore, Chennai – 600008, for



the proposed "Development of Vallam Vadagal Industrial Park II with Industrial Housing Facility" over an extent of 131.73 Ha (325.36 Acres) at Survey No's: 237 pt, 238, 239pt/1-133, 241pt, 242pt, 243, 247pt, 265, 266, 267, 268pt, 269pt, 270 of Vallam 'A' village and 271, 272pt, 275pt, 276pt, 277pt, 278, 279pt, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302 of Vallam 'B' Village, Sriperumbudur Taluk, Kancheepuram District, Tamil Nadu State, hereby take oath and state as under in this affidavit:

- I. The total water requirement of the park is estimated at 5763 KLD (Fresh water: 2094.5 KLD and Recycled water: 3668.5 KLD). Fresh water requirement for the Industrial Park is proposed to be sourced from Chembarambakkam lake through Chennai Metropolitan Water Supply and Sewerage Board (CMWSSB).
- II. Power Supply (39 MVA) will be ensured from Tamil Nadu Generation and Distribution Co. Ltd. (TANGEDCO) Facility as a common supply system by SIPCOT to all member industries. The Individual industries will avail power supply from TANGEDCO and may have backup DG sets as per their requirement. For Housing facility 2x1500 kVA DGs are proposed for power backup.
- III. All member industries will be instructed to provide rain water harvesting structures as per norms. SIPCOT will construct Rainwater harvesting pits along the storm water drain for recharging ground water.
- IV. Storm water drainage will be provided as open concrete channels all along the road for ensuring proper collection of storm water and the same will be used for recharging the rain water harvesting structures. We confirm that the storm water drain would not carry any untreated (or) treated sewage.
- V. All member industries will be instructed to have their own solid waste and hazardous storage facility within their Plot. Inorganic waste will be sold to TNPCB authorized recyclers/ service providers by member units. SIPCOT has earmarked 7.02 Acres of land for establishment of Solid Waste Management facility. Biomethanation plant of 12 TPD is proposed for the project to cater the Organic waste generation from the Industrial Park & Industrial housing facility.

MEMBER SECRET SEIAA-TN

- VI. All member industries will be mandated to store and dispose the hazardous waste generated within their premises as per Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.
- VII. For the Industrial Housing facility, 2.5 MLD STP is proposed to treat the sewage generated from the Industrial Housing Facility and the treated sewage will be reused for flushing within the housing facility and for green belt development within the Industrial Park. Individual industries in the Industrial Park will be mandated to provide STP/ETP of adequate capacity and maintain Zero Liquid Discharge (ZLD) system.
- VIII.
- Overall Green Belt area of the park would be ≈109.65 acres i.e., 35.33% of developable area of 310.39 acres.

S.No	Green belt area break up	Area (Ha)	Area (Acres)
1	OSR Area	11.07	27.35
2	33% green belt in industrial plots	25.48	62.94
3	Green belt 3m along road side	3.0	7.41
4	Additional Green belt	4.84	11.95
	Total	44.39	109.65

IX. EMP cost of the park is INR. 1825.93 Lakhs. Details are given below:

S.No	Project Components	Tentative Cost (INR lakhs)
1>	Storm Water drains	1107.00
2	Solar Street Lights	98.00
3	Green Belt Development	11.53
4	Rain Water Harvesting	50.00
5	Solid Waste Management in Park	30.00
6	Health Centre /Medical Dispensary	25.00
7	STP for Industrial Housing (2.5 MLD), solar lighting	150.0
8	Stacks for Industrial Housing DG set	20.0

Page 11 of 32

SEIAA-TN

IBER SEC

ME

S.No	Project Components	Tentative Cost (INR lakhs)
9	Biomethanation plant	55.0
10	E waste closed shed	269.00
11	Sanitary napkin incinerator for Industrial housing (130 nos)	10.4
	Total EMP Cost	1825.93

(1999年) 11月1月1月1日

X. As per Office Memorandum dated 1st May, 2018 from MoEF&CC, SIPCOT will earmark INR 520 Lakhs i.e., 0.5% of the project cost (Rs.1040 Crores) towards CER activities.

Declaration

I, Thiru. T. Anand, I.A.S., do hereby declare that the statement made by me under para (I) to (X) are true and correct to the best of my knowledge and belief. Nothing is false and nothing is concealed in it.

The project activity is covered in 8(b) of the Schedule and is of B2 category. It does not require Public Consultation as per Para 7 III Stage (3) (i) (d) of EIA Notification, 2006.

SEAC Remarks:

The proposal was again placed for appraisal in this 239th meeting of SEAC held on 22.10.2021. Based on the presentation and documents furnished by the project proponent, SEAC decided to recommend the proposal for the grant of issue of Environmental Clearance subject to the following specific conditions, in addition to normal conditions stipulated by MOEF&CC:

- The project proponent shall continuously operate and maintain the Sewage treatment plant & Grey Water Treatment Plant to achieve the standards prescribed by the TNPCB/CPCB.
 - 2. The project proponent shall submit flood inundation certificate and shall fix the level according to the conditions issued in the certificate.
 - 3. The project proponent shall submit structural stability certificate from reputed institutions like IIT, Anna University etc. to SEIAA.

MEMBER SECRETARY

SEIAA-TN

4. The height of the stacks of DG sets shall be provided as per the CPCB norms.

- 5. The project proponent shall allot necessary area for the collection of E waste and strictly follow the E-Waste Management Rules 2016, as amended for disposal of the E waste generation within the premise.
- 6. The proponent shall make proper arrangements for the disposal of the treated water from the proposed site for Toilet flushing, 6reen belt development & OSR and no treated water be let out of the premise.
- The sludge generated from the Sewage Treatment Plant shall be collected and dewatered using filter press and the same shall be utilized as manure for green belt development after composting.
- 8. The proponent shall provide the separate wall between the STP and OSR area as per the layout furnished and committed.
- 9. The purpose of Green belt around the project is to capture the fugitive emissions and to attenuate the noise generated, in addition to the improvement in the aesthetics. A wide range of indigenous plants species should be planted in and around the premise in consultation with the DFO, District / State Agriculture University. The plants species should have thick canopy cover, perennial green nature, native origin and large leaf areas. Medium size trees and small trees alternating with shrubs shall be planted. Miyawaki method of planting i.e. planting different types of trees at very close intervals may be tried which will give a good green cover. The proponent shall earmark the greenbelt area with CPS coordinates all along the boundary of the project site with at least 3 meters wide and in between blocks in an organized manner and the same shall be included in the layout out plan to be submitted for CMDA/DTCP approval. The total green belt area should be minimum 15% of the total area and the same shall not be used for car parking/OSR.
- 10. The project proponent shall provide entry and exit points for the OSR area, play area as per the norms for the pubic usage and as committed.
- 11. The Proponent shall provide rain water harvesting sump of adequate capacity for collecting the runoff from rooftops, paved and unpaved roads as committed.
- 12. The project proponent shall obtain the necessary authorization from TNPCB and strictly follow the Hazardous & Other Wastes (Management and Transboundary



EC Identification No. - EC22B039TN177183 File No. - 7316/2020 Date of Issue EC - 09/02/2022

Movement) Rules, 2016, as amended for the generation of Hazardous waste within the premises.

- No waste of any type to be disposed off in any other way other than the approved one.
- 14. The Proponent shall provide the dispenser for the disposal of Sanitary Napkins.
- 15. All the mitigation measures committed by the proponent for the flood management, to avoid pollution in Air, Noise, Solid waste disposal, Sewage treatment & disposal etc., shall be followed strictly.
- 16. The project proponent shall furnish commitment for post-COVID health management for construction workers as per ICMR and MHA or the State Government guidelines as committed for during SEAC meeting.
- 17. The project proponent shall provide a medical facility, possibly with a medical officer in the project site for continuous monitoring the health of construction workers during COVID and Post COVID period.
- Solar energy should be at least 100/0 of total energy utilization. Application of solar energy should be utilized maximum for illumination of common areas, street lighting etc.
- 19. As per the MoEF&CC Office Memorandum F.No. 22-65/2017-IA.III dated: 30.09.2020 & 20.10.2020 the proponent shall furnish the detailed EMP and the project proponent shall create a good Environmental Awareness Institute mentioning all the activities as CER proposal and furnish the same before placing the subject to SEIAA.

SEIAA Remarks:

The subject was placed in the 483rd Authority meeting held on 28.01.2022. After detailed discussions, the Authority accepted the recommendations of SEAC and decided to grant of Environmental Clearance subject to the conditions as recommended by SEAC & normal condition in addition to the following conditions:

- 1. All the construction of Buildings shall be energy efficient and conform to the green building norms.
- 2. The proponent shall provide the adequate play area for the children within the premises.
- 3. The proponent shall provide the adequate health care facility within the premises.

MEMBER SECRE

SEIAA-TN

- 4. The proponent shall provide the adequate parking facility within the premises, with clear traffic plan.
- 5. All the eateries provided within the premises shall be maintained in hygienic way.
- 6. The proponent shall ensure that no treated or untreated trade effluent/sewage shall be discharged outside the premises under any circumstances.
- 7. The proponent shall ensure that the activities should not result in temperature raise, nor lead to rise in carbon dioxide and other gases that add to climate change.
- 8. All the trees, biodiversity and water bodies within the premises should be protected.
- Action should be initiated to cover 33% of the total project area under green belt development with native species.
- 10. All mitigation measures as suggested in the EIA/EMP and disaster management plan to be strictly adhered.
- 11. The activities should in no way cause emission and builtup Green House Gases(GHG).
- 12. All actions to be eco friendly and support sustainable management of the natural resources within and outside premises.

Environmental Clearance along with the conditions containing four parts namely

Part - A –Common conditions applicable for Pre-construction, Construction and Operational Phases

Part - B - Specific Conditions - Pre construction phase

Part - C - Specific Conditions - Construction phase

Part - D - Specific Conditions - Operational Phase/Post constructional

Phase / Entire life of the project.

Validity:

The SEIAA hereby accords Environmental Clearance to the above project under the provisions of EIA Notification dated 14th September, 2006 as amended, with validity for Seven years from the date of issue of EC, subject to the compliance of the terms and conditions stipulated below:



<u>Part - A – Common conditions applicable for Pre-construction, Construction and</u> <u>Operational Phases:</u>

- Any appeal against this environmental clearance shall lie with the Hon'ble National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
- The construction of STP, Solid Waste Management facility, E-waste management facility, DG sets, etc., should be made in the earmarked area only. In any case, the location of these utilities should not be changed later on.
- 3. The Environmental safeguards contained in the application of the proponent /mentioned during the presentation before the State Level Environment Impact Assessment Authority / State Level Expert Appraisal Committee should be implemented in the letter and spirit.
- 4. All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire and Rescue Services Department, Civil Aviation Department, Forest Conservation Act, 1980 and Wild Life (Protection) Act, 1972, State / Central Ground Water Authority, Coastal Regulatory Zone Authority, other statutory and other authorities as applicable to the project shall be obtained by project proponent from the concerned competent authorities.
- 5. The SEIAA reserves the right to add additional safeguard measures subsequently, if non-compliance of any of the EC conditions is found and to take action, including revoking of this Environmental Clearance as the case may be.
- 6. A proper record showing compliance of all the conditions of Environmental Clearance shall be maintained and made available at all the times.
- 7. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company. The status of compliance of environmental clearance conditions and shall also be sent to the Regional Office of the Ministry of Environment and Forests, Chennai by e-mail.
- 8. The Regional Office of the Ministry located at Chennai shall monitor compliance of the stipulated conditions. The project authorities should extend full



cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information / monitoring reports.

- "Consent for Establishment" shall be obtained from the Tamil Nadu Pollution Control Board and a copy shall be submitted to the SEIAA, Tamil Nadu.
- 10. In the case of any change(s) in the scope of the project, a fresh appraisal by the SEAC/SEIAA shall be obtained before implementation.
- 11. The conditions will be enforced inter-alia, under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, the Public Liability Insurance Act, 1991, along with their amendments ,draft Minor Mineral Conservation & Development Rules , 2010 framed under MMDR Act 1957,National Commission for protection of Child Right Rules ,2006 and rules made there under and also any other orders passed by the Hon'ble Supreme Court of India/Hon'ble High Court of Madras and any other Courts of Law, including the Hon'ble National Green Tribunal relating to the subject matter.
- 12. The Environmental Clearance shall not be cited for relaxing the other applicable rules to this project.
- 13. Failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of the Environment (Protection) Act, 1986.
- 14. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, Chennai, the respective Zonal Office of CPCB, Bengaluru and the TNPCB. The criteria pollutant levels namely; PM10, PM2.5, SO2, NOx (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored.
- 15. The SEIAA, TN may cancel the environmental clearance granted to this project under the provisions of EIA Notification, 2006, if, at any stage of the validity of this environmental clearance, if it is found or if it comes to the knowledge of this SEIAA, TN that the project proponent has deliberately concealed and/or



EC Identification No. - EC22B039TN177183 File No. - 7316/2020 Date of Issue EC - 09/02/2022

submitted false or misleading information or inadequate data for obtaining the environmental clearance.

- 16. The Environmental Clearance does not imply that the other statutory / administrative clearances shall be granted to the project by the concerned authorities. Such authorities would be considering the project on merits and be taking decisions independently of the Environmental Clearance.
- 17. The SEIAA, TN may alter/modify the above conditions or stipulate any further condition in the interest of environment protection, even during the subsequent period.
- 18. The Environmental Clearance does not absolve the applicant/proponent of his obligation/requirement to obtain other statutory and administrative clearances from other statutory and administrative authorities.
- 19. Where the trees need to be cut, compensation plantation in the ratio of 1:10 (i.e. planting of 10 trees for every one tree that is cut) should be done with the obligation to continue maintenance.
- 20. A separate environmental management cell with suitable qualified personnel should be set-up under the control of a Senior Executive who will report directly to the Head of the Organization and the shortfall shall be strictly reviewed and addressed.
- 21. The EMP cost shall be deposited in a Nationalized bank by opening separate account and the head wise expenses statement shall be submitted to TNPCB with a copy to SEIAA annually.
- The project activity should not cause any disturbance & deterioration of the local bio diversity.
- 23. The project activity should not impact the water bodies. A detailed inventory of the water bodies and forest should be evaluated and fact reported to the Forest Department & PWD for monitoring.
- 24. All the assessed flora & fauna should be conserved and protected.
- 25. The proponent should strictly comply with, Tamil Nadu Government Order (Ms) No.84 Environment and forests (EC.2) Department dated 25.06.2018 regarding ban on one time use and throwaway plastics irrespective of thickness with effect from 01.01.2019 under Environment (Protection) Act, 1986

MEMBER SECRE

SEIAA-TN

- 26. As per MoEF & CC, GoI, Office Memorandum dated 30.03.2015, prior clearance from Forestry & Wildlife angle including clearance from obtaining committee of the National Board for Wildlife as applicable shall be obtained before starting the quarrying operation, if the project site is located within 10KM from National Park and Sanctuaries.
- 27. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided.
- 28. The safety measures proposed in the report should be strictly followed.
- 29. The Developer shall ensure that no allotment letter/ sale deed in any form shall be made to house category A or category B industry as prescribed in the schedule of EIA notification 2006. However, in case any category A or category B type of industry as prescribed in the schedule of EIA notification 2006 is proposed then the individual unit shall apply and seek Environmental Clearance under the EIA notification 2006.
- 30. The Developer shall mandate the member industries of the Industrial Park to allot 33% of the plot area for green belt development and to install RWH structures.
- 31. The Developer has to ensure that all the member industries within the Industrial Park shall make their own arrangements to achieve zero discharge of the trade effluents, solid waste & E waste management, gaseous emission and noise control measures to achieve the standards prescribed by the TNPCB.
- 32. The project proponent shall ensure that the individual member units will not be allowed to carry out manufacturing of products stipulated in G.O. (Ms) No. 84 dated 25/06/2018 on banning of one time use on and throwaway plastics.
- 33. The project proponent must submit the permissible land use classification certificate obtained from competent authority for the proposed project before obtain the CTE from TNPCB.
- 34. The CER fund shall be utilized as per the office memorandum of MoEF & CC dated 01.05.2018 before obtaining CTO from TNPCB.
- 35. The allotted industrial units shall obtain consent from the TNPCB separately for their establishment & operation in this industrial estate.
- 36. The project proponent shall ensure that 33% of the total area of the project site should be covered with green belt.



- 37. The proponent shall provide Rain Water Harvesting pits so as to recharge the ground water table.
- 38. Discharge of treated sewage shall conform to the norms & standards prescribed by the Tamil Nadu Pollution Control Board.
- 39. It is the sole responsibility of the proponent that the treated sewage disposed for green belt development/ avenue plantation should not pollute the soil/ ground water/ adjacent canals/ lakes/ ponds, etc.
- 40. The Developer has to ensure that all the member industries within the Industrial Park shall make their own arrangements to achieve zero discharge of the trade effluents,
- 41. The project proponent shall ensure that all the member units should treat and dispose solid waste & E-waste as per the Solid Waste Management Rule2016 as amended and E-Waste Management Rules, 2016
- 42. There shall be no discharge of effluent outside the Industrial Park at any time.
- 43. The Developer shall mandate the member units of the Industrial Park to install adequate APC measures/Acoustic to achieve air emissions standards within permissible limits prescribed by the CPCB.

Part - B - Specific Conditions - Pre construction phase:

- 1. The project authorities should advertise with basic details at least in two local newspapers widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of clearance. The press releases also mention that a copy of the clearance letter is available with the State Pollution Control Board and also at website of SEIAA, TN. The copy of the press release should be forwarded to the Regional Office of the Ministry of Environment and Forests located at Chennai and SEIAA-TN.
- In the case of any change(s) in the scope of the project, a fresh appraisal by the SEAC/SEIAA shall be obtained before implementation.
- A copy of the clearance letter shall be sent by the proponent to the Local Body. The clearance letter shall also be put on the website of the Proponent.
- 4. The approval of the competent authority shall be obtained for structural safety of the buildings during earthquake, adequacy of fire fighting equipments, etc as per



National Building Code including protection measures from lightning etc before commencement of the work.

- 5. All required sanitary and hygienic measures for the workers should be in place before starting construction activities and they have to be maintained throughout the construction phase.
- 6. Design of buildings should be in conformity with the Seismic Zone Classifications.
- 7. The Construction of the structures should be undertaken as per the plans approved by the concerned local authorities/local administration.
- 8. No construction activity of any kind shall be taken up in the OSR area.
- 9. Consent of the local body concerned should be obtained for using the treated sewage in the OSR area for gardening purpose. The quality of treated sewage shall satisfy the bathing quality prescribed by the CPCB.
- 10. The height and coverage of the constructions shall be in accordance with the existing FSI/FAR norms as per Coastal Regulation Zone Notification, 2011.
- 11. The Project Proponent shall provide car parking exclusively for the visiting guest in the proposed residential apartments as per CMDA norms.
- 12. The project proponent shall ensure the level of basement shall be above maximum flood level.
- 13. The proponent shall prepare completion plans showing Separate pipelines marked with different colours with the following details
 - i. Location of STP, compost system, underground sewer line.
 - ii. Pipe Line conveying the treated effluent for green belt development.
 - Pipe Line conveying the treated effluent for toilet flushing iii.
 - iv. Water supply pipeline
 - v. Gas supply pipe line, if proposed
 - vi. Telephone cable
 - vii. Power cable
 - viii. Strom water drains, and
 - ix. Rain water harvesting system, etc.,. and it shall be made available to the owners

MEMBER SECR SEIAA-TN Page 21 of 32

- 14. A First Aid Room shall be provided in the project site during the entire construction and operation phases of the project.
- 15. The present land use surrounding the project site shall not be disturbed at any point of time.
- 16. The green belt area shall be planted with indigenous native trees.
- 17. Natural vegetation listed particularly the trees shall not be removed during the construction/operation phase. In case any trees are likely to be disturbed, shall be replanted.
- 18. During the construction and operation phase, there should be no disturbance to the aquatic eco-system within and outside the area.
- The Provisions of Forest conservation Act 1980, Wild Life Protection Act 1972
 & Bio diversity Act 2002 should not be violated.
- 20. There should be Fire fighting plan and all required safety plan.
- 21. Regular fire drills should be held to create awareness among owners/ residents.

Part - C - Specific Conditions - Construction phase:

- 1. Construction Schedule:
 - The Project proponent shall have to furnish the probable date of commissioning of the project supported with necessary bar charts to SEIAA-TN.

2. Labour Welfare:

- All the labourers to be engaged for construction should be screened for health and adequately treated before and during their employment on the work at the site.
- ii) Personnel working in dusty areas should wear protective respiratory devices and they should also be provided with adequate training and information on safety and health aspects. Occupational health surveillance program of the workers should be undertaken periodically to observe any contradictions due to exposure to dust and take corrective measures, if needed.
- iii) Periodical medical examination of the workers engaged in the project shall be carried out and records maintained. For the purpose, schedule of

MEMBER SECRETAR

SEIAA-TN



health examination of the workers should be drawn and followed accordingly. The workers shall be provided with personnel protective measures such as masks, gloves, boots etc.

3. Water Supply:

- i) The entire water requirement during construction phase may be met from ground water source from the source with approval of the PWD Department of water resources/ may be out sourced.
- ii) Provision shall be made for the housing labour within the site with all necessary infrastructures and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
- iii) Adequate drinking water and sanitary facilities should be provided for construction workers at the site. The treatment and disposal of waste water shall be through dispersion trench after treatment through septic tank. The MSW generated shall be disposed through Local Body and the identified dumpsite only.
- iv) Water demand during construction should be reduced by use of premixed concrete, curing agents and other best practices prevalent.
- Fixtures for showers, toilet flushing and drinking water should be of low flow type by adopting the use of aerators / pressure reducing devises / sensor based control.

4. Solid Waste Management:

- i) In the solid waste management plan, the STP sludge management plan for direct use as manure for gardens is not acceptable; it must be cocomposted with biodegradables.
- ii) House hold hazardous waste such as batteries, small electronics, CFL bulbs, expired medicines and used cleaning solvent bottles should be segregated at source, collected once in a month from residences and disposed as per the SWM rules 2016.
- iii) Domestic solid wastes to be regularly collected in bins or waste handling receptacles and disposed as per the solid waste management rules 2016.

MEMBER SECR SEIAA-TN Page 23 of 32

EC Identification No. - EC22B039TN177183 File No. - 7316/2020 Date of Issue EC - 09/02/2022

- iv) No waste of any type to be disposed of in any watercourse including drains, canals and the surrounding environment.
- v) E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016 and subsequent amendment.

5. Top Soil Management:

 All the top soil excavated during construction activities should be stored for use in horticulture/ landscape development within the project site.

6. Construction Debris disposal:

- Disposal of construction debris during construction phase should not create any adverse effect on the neighboring communities and be disposed off only in approved sites, with the approval of Competent Authority with necessary precautions for general safety and health aspects of the people. The construction and demolition waste shall be managed as per Construction & Demolition Waste Management Rules, 2016.
- ii) Construction spoils, including bituminous materials and other hazardous materials, must not be allowed to contaminate watercourses. The dump sites for such materials must be secured so that they should not leach into the adjacent land/ lake/ stream etc.

7. Diesel Generator sets:

- i) Low Sulphur Diesel shall be used for operating diesel generator sets to be used during construction phase. The air and noise emission shall conform to the standards prescribed in the Rules under the Environment (Protection) Act, 1986, and the Rules framed thereon.
- ii) The diesel required for operating stand by DG sets shall be stored in underground tanks fulfilling the safety norms and if required, clearance from Chief Controller of Explosives shall be taken.
- iii) The acoustic enclosures shall be installed at all noise generating equipments such as DG sets, air conditioning systems, cooling water tower etc.
- 8. Air & Noise Pollution Control:



Page 24 of 32

- i) Vehicles hired for bringing construction materials to the site should be in good condition and should conform to air and noise emission standards, prescribed by TNPCB/CPCB. The vehicles should be operated only during non-peak hours.
- ii) Ambient air and noise levels should conform to residential standards prescribed by the TNPCB, both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during the construction phase. The pollution abatement measures shall be strictly implemented.
- iii) Traffic congestion near the entry and exit points from the roads adjoining the proposed project site shall be avoided. Parking shall be fully internalized and no public space should be utilized. Parking plan to be as per DTCP norms. The traffic department shall be consulted and any cost effective traffic regulative facility shall be met before commissioning.
- iv) The buildings should have adequate distance between them to allow free movement of fresh air and passage of natural light, air and ventilation.

9. Building material:

- i) Fly-ash blocks should be used as building material in the construction as per the provision of Fly ash Notification of September, 1999 and amended as on 27th August, 2003 and Notification No. S.O. 2807 (E) dated: 03.11.2009.
- ii) Ready-mix concrete shall alone be used in building construction and necessary cube-tests should be conducted to ascertain their quality.
- iii) Use of glass shall be reduced up to 40% to reduce the electricity consumption and load on air conditioning. If necessary, high quality double glass with special reflecting coating shall be used in windows.

10. Storm Water Drainage:

- i) Storm water management around the site and on site shall be established by following the guidelines laid down by the storm water manual.
- ii) Storm water management plan shall be obtained by engaging the services of Anna University/IIT.

11. Energy Conservation Measures:

MEMBER SECRE

Page 25 of 32

- Roof should meet prescriptive requirement as per Energy Conservation Building Code by using appropriate thermal insulation material, to fulfill the requirement.
- ii) Opaque wall should meet prescribed requirement as per Energy Conservation Building Code which is mandatory for all air conditioned spaces by use of appropriate thermal insulation material to fulfill the requirement.
- iii) All norms of Energy Conservation Building Code (ECBC) and National Building Code, 2005 as energy conservation have to be adopted Solar lights shall be provided for illumination of common areas.
- iv) Application of solar energy should be incorporated for illumination of common areas, lighting for gardens and street lighting. A hybrids system or fully solar system for a portion of the apartments shall be provided.
- v) A report on the energy conservation measures conforming to energy conservation norms prescribed by the Bureau of Energy Efficiency shall be prepared incorporating details about building materials & technology;
 R & U factors etc and submitted to the SEIAA in three month's time.
- vi) Energy conservation measures like installation of CFLs/TFLs for lighting the areas outside the building should be integral part of the project design and should be in place before project commissioning.

12. Fire Safety:

- Adequate fire protection equipments and rescue arrangements should be made as per the prescribed standards.
- ii) Proper and free approach road for fire-fighting vehicles upto the buildings and for rescue operations in the event of emergency shall be made.

13. Green Belt Development:

 The Project Proponent shall plant tree species with large potential for carbon capture in the proposed green belt area based on the recommendation of the Forest department well before the project is completed.

MEMBER SECRE SEIAA-TN

- ii) The purpose of Green belt around the project is to capture the fugitive emissions and to attenuate the noise generated, in addition to the improvement in the aesthetics. A wide range of indigenous plants species should be planted in and around the premise in consultation with the DFO, District / State Agriculture University. The plants species should have thick canopy cover. perennial green nature, native origin and large leaf areas. Medium size trees and small trees alternating with shrubs shall be planted. Miyawaki method of planting i.e. planting different types of trees at very close intervals may be tried which will give a good green cover. The proponent shall earmark the greenbelt area with CPS coordinates all along the boundary of the project site with at least 3 meters wide and in between blocks in an organized manner and the same shall be included in the layout out plan to be submitted for CMDA/DTCP approval. The total green belt area should be minimum 15% of the total area and the same shall not be used for car parking/OSR.
- iii) The proponent shall develop the green belt as per the plan furnished and area earmarked for the greenbelt shall not be alter at any point of time for any other purpose.
- iv) The proponent has to earmark the greenbelt area with dimension and GPS coordinates for the green belt area and the same shall be included in the layout out plan to be submitted for DTCP approval

14. Sewage Treatment Plant:

- i) The Sewage Treatment Plant (STP) installed should be certified by an independent expert/ reputed Academic institutions for its adequacy and a report in this regard should be submitted to the SEIAA, TN before the project is commissioned for operation. Explore the less power consuming systems viz baffle reactor, etc., for the treatment of sewage.
- ii) The Proponent shall install STP as furnished. Any alteration to satisfy the bathing quality shall be informed to SEIAA-TN.
- iii) The project proponent shall operate and maintain the Sewage treatment Plant effectively to meet out the standards prescribed by the CPCB.

MEMBER SE

Page 27 of 32

- iv) The project proponent shall continuously operate and maintain the Sewage treatment plant to achieve the standards prescribed by the CPCB.
- v) The project proponent has to ensure the complete recycling of treated sewage after achieving the standards prescribed by the CPCB.
- vi) The project proponent has to provide separate standby D.G set for the STP for the continuous operation of the STP in case of power failure.

15. Rain Water Harvesting:

- i) The proponent/ Owner of the Flats shall ensure that roof rain water collected from the covered roof of the buildings, etc shall be harvested so as to ensure the maximum beneficiation of rain water harvesting by constructing adequate sumps so that 100% of the harvested water shall be reused.
- Rain water harvesting for surface run-off, as per plan submitted should be implemented. Before recharging the surface run off, pre-treatment with screens, settlers etc. must be done to remove suspended matter, oil and grease, etc.
- iii) The project activity should not cause any disturbance & deterioration of the local bio diversity.

16. Building Safety:

Lightning arrester shall be properly designed and installed at top of the building and where ever is necessary.

<u>Part – D - Specific Conditions – Operational Phase/Post constructional</u> <u>phase/Entire life of the project:</u>

- 1. There should be Fire fighting plan and all required safety plan.
- 2. Regular fire drills should be held to create awareness among owners/ residents.
- House hold hazardous waste such as batteries, small electronics, CFL bulbs, expired medicines and used cleaning solvent bottles should be segregated at source, collected once in a month from residences and disposed as per the SWM rules 2016.
- The building should not spoil the green views and aesthetics of surroundings and should provide enough clean air space.



- 5. The project proponent has to furnish the certificate stating that the proposed site had not encroached any water body (rivers, canals, lakes, ponds, tanks, etc) from its original boundary shall be obtained from the competent authority before obtaining CTE from TNPCB.
- 6. The project proponent shall obtain the necessary permission for drawl of ground water / surface water required for the project from the competent authority.
- 7. Solar energy saving shall be increased to atleast10% of total energy utilization.
- The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated 1st May 2018, as applicable, regarding Corporate Environment Responsibility.
- 9. The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest / wildlife norms / conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF & CC as a part of sixmonthly report.
- 10. The EMP cost shall be printed in the Brochure / Pamphlet for the preparation of the sale of the property and should also mention the component involved.
- 11. The Project proponent shall get due permission from the wetland Authority before the commencement of the work, if applicable.
- 12. The project activities should in no way disturb the manmade structures.
- 13. The Proponent shall do afforestation/ restoration programme contemplated to strengthen the open spaces shall preferably include native species along with the financial forecast for planting and maintenance for 5 years.
- 14. "Consent to Operate" should be obtained from the Tamil Nadu pollution Control Board before the start of the operation of the project and copy shall be submitted to the SEIAA-TN.
- 15. Raw water quality to be checked for portability and if necessary RO plant shall be provided.



EC Identification No. - EC22B039TN177183 File No. - 7316/2020 Date of Issue EC - 09/02/2022 P

Page 29 of 32

- 16. The Proponent should be responsible for the maintenance of common facilities including greening, rain water harvesting, sewage treatment and disposal, solid waste disposal and environmental monitoring including terrace gardening for a period of 3 years. Within one year after handing over the flats to all allottees a viable society or an association among the allottees shall be formed to take responsibility of continuous maintenance of all facilities with required agreements for compliance of all conditions furnished in Environment Clearance (EC) order issued by the SEIAA-TN or the Proponent himself shall maintain all the above facilities for the entire period. The copy of MOU between the buyers Association and proponent shall be communicated to SEIAA-TN.
- 17. The ground water level and its quality should be monitored and recorded regularly in consultation with Ground Water Authority.
- 18. Treated effluent emanating from STP shall be recycled / reused to the maximum extent possible. The treated sewage shall conform to the norms and standards for bathing quality laid down by CPCB irrespective of any use. Necessary measures should be made to mitigate the odour and mosquito problem from STP.
- 19. The Proponent shall operate STP continuously by providing stand by DG set in case of power failure.
- 20. Adequate measures should be taken to prevent odour emanating from solid waste processing plant and STP.
- 21. The E waste generated should be collected and disposed to a nearby authorized e-waste centre as per E- waste (Management & Handling), Rules 2016 as amended.
- 22. Diesel power generating sets proposed as source of back-up power during operation phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets.
- 23. The noise level shall be maintained as per MoEF/CPCB/TNPCB guidelines/norms both during day and night time.
- 24. Spent oil from D.G sets should be stored in HDPE drums in an isolated covered facility and disposed as per the Hazardous & other Wastes (Management &



Page 30 of 32

Transboundary Movement) Rules 2016. Spent oil from D.G sets should be disposed off through registered recyclers.

- 25. The proponent is required to provide a house hold hazardous waste / E-waste collection and disposal mechanism.
- 26. The proponent/ Owner of the Flats shall ensure that storm water drain provided at the project site shall be maintained without choking or without causing stagnation and should also ensure that the storm water shall be properly disposed off in the natural drainage / channels without disrupting the adjacent public. Adequate harvesting of the storm water should also be ensured.
- 27. Used CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/rules of the regulatory authority to avoid mercury contamination.
- 28. A copy of the Environmental clearance (EC) letter shall be made available to all the allottees along with the allotment order / sale deed.
- 29. Failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of the Environment (Protection) Act, 1986.

MEMBER SECRETARY SEIAA-TN

Copy to:

- The Principal Secretary to Government, Environment & Forests Dept, Govt. of Tamil Nadu, Fort St. George, Chennai - 9.
- The Chairman, Central Pollution Control Board, Parivesh Bhavan, CBD Cum-Office Complex, East Arjun Nagar, New Delhi 110032
- The Member Secretary, Tamil Nadu Pollution Control Board, 76, Mount Salai, Guindy, Chennai-600 032.
- The APCCF (C), Regional Office, Ministry of Environment & Forest (SZ), 34, HEPC Building, 1st& 2nd Floor, Cathedral Garden Road, Nungambakkam, Chennai - 34.

- Monitoring Cell, I A Division, Ministry of Environment & Forests, Paryavaran Bhavan, CGO Complex, New Delhi 110003.
- 6. The District Collector, Kanchipuram District
- 7. Stock File.

