



## **Government of India** Ministry of Environment, Forest and Climate Change (Issued by the State Environment Impact Assessment Authority(SEIAA), TAMIL NADU)

To,

The Managing Director STATE INDUSTRIES PROMOTION CORPORATION OF TAMILNADU LIMITED (SIPCOT)

19-A, Rukmani Lakshmipathy Road, Egmore, Chennai -600008

Subject: Grant of Environmental Clearance (EC) to the proposed Project Activity under the provision of EIA Notification 2006-regarding

Sir/Madam.

This is in reference to your application for Environmental Clearance (EC) in respect of project submitted to the SEIAA vide proposal number SIA/TN/INFRA2/447333/2023 dated 01 Nov 2023. The particulars of the environmental clearance granted to the project are as below.

1. EC Identification No. EC23B039TN110847

2. File No. 10204 3. **Project Type** New 4.

Category В

5. Project/Activity including 8(b) Townships and Area Development Schedule No. projects.

6. Name of Project **DEVELOPMENT OF INDUSTRIAL** PARK/ SEZ OVER AN EXTENT OF 489.04 Ha. (1207.92 Acres)

STATE INDUSTRIES PROMOTION 7. Name of Company/Organization **CORPORATION OF TAMILNADU** 

LIMITED (SIPCOT)

TAMIL NADU 8. **Location of Project** 

9. **TOR Date** N/A

The project details along with terms and conditions are appended herewith from page no 2 onwards.

(e-signed) Thiru.Deepak S.Bilgi Member Secretary Date: 06/12/2023 SEIAA - (TAMIL NAĎU)



Note: A valid environmental clearance shall be one that has EC identification number & E-Sign generated from PARIVESH.Please quote identification number in all future correspondence.

This is a computer generated cover page.



# THIRU.DEEPAK S.BILGI, I.F.S., MEMBER SECRETARY

# STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY-TAMILNADU

3rd Floor, Panagal Maaligai, No.1, Jeenis Road, Saidapet, Chennai-15. Phone No. 044-24359973 Fax No. 044-24359975

## **ENVIRONMENTAL CLEARANCE (EC)**

## Letter No. SEIAA-TN/F.No.10204/EC/8(b)/993/2023 dated:20.11.2023

To,

M/s. State Industries Promotion Corporation of Tamil Nadu Limited,

19-A, Rukmani Lakshmipathy Road,

Egmore,

Chennai-600 008.

## Sir/Madam,

Sub: SEIAA, TN - Environmental Clearance Proposed Development of Industrial Park/SEZ over an extent of 489.04 Ha (1207.92 Acres) at S.F.Nos: Peruvalayam village Survey Nos. :463/1A1A, 463/1A1B, 463/1A1C, 463/1A1D, 463/1A1E1, 463/1A1E2, 463/1A1E4, 463/1A1E5, 463/1A1E6, 463/1A1E7, 463/1A2, 463/1B1, 463/1B2, 463/1B3, 463/1B4, 463/1C, 463/1D, 463/1E, 463/1F, 463/1G, 463/2, 463/3, 463/4, 463/5, 463/6, 463/7, 463/8, 463/9, 463/11, 463/12, 463/13, 463/14, 463/15, 463/16, 481C/1A1, 481C/1A2, 481C/1A3, 481C/1A4, 481C/1B, 481C/1C1, 481C/1C2, 481C/1C3, 481C/1C4, 481C/1C5, 481C/2, 481C/3, 481C/4, 481C/5, 481C/6, 481C/7, 481C/8, 481C/9, 481C/10, 482/1A, 482/1B, 482/2A, 482/2B, 482/3, 482/4, 483/1, 483/2, 484B/1, 484B/2A, 484B/2B, 484B/2C, 484B/3A1, 484B/3B, 484B/4, 484B/5A, 484B/5B, 484B/5C, 484B/5D, 484B/5E, 484B/5F, 484B/5G, 484B/5H, 484B/5'I', 484B/5J, 484B/5K, 484B/5L, 484B/5M, 484B/5N, 484B/5'O', 484B/5P, 484B/5Q, 484B/5R, 484B/5S, 484B/5T, 484B/5U, 484B/6, 484B/7, 484B/8, 484B/9, 484B/10, 484B/11, 484B/12, 484B/13, 484B/14, 484B/15, 487/1, 487/2A, 487/2B, 487/3A, 487/3B, 488/1A, 488/1B, 488/1C, 488/1D, 488/1E, 488/1F, 488/1G, 488/1H, 488/1I, 488/1J, 488/1K, 488/1L, 488/1M, 488/1N, 488/1O, 488/1P, 488/1Q, 488/1R, 488/2, 489/1A, 489/1B, 490/1, 490/2A, 490/2B, 490/3A, 490/3B, 490/4A, 490/4B, 490/5A, 490/5B, 490/6A, 490/6B, 490/7, 490/9A-DC, 490/9B-DC, 490/9C-DC, 490/9D-DC, 490/9E-DC, 491/1, 491/2, 492/1, 492/2A1A, 492/2A1B, 492/2A1C, 492/2A1D, 492/2A1E, 492/2A2, 492/2A3, 492/2A4, 492/2A5, 492/2A6, 492/2A7, 492/3, 492/5, 492/6, 492/8A1-DC, 492/8A2- DC, 492/8A3-DC, 492/8A4-DC,

492/8A5-DC, 492/8A6-DC, 492/8A7-DC, 492/8A8-DC, 492/8A9- DC, 492/8A10-DC, 492/8B1A-DC, 492/8B1B-DC, 492/8B1C-DC, 492/8B1D-DC, 492/8B1E-DC, 492/8B1F-DC, 492/8B1G-DC, 492/8B1H-DC, 492/8B2, 492/8B3, 499/1A, 499/1B, 499/2A, 499/2B, 499/3, 499/4A, 499/4B, 499/5, 499/6A, 499/6B, 499/7, 499/8, 500/1A1, 500/1A2, 500/1A3, 500/1A4, 500/1A5, 500/1A6, 500/1A7, 500/1A8, 500/1A9, 500/1A10, 500/1A11, 500/1A12, 500/1B, 500/1C, 500/1D, 500/1E, 500/1F, 500/1G, 500/1H, 500/1I, 500/1J, 500/1K, 500/1L, 500/1M, 500/1N, 500/1O, 500/1P, 500/1Q, 500/1R, 500/1S, 500/1T, 500/1U, 500/1V, 500/1W, 500/1X, 500/1Y, 500/1Z, 501/1A1, 501/1A2, 501/1A3, 501/1A4, 501/1A5, 501/1A6, 501/1A7, 501/1B1, 501/1B2, 501/1C, 501/1D, 501/1E, 501/1F, 501/1G, 501/1H, 501/1I, 501/1J, 501/1K, 501/1L, 501/1M, 501/1N, 501/1O, 501/1P, 501/1Q, 501/1R, 501/1S, 501/1T, 501/3, 501/4, 501/5, 501/6, 501/8A, 501/8B, 501/9, 501/11, 501/12, 501/13, 501/14, 502/1A, 502/1B, 502/1C, 502/1D, 502/2A1, 502/2A2, 502/2A3, 502/2A4, 502/2B, 502/2C, 502/2D, 502/2E, 502/3A1A, 502/3A1B, 502/3A1C, 502/3A1D, 502/3A1E, 502/3A1F, 502/3A1G, 502/3A2, 502/3B, 502/3C, 502/3D, 502/3E, 502/3F, 502/3G, 502/3H, 502/3I, 502/4A1A, 502/4A1B, 502/4A1C, 502/4A1D, 502/4A1E, 502/4A1F, 502/4A1G, 502/4A2, 502/4A3, 502/4B, 502/4C, 502/4D, 502/4E, 502/5A1, 502/5A2, 502/5B, 502/5C, 502/5D, 502/5E, 502/5F, 502/5G, 502/5H, 503/1A, 503/1B, 503/1C, 503/1D, 503/1E, 503/2A, 503/2B, 503/3A, 503/3B, 503/4A, 503/4B, 503/5A, 503/5B, 503/6, 503/7, 503/8, 503/9, 504/1, 504/2, 504/3, 504/4, 505/2, 505/3, 505/4, 550/1, 550/2, 550/3, 550/4A1, 550/4A2, 550/4B, 550/5, 551/1, 551/2, 551/3, 551/4, 551/5, 551/6A1, 551/6A2, 551/6A3, 551/6A4, 551/6B, 551/7A, 551/7B, 551/7C, 552/1, 552/2, 552/3, 552/4, 552/5, 552/6, 552/7A1, 552/7A2, 552/7B, 552/7C, 552/7D, 552/7E, 552/7F, 552/8A, 552/8B, 552/8C, 552/8D, 788/1, 788/3A, 788/3B, 788/3C, 788/3D, 463/1A1E3, 463/6, 463/10, 489/2, 490/8, 492/7, 788/2, 492/4 & 501/10. Nedumpuli village Survey Nos.: 302,303, 304, 399/1, 399/2, 399/3, 399/4, 399/5, 399/6, 399/7, 399/8, 399/9, 400/1, 400/2, 401/1, 401/2, 401/3, 401/4, 402/1, 402/2, 402/3, 402/4, 402/5, 402/6, 402/7, 402/8, 403/1, 403/2, 403/3, 403/4, 403/5, 403/6, 403/7, 403/9, 294/1, 294/2A, 294/2B, 294/3, 295/1, 295/2, 295/3, 295/4, 296/1A1, 296/1A2, 296/1A3, 296/1F, 296/2, 296/3A, 296/3B, 296/4A, 296/4B, 296/5, 296/6, 296/7, 296/8, 296/9, 296/10, 296/11, 296/12, 296/13, 297/1A, 297/1B, 297/2, 297/3, 297/4, 297/5, 298/1, 298/2A, 298/2B, 298/2C, 298/2D, 298/3A, 298/3B, 298/3C, 299/2, 299/3A, 299/3B, 299/3C, 300/1A, 300/1B, 300/2, 300/3, 301, 398/1, 398/3, 398/4, 398/5, 398/6, 398/7, 398/8, 404/1A, 404/1B1, 404/1B2, 404/1B3, 404/2, 405/1, 405/2, 405/3, 269/1, 269/2, 270, 271, 272, 273, 274, 276/1, 276/2, 276/3, 276/4, 277/1, 276/2, 276/2, 276/3, 276/4, 277/1, 276/2, 276277/2, 277/3, 277/4, 277/5, 277/6, 277/7, 277/8, 277/9, 277/10, 277/11, 277/12, 278/1, 277/2, 278/1, 277/2, 278/1, 277/2, 278/1, 277/2, 278/1, 277/2, 278/1, 277/2, 278/1, 277/2, 278/1, 277/2, 278/1, 277/2, 278/1, 277/2, 278/1, 277/2, 278/1, 277/2, 278/1, 277/2, 278/1, 277/2, 278/1, 277/2, 278/1, 277/2, 278/2, 277/279/1, 279/2, 279/3, 279/4, 280, 281, 282, 283/1A, 283/1B, 283/1C, 283/1D, 283/1E, 283/1F, 283/1G, 283/2, 284/1A, 284/1B, 284/1C, 284/1D, 284/1E, 284/1F, 284/1G, 284/1H, 284/1I', 284/1J, 284/1K, 284/2B, 285/1A1, 285/1A2, 285/1A3, 285/1B2, 285/2A1, 285/2A2, 285/2B2, 285/3, 285/4, 285/5, 285/6, 285/7, 285/8, 285/9, 254/1, 254/2A, 254/2B, 254/3, 254/4A, 254/4B, 254/4C, 255/1, 255/2, 256/1A1, 256/1A2, 256/1A3, 256/1A4, 256/1A5, 256/1A6, 256/1B1, 256/1B2, 256/1C1, 256/1C2, 256/1C3, 256/2A, 256/2B1, 256/2B2, 256/2B3, 256/2B4, 256/2B5, 256/2B6, 256/2B7, 256/2B8, 256/2B9, 256/2B10, 256/2B11, 256/2B12, 256/2B13, 256/2B14, 256/2B15, 256/2B16, 256/2B17, 256/2B18, 256/2B19, 256/2B20, 256/2B21, 256/2B22, 256/4A, 256/4B, 256/4C, 256/5A, 256/5B, 256/5C, 256/5D, 256/5E, 256/5F, 256/5G, 256/5H, 256/5'I', 264/1A1, 264/1B1, 264/2A, 264/2B, 264/3, 264/4, 264/5, 264/6, 264/7, 264/8, 264/9, 264/10, 264/11, 264/12, 265/1, 265/2, 265/3, 265/4, 265/5, 265/6, 265/7, 265/8, 266/1, 266/2, 266/3, 266/4, 266/5, 266/6, 266/7, 266/8, 266/9, 266/10, 267/1, 267/2, 267/3, 267/4, 267/5, 268/2A, 268/2B, 268/2C1, 268/2C2, 268/3, 268/4, 268/5, 268/6, 305/1A, 305/1B, 305/2A, 305/2B1, 305/2B2, 305/2B3, 305/3, 305/4, 305/5, 305/6, 305/7, 305/8, 305/9, 305/10, 305/11, 305/12, 305/13, 305/14, 305/15, 305/16, 305/17, 305/18, 305/19, 305/20, 305/21, 305/22, 305/23, 305/24, 305/25, 305/26, 305/27, 305/28, 305/29, 305/30, 305/31, 305/32, 305/33, 306/1A, 306/1B, 306/1C, 306/1D, 306/1E, 306/1F, 306/1G, 306/1H, 306/1I, 306/1J, 306/1K, 306/1L, 306/1M, 306/1N, 306/1O', 306/1P, 306/1Q, 306/1R, 306/1S, 306/2A, 306/2AA, 306/2AB, 306/2AC, 306/2AD, 306/2AE, 306/2AF, 306/2B, 306/2C, 306/2D, 306/2E, 306/2F, 306/2G, 306/2H, 306/2I', 306/2J, 306/2K, 306/2L, 306/2M, 306/2N, 306/2O', 306/2P, 306/2Q, 306/2R, 306/2S, 306/2T, 306/2U, 306/2V, 306/2W, 306/2X, 306/2Y, 306/2Z, 307/1, 307/2, 307/3, 307/4, 308, 309/1, 309/3A, 309/3B, 310/1, 311/1, 311/2, 311/3, 312/1, 312/2, 376/1A, 376/1B, 376/1C, 376/1D, 376/1E, 376/1F, 376/2, 376/3A, 376/3B, 376/3C, 376/3D, 376/3E, 376/3F, 376/4, 376/5, 377/1A, 377/1B, 377/1C, 377/1D, 377/1E, 377/1F, 377/1G, 377/2, 377/3, 378/2, 379/1, 379/3A, 379/3B, 379/3C, 379/3D, 379/3E, 379/3F, 379/3G, 379/3H, 379/3'I', 379/3J, 379/3K, 379/3L, 379/3M, 379/3N, 380/1, 380/2, 380/3, 380/4, 380/5, 380/6, 380/7, 380/8, 380/9, 380/10, 380/11, 380/12, 380/13, 380/14, 380/15, 380/16, 380/17, 370/1, 370/2A, 370/2B, 370/3A, 370/3B, 370/3C, 370/4, 370/6, 371/1A, 371/1B, 371/2, 371/3, 371/4, 372, 373/1A1, 373/1A2, 373/1A3, 373/1B1, 373/1B2, 373/1B3, 373/2A, 373/2B, 373/2C, 373/3A, 373/3B, 373/3C, 373/4, 373/5, 373/6, 373/7, 374/1, 374/2, 375/2A, 375/2B, 375/3, 407/1A, 407/1B, 407/1C, 407/2, 407/3, 407/4, 407/5A, 407/5B, 407/5C1, 407/5C2, 407/5D, 407/5E1, 407/5E2, 407/5E3, 407/6A, 407/6B, 407/6C, 407/6D, 407/6E, 407/6F, 407/6G, 407/7, 407/8, 407/9, 407/10, 407/11, 407/12, 407/13, 407/14, 407/15, 407/16, 407/17, 407/18, 317, 319/2, 319/3, 319/4, 363/1, 363/2A, 363/2B, 363/3, 363/4A, 363/4B, 364/1A1, 364/1A2, 364/1B1, 364/1B2, 364/2, 364/3, 365/1, 365/2, 365/3, 366/1A, 366/1B, 366/1C, 366/1D, 366/1E, 366/1F, 366/1G, 366/1H, 366/1'I', 366/1J, 366/1K, 366/1L,

366/1M, 366/2, 366/3A, 366/3B, 366/3C, 366/3D, 366/4A, 366/4B, 366/5A, 366/5B, 366/6, 366/7A, 366/7B, 366/7C, 366/7D, 366/7E, 366/7F, 366/7G, 366/7H, 366/7T, 366/8A, 366/8B, 366/8C, 366/8D, 366/8E, 366/8F, 366/8G, 366/8H, 366/8II, 366/8J, 366/8K, 366/8L, 366/9A, 366/9B, 366/10A, 366/10B, 366/10C, 367/1, 367/2A, 367/2B, 367/2C, 367/2D1, 367/2D2, 367/2D3, 367/2D4, 367/3A, 367/3B, 367/3C, 367/3D, 367/3E, 367/3F, 367/3G, 367/3H, 367/3I', 367/3J, 367/3K, 367/3L, 367/3M, 367/3N, 367/3'O', 367/4, 367/6A, 367/6B, 367/6C, 367/6D, 368/2A, 368/2B, 369/1A, 369/1B, 369/2A, 369/2B, 369/2C, 406/1A, 406/1B, 406/1C, 406/1D, 406/1E, 406/2A, 406/2B, 406/2C, 406/2D, 406/2E, 406/2F, 406/2G, 406/3A, 406/3B, 406/3C, 406/3D, 406/3E, 406/3F, 406/3G, 406/3H, 406/4A, 406/4B, 406/4C, 406/4D, 406/4E, 320/1, 320/2, 320/3B, 320/4, 320/5, 320/6, 321, 322, 323, 324/1, 324/2, 324/3, 324/4, 325, 326/2A, 326/2B, 326/3, 326/4A, 326/4B, 326/5A, 326/5B, 326/6, 326/7, 326/8, 326/9, 326/10, 328/1, 328/2, 328/3, 328/4, 328/5, 328/6, 328/7, 359/1, 360/1, 360/3A, 360/3B, 360/3C, 360/3D, 361/1A, 361/1B, 361/1C, 361/2A, 361/2B, 361/2C, 361/2D, 361/3, 408/2, 409/2, 410/2, 410/3, 411/1, 411/2, 411/3, 412/2, 412/3, 413/1, 413/2, 413/3, 414/1, 414/2, 414/3, 414/4, 414/5, 414/6, 414/7, 414/8, 414/9, 414/10, 415/1, 415/2, 415/3, 415/4, 415/6, 415/7, 415/8, 415/9, 415/10, 416/3, 416/4, 416/5, 403/8, 309/4, 378/1, 319/5, 314/2A, 314/2B, 315/1, 315/2, 316, 368/1, 320/3A, 326/1, 398/2, 367/5, 314/3, 360/2, 275, 278/2, 313, 319/1, 370/5, 375/1, 318, 359/2, 299/1, 268/1, 309/2, 379/2, 314/1, 408/1, 409/1, 410/1, 410/4, 412/1, 415/5, 415/11, 416/1, 416/2, 416/6, 310/2 & 375/4.

Thuraiyur Village Survey Nos.: 1/1, 4, 5/1, 5/2, 5/3, 5/4, 5/5, 5/6, 5/7, 5/8, 5/9, 5/10, 5/11, 5/12, 6/1A2, 6/1B, 7/1, 7/2, 178/1, 178/2, 178/3, 180/1, 180/2, 181, 183/1A, 183/1B, 183/1C, 183/1D, 183/1E, 183/1F, 183/1G, 183/1H, 183/1I, 183/2B, 184/1, 184/2, 184/3, 184/4A, 184/4B, 188/1, 188/2A, 188/2B, 188/3, 188/4A, 188/4B, 189/1, 189/2A, 189/2B, 192/1, 192/2, 192/3, 192/4, 192/5, 192/6, 192/7, 192/8, 193/1, 193/2, 194, 247/1C, 247/1D1, 247/1D2, 247/1D3, 247/1E, 247/1F1, 247/1F2, 247/1F3, 247/1H, 247/1I, 247/1J, 247/1K, 247/1L, 247/1M, 247/1N, 247/1O, 247/1P1, 247/1P2, 247/1Q, 247/1R, 247/2A, 247/2B, 248/1A1, 248/1A2, 248/1B1A, 248/1B1B, 248/1B2A, 248/1B2B, 248/1B2C, 248/1B2D, 248/1B2E, 248/1B2F, 248/2A, 248/2B, 248/2C, 248/2D, 248/2E, 248/2F, 248/3B, 249, 250/1A, 250/1B, 250/2A, 250/2B, 251/1A, 251/1B, 251/1C, 251/2, 252/1, 252/2A, 252/2B, 253, 255, 256, 257, 185, 248/3A, 248/3C, 1/2, 2, 8, 179, 182, 183/2A, 254, 191, 3, 6/1A1 & 6/2.

Agavalam Village Survey Nos.: 2/1A, 2/1B, 2/1C, 2/1D, 2/1E, 2/1F, 2/1G, 2/1H, 2/1'I', 2/1J, 2/1K, 2/1L, 3/1A, 3/1B1, 3/1B2, 3/1B3, 3/1C, 3/1D, 3/1E, 3/1F, 3/1G, 3/1H, 3/1'I', 3/3, 3/5, 3/8, 5/1, 5/3A, 5/3B, 5/3C, 6/1, 6/2A, 6/2B, 6/2C, 6/2D, 6/2E, 6/2F, 6/2G, 6/2H, 6/2'I', 6/2J, 6/2K, 6/2L, 6/2M, 6/2N, 6/2'O', 6/2P, 7/1A1, 7/1A2, 7/1A3, 7/1A4, 7/1A5, 7/1A6, 7/1B1, 7/1B2, 7/1B3, 7/1B4, 7/1B5, 7/1B6, 7/1B7,

7/1B8, 7/1C1, 7/1C2, 7/1C3, 7/1C4, 7/2A1A, 7/2A1B, 7/2A1C, 7/2A1D, 7/2A2, 7/2B, 8/1, 8/2, 8/3, 8/4, 9/1A, 9/1B, 9/1C, 9/1D1, 9/1D2, 9/1D3, 9/2A, 9/2B, 9/2C, 9/2D, 9/2E, 9/2F, 9/2G, 9/2H, 9/2'I', 10/1, 10/2, 10/3, 10/4, 10/5, 10/6, 10/7, 10/8, 10/9, 10/10, 10/11, 10/12, 10/13, 10/14, 10/15, 10/16, 10/17, 10/18, 10/19, 10/20, 10/21, 10/22, 10/23, 10/24, 10/25, 10/26, 10/27, 10/28, 10/29, 10/30, 10/31, 11/1A, 11/1B, 11/1C, 11/1D, 11/1E, 11/1F, 11/1G, 11/1H, 11/1T, 11/1J, 11/1K, 11/1L, 11/1M, 11/1N, 11/2A, 11/2B, 11/2C, 11/2D, 11/2E, 11/2F, 11/2G, 11/2H, 11/2'I', 11/2J, 11/2K, 11/2L, 12/1A1, 12/1A2, 12/1B1, 12/1B2, 12/3A, 12/3B, 13/1, 13/3, 14/1A, 14/1B, 14/3A, 14/3B, 14/3C, 14/3D, 14/3E, 14/3F, 15/1, 15/2, 501/1A1, 501/1A2, 501/2, 501/3, 16/1, 16/2, 16/3, 16/4, 16/5, 16/6, 16/7, 16/8, 17, 18/1, 18/2, 18/3, 18/4, 19/1A, 19/1B, 19/1C, 19/1D, 19/1E, 19/1F, 19/1G, 19/1H, 19/1'I', 19/3A, 19/3B, 19/3C, 19/3D, 19/3E, 19/3F, 19/3G, 19/3H, 19/3T, 19/3J, 19/3K, 19/3L, 19/3M, 19/3N, 19/3'O', 19/3P, 19/3Q, 19/3R, 19/3S, 19/3T, 19/3U, 19/3V, 19/3W, 19/3X, 500/1A1, 500/1A2, 500/1A3, 500/1A4, 500/1A5, 500/1B1, 500/1B2, 500/1B3, 500/1B4, 500/1B5, 500/3A, 500/3B, 500/3C, 502/2A1, 502/2A2, 502/2B, 20/1, 20/3A, 20/3B, 20/3C, 20/3D1, 20/3E, 21/1A, 21/1B, 21/2B, 22/1A, 22/1B1, 22/1B2, 22/1B3, 22/1B4, 22/1C1, 22/1C2, 22/1C3, 22/1C4, 22/1D1, 22/1D2, 22/1D3, 22/1E1, 22/1E2, 22/1F, 22/1G, 22/2A, 22/2B, 22/2C, 23/1, 23/2, 23/3B, 23/4, 24/2A1, 24/2A2, 24/2A3, 24/2A4, 24/2B1, 24/2B2, 508/1A, 508/1B, 508/2A, 508/2B, 508/2C, 508/3, 509/1A, 509/1B, 509/1C, 509/2, 509/3, 509/4, 509/5, 511/1, 511/3, 26/1A, 26/1B, 26/1C, 26/1D, 26/1E, 26/1F, 26/1G, 26/1H, 26/1T, 26/1J, 26/1K, 26/1L, 26/1M, 26/1N, 26/1'O', 26/1P, 26/1Q, 26/1R, 26/1S, 26/1T, 26/2, 26/4A5A, 26/4A5B, 26/4A6, 26/4B1, 26/4B2, 26/5, 27, 503/1A, 503/1B, 503/1C, 503/2A, 503/2B, 503/2C, 503/2D, 503/2E, 503/2F, 503/2G, 503/2H, 503/2T, 503/2J, 503/2K, 510/1, 510/2, 25/1, 31/1, 31/3A, 31/3B, 31/4A, 31/4B, 31/4C, 31/5, 31/6A, 31/6B, 31/7, 504/1A, 504/1B, 504/1C, 504/1D, 504/1E, 504/1F, 504/1G, 504/1H, 504/1T, 504/1J, 504/1K, 504/1L, 504/3, 505/1A1, 505/1A2, 505/1A3, 505/1A4, 505/1C1, 505/1C2, 505/1C3, 507/1A, 507/1B, 507/3A, 507/3C, 507/3D1, 507/3D2, 507/3D3, 507/3D4, 507/3D5, 507/3D6, 507/3D7, 507/3D8, 507/4, 507/5, 507/6, 507/7, 507/8, 507/9, 507/10, 507/11, 507/12, 507/13, 507/14, 507/15, 507/16, 507/17, 507/18, 507/19, 507/20, 507/21, 507/22, 507/23, 507/24, 507/25, 507/26, 507/27, 507/28, 507/29, 507/30, 507/31, 28/2, 28/3, 28/4A, 28/4B, 28/4C, 28/4D, 28/4E, 28/4F, 28/4G, 28/4H, 28/4'I', 28/4J, 28/4K, 28/4L, 28/4M, 28/4N, 28/4'O', 28/4P, 28/4Q, 28/4R, 28/4S, 28/4T, 28/4U, 28/4V, 28/4W, 28/4X, 28/4Y, 28/4Z, 28/4AA, 28/4AB, 28/4AC, 28/4AD, 28/4AE, 28/4AF, 28/4AG, 28/4AH, 28/5A1, 28/15, 28/16, 28/17, 28/18, 28/19, 28/20, 28/21, 28/22, 28/23, 28/24, 28/25, 28/26, 28/27, 28/28, 28/29, 28/5B1, 28/5B2, 28/5B3, 28/5B4, 28/5B5, 28/5B6, 28/5B7, 28/5B8, 28/5B9, 28/5B10, 28/5B11, 28/5B12, 28/5B13, 28/5B14, 29,33/1A1, 33/3,33/4, 33/5, 33/6, 33/7, 33/8, 33/9, 33/10, 33/11, 33/12, 33/13, 33/14,

33/15, 33/16, 33/17, 33/18, 33/19, 33/20, 33/21, 33/22, 33/23, 33/24, 33/25, 33/26, 33/27, 33/28, 33/29, 33/30, 33/31, 33/32, 33/33, 33/34, 33/35, 33/36, 33/37, 33/38, 33/39, 33/40, 33/41, 33/42, 33/43, 33/44, 33/45, 33/46, 33/47, 33/48, 33/49, 33/50, 33/51, 33/52, 33/53, 33/54, 33/55, 33/56, 33/57, 33/58, 33/59, 33/60, 33/61, 33/62, 33/63, 33/64, 33/65, 33/66, 33/67, 33/68, 33/69, 33/70, 33/71, 33/72, 33/73, 33/74, 33/75, 33/76, 33/77, 33/78, 33/79, 33/80, 33/81, 33/82, 33/83, 33/84, 33/85, 33/86, 33/87, 33/88, 33/89, 33/90, 33/91, 33/92, 33/93, 33/94, 33/95, 33/96, 33/97, 33/98, 33/99, 33/100, 33/101, 33/102, 33/103, 33/104, 33/105, 33/106, 33/107, 33/108, 33/109, 33/110, 33/111, 33/112, 33/113, 33/114, 33/115, 33/116, 33/117, 33/118, 33/119, 33/120, 33/121, 33/122, 33/123, 33/124, 33/125, 33/126, 33/127, 33/128, 33/129, 33/130, 33/131, 33/132, 33/133, 33/134, 33/135, 33/136, 33/137, 33/138, 33/139, 33/1A7, 33/1A8, 33/1B1, 33/1B2, 33/1C1, 33/1C2, 33/2A, 33/2B, 32/1, 32/2A, 32/2B1, 32/2B2, 32/2B3, 32/2B4, 32/2B5, 32/2B6, 32/2B7, 32/2B8, 32/2B9, 32/2B10, 32/2C, 32/2D, 32/3, 35/1, 35/2A, 35/2B, 35/3A, 35/3B, 35/3C, 35/3D, 35/3E, 35/3F, 35/3G, 36/1, 36/2, 37/1, 37/2A, 37/2B, 37/3A, 37/3B, 37/3C, 37/4, 37/5, 37/6, 37/7, 37/8, 37/9, 37/10, 37/11, 37/12, 37/13, 37/14, 37/15, 37/16, 37/17, 37/18, 37/19, 37/20, 37/21, 37/22, 37/23, 37/24, 37/25, 37/26, 37/27, 37/28, 37/29, 37/30, 37/31, 37/32, 37/33, 37/34, 37/35, 37/36, 37/37, 37/38, 37/39, 37/40, 37/41, 37/42, 37/43, 37/44, 37/45, 37/46, 37/47, 37/48, 37/49, 37/50, 37/51, 37/52, 37/53, 37/54, 37/55, 37/56, 38/1, 38/2, 38/3, 38/4, 38/5, 38/6, 38/7, 38/8, 38/9, 38/10, 38/11, 38/12, 38/13, 38/14, 38/15, 39, 40/1, 40/2, 4, 13/2, 502/1, 21/2A, 23/3A, 24/1, 511/2, 1, 3/2, 3/4, 3/6, 3/7, 2/2, 5/2, 12/2, 14/2, 19/2, 500/2, 502/2A3, 20/2,26/3, 25/2, 31/2, 504/2, 505/1B, 505/2, 507/2, 33/1C3, 35/4, 30, 501/1B & 34 of Nemili Taluk, Ranipet District, Tamil Nadu by M/s. State Industries Promotion Corporation of Tamil Nadu Limited - under 8(b) Township and Area Development Projects as per the EIA Notification 2006 as Amended - Issued - Regarding.

Ref: 1. ToR issued by SEIAA-TN vide Lr No.SEIAA-TN/F.No.10204/SEAC/8(b)/ToR-1539/2023 dated: 23.08.2023.

- 2. Online Proposal No. SIA/TN/INFRA2/447333/2023, dated 07.10.2023.
- 3. EIA report submitted dated: 11.10.2023.
- 4. Minutes of the 420<sup>th</sup> SEAC meeting held on 02.11.2023.
- 5. Minutes of the 674<sup>th</sup> SEIAA meeting held on 20.11.2023.

\*\*\*\*

This has reference to your application 2<sup>nd</sup> & 3<sup>rd</sup> cited, for the Proposed Development of Industrial Park/SEZ by M/s. State Industries Promotion Corporation of Tamil Nadu Limited under 8(b) Township and Area Development Projects as per the EIA Notification 2006 as Amended.

MEMBER SECRETARY 6/12/2023 Page 7 of 39 A T The Competent Authority and Authorized Signatory furnished the detailed information in Form 1, Form 1A, Conceptual plan and liquidate enclosures are as Annexures:

## Salient Features of the proposal

S. N	Description	Details						
1.	Name of the Project	"Development of Industrial Park/ SEZ over an extent of 489.04 Ha.						
		(1207.92Acres)" by M/s. State Industries Promotion Corporation of						
				ted (SIPCOT).				
2.	Location		Agavalam, Nedumpuli, Thuraiyur and Peruvalayam Villages, NemiliTaluk, Ranipet District					
3.	Type of Project	Cate	gory-8(b)	Samuel Services		X		
4.	Latitude & Longitude	S. N	Latitude( N)	Longitude(E)	S.No	Latitude(N)	Longitude(E)	
		1	12° 57' 45.472"	79° 34' 51.643"	32	12° 55' 59.62"	79° 33' 26.907"	
		2	12° 57' 32.576"	79° 34' 49.738"	33	12° 55' 57.473"	79° 33' 20.939"	
	7	3	12° 57' 19.836"	79° 34' 51.814"	34	12° 55' 58.658"	79° 33' 17.899"	
		4	12° 57' 10.148"	79° 34' 51.944"	35	12° 56' 10.439"	79° 33' 21.223"	
		5	12° 56' 57.416"	79° 34' 50.702"	36	12° 56' 22.369"	79° 33' 21.368"	
		6	12° 56' 57.291"	79° 34' 44.426"	37	12° 56' 21.774"	79° 33' 24.112"	
		7	12° 56' 50.933"	79° 34' 41.174"	38	12° 56' 30.144".	79° 33' 17.864"	
		8	12° 56' 52.336"	79° 34' 44.261"	39	12° 56' 35.979"	79° 33' 18.949"	
		9	12° 56' 52.502"	79° 34' 48.977"	40	12° 56' 32.539"	79° 33' 22.398"	

	10	12° 56' 46.396"	79° 34' 49.06"	41	12° 56' 38.759"	79° 33' 25.117"
	11	12° 56' 45.565"	79° 34' 38.446"	42	12° 56' 36.74"	79° 33' 30.594"
	12	12° 56' 37.412"	79° 34' 35.547"	43	12° 56' 42.983"	79° 33' 31.912"
	13	12° 56' 36.757"	79° 34' 43.852"	44	12° 56' 41.441"	79° 33' 36.297"
	14	12° 56' 41.208"	79° 34' 45.297"	45	12° 56' 48.116"	79° 33' 35.275"
	15	12° 56' 41.199"	79° 34' 50.271"	46	12° 56' 48.232"	79° 33' 41.949"
	16	12° 56' 32.979"	79° 34' 52.219"	47	12° 56' 46.665"	79° 33' 53.834"
	17	12° 56' 17.97"	79° 34' 49.13"	48	12° 56' 50.839"	79° 33' 53.597"
	18	12° 56' 13.245"	79° 34' 34.726"	49	12° 56' 52.604"	79° 33' 56.203"
3	19	12° 56' 8.12"	79° 34' 29.245"	50	12° 56' 44.057"	79° 33' 59.91"
3	20	12° 56' 5.76"	79° 34' 29.671"	51	12° 56′ 56.831"	79° 34' 3.733"
	21	12° 56' 4.877"	79° 34' 23.989"	52	12° 56' 57.885"	79° 34'
	22	12° 56' 9.16"	79° 34' 23.396"	53	12° 56' 50.971"	79° 34' 16.921"
	23	12° 56' 4.932"	79° 34' 18.537"	54	12° 57' 0.727"	79° 34' 14.163"
	24	12° 56' 4.769"	79° 34' 2.743"	55	12° 57' 4.112"	79° 34' 20.504"

		25	12° 55'	700 221 50	01411		100 551 0 5001	79° 34'	
		25	59.984"	79° 33' 59	9.814" [	56	12° 57' 3.538"	27.318"	
		26	12° 56'					79° 34'	$\top$
		26	5.615"	79° 33' 58	3.492"   5	57	12° 57' 13.742"	22.003"	
			12° 55'					79° 34'	T
		27	56.713"	79° 33' 57	7.648"   3	58	12° 57′ 18.213″	28.452"	
			12° 55'					79° 34'	+
		28	55.181"	79° 33' 47	7.879"   5	59	12° 57' 30.073"	29.483"	
			12° 55'	SAT.		,		79° 34'	+
		29	56.042"	79° 33' 41	.093"	50	12° 57' 35.308"	37.147"	
	A	Co	12° 55'					79° 34'	+
		30	53.44"	79° 33' 33	3.204"	51	12° 57' 46.387"	39.382"	
		21	12° 55'					, ,	
		31	59.905"	79° 33' 31	.397"				
5.	Total Plot Area (in sq. m)	1207	.92 acres (48)	9.040 Ha)				•	
6.	Brief description of the	Par	ticulars		Details				
	project		al land area		489.04				
	7		elopable area		472.88				
			ustrial plot Are of plots	ea	360.894	-	ID 9-1 - CE-7		-
		NO.	of plots		193 uiii	it for i	IP&1 for SEZ		
	The state of the s	Ind		200	0/				T
	( ·	Ina	ustry type	Approx industri area			ea (Acres)		
-		Lea wea unit		60			Z-247.19 288.37		
		/Au ctric	ineering tomobile/Ele cal& ctronics	30		IP -	269.66		
		cate indu	er Non EC gory astries	10		IP-8	86.19		
		Tota	al	100		849	.41		1

	Built up area details	It is infrastructure de	velopment proje	ect		
	Maximum height of the project	~18.2 m (Since the proposed Project is a Development of Industrial Park / SEZ)				
	Maximum number of floors	Industrial Park - based on industrial units Industrial Housing Facility - 6 floors				
0.	No. of blocks	Industrial Park - based on industrial units Industrial Housing Facility- 4 towers				
11.	Permissible FSI area		-			
12.	Proposed FSI area	-2.50	THE			
13.	Cost of Project	ACT.	619.277			
14.	No. of Saleable Units	which includes the I Housing Facility, Co	ndustrial Plots / ommercial activi	ea is 1168.02 Acres (472.885 Ha) SEZ, Common amenities, Industrial ties, Greenbelt, SWM, Road, Storm frastructure facilities.		
15.	Expected Population		hase – 100 Nos. ase -42900 Nos			
16. a) Water requirement (in KLD)		Total Water Requirement – 11076 KLD  Fresh Water Requirement – 6406.50 KLD  Treated Water Requirement – 4669.50 KLD				
	b) Source	TWAD and recycled water				
17.	Details of Sewage generation and	Sewage from industries	1644.30	Will be treated by individual industries and reused for green belt development		
	Treatment	Sewage from industrial housing	279.90	Will be treated in STP of 300 KLD and Treated sewage will be used for green belt development with in the industrial park		
18	. Details of greywater /					
	Effluent generation and Treatment	Effluent from individual industries	2759.10	Will be treated by individu industries and utilities as p TNPCB norms.		
				ZLD will be maintained Individual industries if necessary		

EC Identification No. - EC23B039TN110847 File No. - 10204 Date of Issue EC - 06/12/2023 Page 1\$pf(39A-TN)

19.	Mode of Disposal of	Treated sewage v	will be used for	greenbelt			
	treated sewage /	Treated effluent will be used for Process /Utilities by Individual Industry					
	effluent						
20.	Quantity of Solid	Municipal	Quantity	Disposal Method			
	Waste generation,	Sollid Waste	(Kg/day)				
	Mode of treatment and	Operation Phase - 40596					
	Disposal	Organic Waste	10961	Individual industries will segregate the waste and organic waste will be composted and used as manure			
		Inorganic Waste	7307	Sold to TNPCB authorized recycles			
	<b>A</b>	Total	18268				
	4	Industrial Hou		OS			
		Organic	622	Organic Will be Composted as a			
		Waste		manure by OWC and used for Green belt development			
		Inorganic	415	Sold to TNPCB authorized recyclers			
		Waste					
	7.11	Total	1037				
21.	Quantity of E-Waste		-				
	generation, Mode of	Will be done by Individual unit as per Norms					
	treatment and Disposal						
22.	Quantity of Biomedical Waste generation, Mode of treatment and Disposal	Will be done by I	ndividual unit	as per Norms			
23.	Quantity of Hazardous  Waste generation,  Mode of treatment and  Disposal	Will be done by I	ndividual unit	as per Norms			
24.	Power requirement	50 MVA					
25.	Details of solar energy	Solar panels wi	ll be proposed ill be utilized f	in the roof top of Project office. Solar for the IP internal road lighting.			

26.	Details of D.G. set	Individual industries will have their own power back up
	with Capacity	1x500 KVA DG will act as backup power for Housing
27.	Details of Green Belt	
	Area	I. OSR/Greenbelt Area - 162.63 Ha (401.70 Acres)
	i) Total area of green	II. Existing Tree - 2723 Nos.
	belt	III. Tree cut - 346 Nos.
	ii) No. of trees existing	Tree going to be planted - 243945 Nos.
	within the project site	
	iii) No. of trees	2 28013
	proposed to be planted	ATT TO SEE SEE
	iv) No. of trees to be	
	transplanted / cut	
28.	Details of OSR Area	106.37 acres
29.	Details of Parking	Will be provided by Individual units
	Area	
30.	Provision for rain	Rainwater harvesting system will be provided and one existing water
	water harvesting	pond within the site will be proposed for rain water harvesting. Storm
		water will be collected through storm water drains and only excess storm
	7	water will be let into nearby water bodies.
31	. EMP Cost (Rs.)	Capital Cost: Rs.17.98 crores.
	1	Recurring Cost: Rs.75 Lakhs.
32	. CER Cost	Rs.5.0 Crores
	Details of CER	
	Activities	improve the Solid waste management practices in Ranipet Municipality
		in consultation with District Administration, Within the period of 1 year
		from date of issue of EC.
		Hom date of food of 2

EC Identification No. - EC23B039TN110847 File No. - 10204 Date of Issue EC - 06/12/2023 Page 13et BQA-TN

## Affidavit furnished by the proponent:

I, Thiru. Dr. K. Senthil Raj, I.A.S., Managing Director, Authorized Signatory, representing M/s. State Industries Promotion Corporation of Tamil Nadu Limited (SIPCOT) having registered office at 19-A, Rukmani Lakshmipathy Road, Egmore, Chennai – 600008, for the proposed "Development of Industrial Park / SEZ over an extent of 489.04 Ha. (1207.92 Acres) at Peruvalayam Village (Survey Nos: 463/1A1A, 463/1A1B, 463/1A1C, 463/1A1D, 463/1A1E1, 463/1A1E2, 463/1A1E4, 463/1A1E5, 463/1A1E6, 463/1A1E7, 463/1A2, 463/1B1, 463/1B2, 463/1B3, 463/1B4, 463/1C, 463/1D, 463/1E, 463/1F, 463/1G, 463/2, 463/3, 463/4, 463/5, 463/6, 463/7, 463/8, 463/9, 463/11, 463/12, 463/13, 463/14, 463/15, 463/16, 481C/1A1, 481C/1A2, 481C/1A3, 481C/1A4, 481C/1B, 481C/1C1, 481C/1C2, 481C/1C3, 481C/1C4, 481C/1C5, 481C/2, 481C/3, 481C/4, 481C/5, 481C/6, 481C/7, 481C/8, 481C/9, 481C/10, 482/1A, 482/1B, 482/2A, 482/2B, 482/3, 482/4, 483/1, 483/2, 484B/1, 484B/2A, 484B/2B, 484B/2C, 484B/3A1, 484B/3B, 484B/4, 484B/5A, 484B/5B, 484B/5C, 484B/5D, 484B/5E, 484B/5F, 484B/5G, 484B/5H, 484B/5T, 484B/5J, 484B/5K, 484B/5L, 484B/5M, 484B/5N, 484B/5'O', 484B/5P, 484B/5Q, 484B/5R, 484B/5S, 484B/5T, 484B/5U, 484B/6, 484B/7, 484B/8, 484B/9, 484B/10, 484B/11, 484B/12, 484B/13, 484B/14, 484B/15, 487/1, 487/2A, 487/2B, 487/3A, 487/3B, 488/1A, 488/1B, 488/1C, 488/1D, 488/1E, 488/1F, 488/1G, 488/1H, 488/1I, 488/1J, 488/1K, 488/1L, 488/1M, 488/1N, 488/1O, 488/1P, 488/1O, 488/1R, 488/2, 489/1A, 489/1B, 490/1, 490/2A, 490/2B, 490/3A, 490/3B, 490/4A, 490/4B, 490/5A, 490/5B, 490/6A, 490/6B, 490/7, 490/9A–DC, 490/9B–DC, 490/9C–DC, 490/9D–DC. 490/9E-DC, 491/1, 491/2, 492/1, 492/2A1A, 492/2A1B, 492/2A1C, 492/2A1D, 492/2A1E, 492/2A2, 492/2A3, 492/2A4, 492/2A5, 492/2A6, 492/2A7, 492/3, 492/5, 492/6, 492/8A1-DC, 492/8A2- DC, 492/8A3-DC, 492/8A4-DC, 492/8A5-DC, 492/8A6-DC, 492/8A7-DC, 492/8A8-DC, 492/8A9- DC, 492/8A10-DC, 492/8B1A-DC, 492/8B1B-DC, 492/8B1C-DC, 492/8B1D-DC, 492/8B1E-DC, 492/8B1F-DC, 492/8B1G-DC, 492/8B1H-DC, 492/8B2, 492/8B3, 499/1A, 499/1B, 499/2A, 499/2B, 499/3, 499/4A, 499/4B, 499/5, 499/6A, 499/6B, 499/7, 499/8, 500/1A1, 500/1A2, 500/1A3, 500/1A4, 500/1A5, 500/1A6, 500/1A7, 500/1A8, 500/1A9, 500/1A10, 500/1A11, 500/1A12, 500/1B, 500/1C, 500/1D, 500/1E, 500/1F, 500/1G, 500/1H, 500/1I, 500/1J, 500/1K, 500/1L, 500/1M, 500/1N, 500/1O, 500/1P, 500/1Q, 500/1R, 500/1S, 500/1T, 500/1U, 500/1V, 500/1W, 500/1X, 500/1Y, 500/1Z, 501/1A1, 501/1A2, 501/1A3, 501/1A4, 501/1A5, 501/1A6, 501/1A7, 501/1B1, 501/1B2, 501/1C, 501/1D, 501/1E, 501/1F, 501/1G, 501/1H, 501/1I, 501/1J, 501/1K, 501/1L, 501/1M, 501/1N, 501/1O, 501/1P, 501/1Q, 501/1R, 501/1S, 501/1T, 501/3, 501/4, 501/5, 501/6, 501/8A, 501/8B, 501/9, 501/11,

501/12, 501/13, 501/14, 502/1A, 502/1B, 502/1C, 502/1D, 502/2A1, 502/2A2, 502/2A3, 502/2A4, 502/2B, 502/2C, 502/2D, 502/2E, 502/3A1A, 502/3A1B, 502/3A1C, 502/3A1D, 502/3A1E, 502/3A1F, 502/3A1G, 502/3A2, 502/3B, 502/3C, 502/3D, 502/3E, 502/3F, 502/3G, 502/3H, 502/3I, 502/4A1A, 502/4A1B, 502/4A1C, 502/4A1D, 502/4A1E, 502/4A1F, 502/4A1G, 502/4A2, 502/4A3, 502/4B, 502/4C, 502/4D, 502/4E, 502/5A1, 502/5A2, 502/5B, 502/5C, 502/5D, 502/5E, 502/5F, 502/5G, 502/5H, 503/1A, 503/1B, 503/1C, 503/1D, 503/1E, 503/2A, 503/2B, 503/3A, 503/3B, 503/4A, 503/4B, 503/5A, 503/5B, 503/6, 503/7, 503/8, 503/9, 504/1, 504/2, 504/3, 504/4, 505/2, 505/3, 505/4, 550/1, 550/2, 550/3, 550/4A1, 550/4A2, 505/2, 505/3, 505/4, 505/2, 505/3, 505/4, 505/2, 505/3, 505/4, 505/2, 505/3, 505/4, 505/2, 505/3, 505/4, 505/2, 505/3, 505/4, 505/2, 505/3, 505/4, 505/2, 505/3, 505/4, 505/2, 505/3, 505/4, 505/2, 505/3, 505/4, 505/2, 505/3, 505/4, 505/2, 505/3, 505/4, 505/2, 505/3, 505/4, 505/2, 505/3, 505/4, 505/2, 505/2, 505/3, 505/4, 505/2, 505550/4B, 550/5, 551/1, 551/2, 551/3, 551/4, 551/5, 551/6A1, 551/6A2, 551/6A3, 551/6A4, 551/6B, 551/7A, 551/7B, 551/7C, 552/1, 552/2, 552/3, 552/4, 552/5, 552/6, 552/7A1, 552/7A2, 552/6, 552/7A1, 552/7A2, 5552/7B, 552/7C, 552/7D, 552/7E, 552/7F, 552/8A, 552/8B, 552/8C, 552/8D, 788/1, 788/3A, 788/3B, 788/3C, 788/3D, 463/1A1E3, 463/6, 463/10, 489/2, 490/8, 492/7, 788/2, 492/4 & 501/10), Nedumpuli Village (Survey Nos.: 302,303, 304, 399/1, 399/2, 399/3, 399/4, 399/5, 399/6, 399/7, 399/8, 399/9, 400/1, 400/2, 401/1, 401/2, 401/3, 401/4, 402/1, 402/2, 402/3, 402/4, 402/5, 402/6, 402/7, 402/8, 403/1, 403/2, 403/3, 403/4, 403/5, 403/6, 403/7, 403/9, 294/1, 294/2A, 294/2B, 294/3, 295/1, 295/2, 295/3, 295/4, 296/1A1, 296/1A2, 296/1A3, 296/1F, 296/2, 296/3A, 296/3B, 296/4A, 296/4B, 296/5, 296/6, 296/7, 296/8, 296/9, 296/10, 296/11, 296/12, 296/13, 297/1A, 297/1B, 297/2, 297/3, 297/4, 297/5, 298/1, 298/2A, 298/2B, 298/2C, 298/2D, 298/3A, 298/3B, 298/3C, 299/2, 299/3A, 299/3B, 299/3C, 300/1A, 300/1B, 300/2, 300/3, 301, 398/1, 398/3, 398/4, 398/5, 398/6, 398/7, 398/8, 404/1A, 404/1B1, 404/1B2, 404/1B3, 404/2, 405/1, 405/2, 405/3, 269/1, 269/2, 270, 271, 272, 273, 274, 276/1, 276/2, 276/3, 276/4, 277/1, 277/2, 277/3, 277/4, 277/5, 277/6, 277/7, 277/8, 277/9, 277/10, 277/11, 277/12, 278/1, 279/1, 279/2, 279/3, 279/4, 280, 281, 282, 283/1A, 283/1B, 283/1C, 283/1D, 283/1E, 283/1F, 283/1G, 283/2, 284/1A, 284/1B, 284/1C, 284/1D, 284/1E, 284/1F, 284/1G, 284/1H, 284/1T, 284/1J, 284/1K, 284/2B, 285/1A1, 285/1A2, 285/1A3, 285/1B2, 285/2A1,  $285/2A2,\ 285/2B2,\ 285/3,\ 285/4,\ 285/5,\ 285/6,\ 285/7,\ 285/8,\ 285/9,\ 254/1,\ 254/2A,\ 254/2B,$ 254/3, 254/4A, 254/4B, 254/4C, 255/1, 255/2, 256/1A1, 256/1A2, 256/1A3, 256/1A4, 256/1A5, 256/1A6, 256/1B1, 256/1B2, 256/1C1, 256/1C2, 256/1C3, 256/2A, 256/2B1, 256/2B2, 256/2B3, 256/2B4, 256/2B5, 256/2B6, 256/2B7, 256/2B8, 256/2B9, 256/2B10, 256/2B11, 256/2B12, 256/2B13, 256/2B14, 256/2B15, 256/2B16, 256/2B17, 256/2B18, 256/2B19, 256/2B20, 256/2B21, 256/2B22, 256/4A, 256/4B, 256/4C, 256/5A, 256/5B, 256/5C, 256/5D, 256/5E, 256/5F, 256/5G, 256/5H, 256/5'I', 264/1A1, 264/1B1, 264/2A,  $264/2B, 264/3, 264/4, 264/5, 264/6, 264/7, 264/8, 264/9, 264/10, 264/11, \ 264/12, 265/1, 265/2, 264/2B, 264$ 

EC Identification No. - EC23B039TN110847 File No. - 10204 Date of Issue EC - 06/12/2023 Page 15 pf 39 - TN

10201 Bate 61 10040 E

265/3, 265/4, 265/5, 265/6, 265/7, 265/8, 266/1, 266/2, 266/3, 266/4, 266/5, 266/6, 266/7, 266/8, 266/9, 266/10, 267/1, 267/2, 267/3, 267/4, 267/5, 268/2A, 268/2B, 268/2C1, 268/2C2, 268/3, 268/4, 268/5, 268/6, 305/1A, 305/1B, 305/2A, 305/2B1, 305/2B2, 305/2B3, 305/3, 305/4, 305/5, 305/6, 305/7, 305/8, 305/9, 305/10, 305/11, 305/12, 305/13, 305/14, 305/15, 305/16, 305/17, 305/18, 305/19, 305/20, 305/21, 305/22, 305/23, 305/24, 305/25, 305/26, 305/27, 305/28, 305/29, 305/30, 305/31, 305/32, 305/33, 306/1A, 306/1B, 306/1C, 306/1D, 306/1E, 306/1F, 306/1G, 306/1H, 306/1'I', 306/1J, 306/1K, 306/1L, 306/1M, 306/1N, 306/1'O', 306/1P, 306/1Q, 306/1R, 306/1S, 306/2A, 306/2AA, 306/2AB, 306/2AC, 306/2AD, 306/2AE, 306/2AF, 306/2B, 306/2C, 306/2D, 306/2E, 306/2F, 306/2G, 306/2H, 306/2I', 306/2J, 306/2K, 306/2L, 306/2M, 306/2N, 306/2'O', 306/2P, 306/2Q, 306/2R, 306/2S, 306/2T, 306/2U, 306/2V, 306/2W, 306/2X, 306/2Y, 306/2Z, 307/1, 307/2, 307/3, 307/4, 308, 309/1, 309/3A, 309/3B, 310/1, 311/1, 311/2, 311/3, 312/1, 312/2, 376/1A, 376/1B, 376/1C, 376/1D, 376/1E, 376/1F, 376/2, 376/3A, 376/3B, 376/3C, 376/3D, 376/3E, 376/3F, 376/4, 376/5, 377/1A, 377/1B, 377/1C, 377/1D, 377/1E, 377/1F, 377/1G, 377/2, 377/3, 378/2, 379/1, 379/3A, 379/3B, 379/3C, 379/3D, 379/3E, 379/3F, 379/3G, 379/3H, 379/3T, 379/3J, 379/3K, 379/3L, 379/3M, 379/3N, 380/1, 380/2, 380/3, 380/4, 380/5, 380/6, 380/7, 380/8, 380/9, 380/10, 380/11, 380/12, 380/13, 380/14, 380/15, 380/16, 380/17, 370/1, 370/2A, 370/2B, 370/3A, 370/3B, 370/3C, 370/4, 370/6, 371/1A, 371/1B, 371/2, 371/3, 371/4, 372, 373/1A1, 373/1A2, 373/1A3, 373/1B1, 373/1B2, 373/1B3, 373/2A, 373/2B, 373/2C, 373/3A, 373/3B, 373/3C, 373/4, 373/5, 373/6, 373/7, 374/1, 374/2, 375/2A, 375/2B, 375/3, 407/1A, 407/1B, 407/1C, 407/2, 407/3, 407/4, 407/5A, 407/5B, 407/5C1, 407/5C2, 407/5D, 407/5E1, 407/5E2, 407/5E3, 407/6A, 407/6B, 407/6C, 407/6D, 407/6E, 407/6F, 407/6G, 407/7, 407/8, 407/9, 407/10, 407/11, 407/12, 407/13, 407/14, 407/15, 407/16, 407/17, 407/18, 317, 319/2, 319/3, 319/4, 363/1, 363/2A, 363/2B, 363/3, 363/4A, 363/4B, 364/1A1, 364/1A2, 364/1B1, 364/1B2, 364/2, 364/3, 365/1, 365/2, 365/3, 366/1A, 366/1B, 366/1C, 366/1D, 366/1E, 366/1F, 366/1G, 366/1H, 366/11, 366/11, 366/11, 366/11, 366/11, 366/11, 366/2, 366/3A, 366/3B, 366/3C, 366/3D, 366/4A, 366/4B, 366/5A, 366/5B, 366/6, 366/7A, 366/7B, 366/7C, 366/7D, 366/7E, 366/7F, 366/7G, 366/7H, 366/7'I', 366/8A, 366/8B, 366/8C, 366/8D, 366/8E, 366/8F, 366/8G, 366/8H, 366/8'I', 366/8J, 366/8K, 366/8L, 366/9A, 366/9B, 366/10A, 366/10B, 366/10C, 367/1, 367/2A, 367/2B, 367/2C, 367/2D1, 367/2D2, 367/2D3, 367/2D4, 367/3A, 367/3B, 367/3C, 367/3D, 367/3E, 367/3F, 367/3G, 367/3H, 367/3I', 367/3J, 367/3K, 367/3L, 367/3M, 367/3N, 367/3'O', 367/4, 367/6A, 367/6B, 367/6C, 367/6D, 368/2A, 368/2B, 369/1A, 369/1B, 369/2A, 369/2B, 369/2C, 406/1A, 406/1B, 406/1C, 406/1D, 406/1E, 406/2A, 406/2B, 406/2C, 406/2D, 406/2E,

406/2F, 406/2G, 406/3A, 406/3B, 406/3C, 406/3D, 406/3E, 406/3F, 406/3G, 406/3H, 406/4A, 406/4B, 406/4C, 406/4D, 406/4E, 320/1, 320/2, 320/3B, 320/4, 320/5, 320/6, 321, 322, 323, 324/1, 324/2, 324/3, 324/4, 325, 326/2A, 326/2B, 326/3, 326/4A, 326/4B, 326/5A, 326/5B,  $326/6,\ 326/7,\ 326/8,\ 326/9,\ 326/10,\ 328/1,\ 328/2,\ 328/3,\ 328/4,\ 328/5,\ 328/6,\ 328/7,\ 359/1,$ 360/1, 360/3A, 360/3B, 360/3C, 360/3D, 361/1A, 361/1B, 361/1C, 361/2A, 361/2B, 361/2C, 361/2D, 361/3, 408/2, 409/2, 410/2, 410/3, 411/1, 411/2, 411/3, 412/2, 412/3, 413/1, 413/2, 413/3, 414/1, 414/2, 414/3, 414/4, 414/5, 414/6, 414/7, 414/8, 414/9, 414/10, 415/1, 415/2, 415/3, 415/4, 415/6, 415/7, 415/8, 415/9, 415/10, 416/3, 416/4, 416/5, 403/8, 309/4, 378/1, 319/5, 314/2A, 314/2B, 315/1, 315/2, 316, 368/1, 320/3A, 326/1, 398/2, 367/5, 314/3, 360/2, 275, 278/2, 313, 319/1, 370/5, 375/1, 318, 359/2, 299/1, 268/1, 309/2, 379/2, 314/1, 408/1, 409/1, 410/1, 410/4, 412/1, 415/5, 415/11, 416/1, 416/2, 416/6, 310/2 & 375/4), Thuraiyur Village (Survey Nos.: 1/1, 4, 5/1, 5/2, 5/3, 5/4, 5/5, 5/6, 5/7, 5/8, 5/9, 5/10, 5/11, 5/12, 6/1A2, 6/1B, 7/1, 7/2, 178/1, 178/2, 178/3, 180/1, 180/2, 181, 183/1A, 183/1B, 183/1C, 183/1D, 183/1E, 183/1F, 183/1G, 183/1H, 183/1I, 183/2B, 184/1, 184/2, 184/3, 184/4A, 184/4B, 188/1, 188/2A, 188/2B, 188/3, 188/4A, 188/4B, 189/1, 189/2A, 189/2B, 192/1, 192/2, 192/3, 192/4, 192/5, 192/6, 192/7, 192/8, 193/1, 193/2, 194, 247/1C, 247/1D1, 247/1D2, 247/1D3, 247/1E, 247/1F1, 247/1F2, 247/1F3, 247/1H, 247/1I, 247/1J, 247/1K, 247/1L, 247/1M, 247/1N, 247/10, 247/1P1, 247/1P2, 247/1Q, 247/1R, 247/2A, 247/2B, 248/1A1, 248/1A2, 248/1B1A, 248/1B1B, 248/1B2A, 248/1B2B, 248/1B2C, 248/1B2D, 248/1B2E, 248/1B2F, 248/2A, 248/2B, 248/2C, 248/2D, 248/2E, 248/2F, 248/3B, 249, 250/1A, 250/1B, 250/2A, 250/2B, 251/1A, 251/1B, 251/1C, 251/2, 252/1, 252/2A, 252/2B, 253, 255, 256, 257, 185, 248/3A, 248/3C, 1/2, 2, 8, 179, 182, 183/2A, 254, 191, 3, 6/1A1 & 6/2) and Agavalam Village (Survey Nos.: 2/1A, 2/1B, 2/1C, 2/1D, 2/1E, 2/1F, 2/1G, 2/1H, 2/1T, 2/1J, 2/1K, 2/1L, 3/1A, 3/1B1, 3/1B2, 3/1B3, 3/1C, 3/1D, 3/1E, 3/1F, 3/1G, 3/1H, 3/1'I', 3/3, 3/5, 3/8, 5/1, 5/3A, 5/3B, 5/3C, 6/1, 6/2A, 6/2B, 6/2C, 6/2D, 6/2E, 6/2F, 6/2G, 6/2H, 6/2T, 6/2J, 6/2K, 6/2L, 6/2M, 6/2N, 6/2'O', 6/2P, 7/1A1, 7/1A2, 7/1A3, 7/1A4, 7/1A5, 7/1A6, 7/1B1, 7/1B2, 7/1B3, 7/1B4, 7/1B5, 7/1B6, 7/1B7, 7/1B8, 7/1C1, 7/1C2, 7/1C3, 7/1C4, 7/2A1A, 7/2A1B, 7/2A1C, 7/2A1D, 7/2A2, 7/2B, 8/1, 8/2, 8/3, 8/4, 9/1A, 9/1B, 9/1C, 9/1D1, 9/1D2, 9/1D3, 9/2A, 9/2B, 9/2C, 9/2D, 9/2E, 9/2F, 9/2G, 9/2H, 9/2'I', 10/1, 10/2, 10/3, 10/4, 10/5, 10/6, 10/7, 10/8, 10/9, 10/10, 10/11, 10/12, 10/13, 10/14, 10/15, 10/16, 10/17, 10/18, 10/19, 10/20, 10/21, 10/22, 10/23, 10/24, 10/25, 10/26, 10/27, 10/28, 10/29, 10/30, 10/31, 11/1A, 11/1B, 11/1C, 11/1D, 11/1E, 11/1F, 11/1G, 11/1H, 11/1'I', 11/1J, 11/1K, 11/1L, 11/1M, 11/1N, 11/2A, 11/2B, 11/2C, 11/2D, 11/2E, 11/2F, 11/2G, 11/2H, 11/2T, 11/2J, 11/2K, 11/2L, 12/1A1, 12/1A2, 12/1B1, 12/1B2, 12/3A, 12/3B,

13/1, 13/3, 14/1A, 14/1B, 14/3A, 14/3B, 14/3C, 14/3D, 14/3E, 14/3F, 15/1, 15/2, 501/1A1, 501/1A2, 501/2, 501/3, 16/1, 16/2, 16/3, 16/4, 16/5, 16/6, 16/7, 16/8, 17, 18/1, 18/2, 18/3, 18/4, 19/1A, 19/1B, 19/1C, 19/1D, 19/1E, 19/1F, 19/1G, 19/1H, 19/1T, 19/3A, 19/3B, 19/3C, 19/3D, 19/3E, 19/3F, 19/3G, 19/3H, 19/3'I', 19/3J, 19/3K, 19/3L, 19/3M, 19/3N, 19/3'O', 19/3P, 19/3Q, 19/3R, 19/3S, 19/3T, 19/3U, 19/3V, 19/3W, 19/3X, 500/1A1, 500/1A2, 500/1A3, 500/1A4, 500/1A5, 500/1B1, 500/1B2, 500/1B3, 500/1B4, 500/1B5, 500/3A, 500/3B, 500/3C, 502/2A1, 502/2A2, 502/2B, 20/1, 20/3A, 20/3B, 20/3C, 20/3D1, 20/3E, 21/1A, 21/1B, 21/2B, 22/1A, 22/1B1, 22/1B2, 22/1B3, 22/1B4, 22/1C1, 22/1C2, 22/1C3, 22/1C4, 22/1D1, 22/1D2, 22/1D3, 22/1E1, 22/1E2, 22/1F, 22/1G, 22/2A, 22/2B, 22/2C, 23/1, 23/2, 23/3B, 23/4, 24/2A1, 24/2A2, 24/2A3, 24/2A4, 24/2B1, 24/2B2, 508/1A, 508/1B, 508/2A, 508/2B, 508/2C, 508/3, 509/1A, 509/1B, 509/1C, 509/2, 509/3, 509/4, 509/5, 511/1, 511/3, 26/1A, 26/1B, 26/1C, 26/1D, 26/1E, 26/1F, 26/1G, 26/1H, 26/1I', 26/1J, 26/1K, 26/1L, 26/1M, 26/1N, 26/1O', 26/1P, 26/1Q, 26/1R, 26/1S, 26/1T, 26/2, 26/4A5A, 26/4A5B, 26/4A6, 26/4B1, 26/4B2, 26/5, 27, 503/1A, 503/1B, 503/1C, 503/2A, 503/2B, 503/2C, 503/2D, 503/2E, 503/2F, 503/2G, 503/2H, 503/2II, 503/2J, 503/2K, 510/1, 510/2, 25/1, 31/1, 31/3A, 31/3B, 31/4A, 31/4B, 31/4C, 31/5, 31/6A, 31/6B, 31/7, 504/1A, 504/1B, 504/1C, 504/1D, 504/1E, 504/1F, 504/1G, 504/1H, 504/1'I', 504/1J, 504/1K, 504/1L, 504/3, 505/1A1, 505/1A2, 505/1A3, 505/1A4, 505/1C1, 505/1C2, 505/1C3, 507/1A, 507/1B, 507/3A, 507/3C, 507/3D1, 507/3D2, 507/3D3, 507/3D4, 507/3D5, 507/3D6, 507/3D7, 507/3D8, 507/4, 507/5, 507/6, 507/7, 507/8, 507/9, 507/10, 507/11, 507/12, 507/13, 507/14, 507/15, 507/16, 507/17, 507/18, 507/19, 507/20, 507/21, 507/22, 507/23, 507/24, 507/25, 507/26, 507/27, 507/28, 507/29, 507/30, 507/31, 28/2, 28/3, 28/4A, 28/4B, 28/4C, 28/4D, 28/4E, 28/4F, 28/4G, 28/4H, 28/4T, 28/4J, 28/4K, 28/4L, 28/4M, 28/4N, 28/4'O', 28/4P, 28/4Q, 28/4R, 28/4S, 28/4T, 28/4U, 28/4V, 28/4W, 28/4X, 28/4Y, 28/4Z, 28/4AA, 28/4AB, 28/4AC, 28/4AD, 28/4AE, 28/4AF, 28/4AG, 28/4AH, 28/5A1, 28/15, 28/16, 28/17, 28/18, 28/19, 28/20, 28/21, 28/22, 28/23, 28/24, 28/25, 28/26, 28/27, 28/28, 28/29, 28/5B1, 28/5B2, 28/5B3, 28/5B4, 28/5B5, 28/5B6, 28/5B7, 28/5B8, 28/5B9, 28/5B10, 28/5B11, 28/5B12, 28/5B13, 28/5B14, 29,33/1A1, 33/3,33/4, 33/5, 33/6, 33/7, 33/8, 33/9, 33/10, 33/11, 33/12, 33/13, 33/14, 33/15, 33/16, 33/17, 33/18, 33/19, 33/20, 33/21, 33/22, 33/23, 33/24, 33/25, 33/26, 33/27, 33/28, 33/29, 33/30, 33/31, 33/32, 33/33, 33/34, 33/35, 33/36, 33/37, 33/38, 33/39, 33/40, 33/41, 33/42, 33/43, 33/44, 33/45, 33/46, 33/47, 33/48, 33/49, 33/50, 33/51, 33/52, 33/53, 33/54, 33/55, 33/56, 33/57, 33/58, 33/59, 33/60, 33/61, 33/62, 33/63, 33/64, 33/65, 33/66, 33/67, 33/68, 33/69, 33/70, 33/71, 33/72, 33/73, 33/74, 33/75, 33/76, 33/77, 33/78, 33/79, 33/80, 33/81, 33/82, 33/83, 33/84, 33/85, 33/86, 33/87,

33/88, 33/89, 33/90, 33/91, 33/92, 33/93, 33/94, 33/95, 33/96, 33/97, 33/98, 33/99, 33/100, 33/101, 33/102, 33/103, 33/104, 33/105, 33/106, 33/107, 33/108, 33/109, 33/110, 33/111,  $33/112,\ 33/113,\ \ 33/114,\ 33/115,\ 33/116,\ 33/117,\ 33/118,\ 33/119,\ 33/120,\ 33/121,\ 33/122,$  $33/123,\ 33/124,\ 33/125,\ \ 33/126,\ 33/127,\ 33/128,\ 33/129,\ 33/130,\ 33/131,\ 33/132,\ 33/133,$ 33/134, 33/135, 33/136, 33/137, 33/138, 33/139, 33/1A7, 33/1A8, 33/1B1, 33/1B2, 33/1C1, 33/1C2, 33/2A, 33/2B, 32/1, 32/2A, 32/2B1, 32/2B2, 32/2B3, 32/2B4, 32/2B5, 32/2B6, 32/2B7, 32/2B8, 32/2B9, 32/2B10, 32/2C, 32/2D, 32/3, 35/1, 35/2A, 35/2B, 35/3A, 35/3B, 35/3C, 35/3D, 35/3E, 35/3F, 35/3G, 36/1, 36/2, 37/1, 37/2A, 37/2B, 37/3A, 37/3B, 37/3C, 37/4, 37/5, 37/6, 37/7, 37/8, 37/9, 37/10, 37/11, 37/12, 37/13, 37/14, 37/15, 37/16, 37/17, 37/18, 37/19, 37/20, 37/21, 37/22, 37/23, 37/24, 37/25, 37/26, 37/27, 37/28, 37/29, 37/30, 37/31, 37/32, 37/33, 37/34, 37/35, 37/36, 37/37, 37/38, 37/39, 37/40, 37/41, 37/42, 37/43, 37/44, 37/45, 37/46, 37/47, 37/48, 37/49, 37/50, 37/51, 37/52, 37/53, 37/54, 37/55, 37/56, 38/1, 38/2, 38/3, 38/4, 38/5, 38/6, 38/7, 38/8, 38/9, 38/10, 38/11, 38/12, 38/13, 38/14, 38/15, 39, 40/1, 40/2, 4, 13/2, 502/1, 21/2A, 23/3A, 24/1, 511/2, 1, 3/2, 3/4, 3/6, 3/7, 2/2, 5/2, 12/2, 14/2, 19/2, 500/2, 502/2A3, 20/2,26/3, 25/2, 31/2, 504/2, 505/1B, 505/2, 507/2, 33/1C3, 35/4, 30, 501/1B & 34) of Nemili Taluk, Ranipet District, Tamil Nadu, hereby take oath and state as under in this affidavit:

- I. The total water requirement of the park is estimated at 11076 KLD (Fresh water: 6406.50 KLD and Recycled water: 4669.50 KLD). Fresh water requirement for the Industrial Park is proposed to be sourced from Tamil Nadu Water Supply and Drainage (TWAD) Board.
- II. Power Supply (50 MVA) will be ensured from Tamil Nadu Generation and Distribution Co. Ltd. (TANGEDCO) facility as a common supply system by SIPCOT to all member industries. Individual industries will have back up DG sets as per their requirement. Further 1x500 kVA DG is proposed as power back up for common facilities of Industrial Housing Facility during power failure.
- III. Storm water drainage system will be provided along the road ensuring proper rain water harvesting. We confirm that the storm water drain would not carry any untreated (or) treated sewage. All member industries will be instructed to provide rain water harvesting structures as per norms.
- IV. All member industries will be instructed to have their own Solid waste and Hazardous waste storage facility within their plot. Inorganic wastes will be sold to TNPCB

MEMBER SECRETARY

4

- authorized recyclers/local vendors by member industries. SIPCOT has earmarked 5 Acres of land for establishment of Solid Waste Management facility.
- V. All member industries will be mandated to dispose the hazardous waste generated within their premises as per Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.
- VI. Individual industries will be mandated to provide ETP (ZLD If necessary) and STP with adequate capacity. Apart from this STP will be provided for industrial housing facility.
- VII. Overall Greenbelt area of the park would be 162.63 Ha (i.e. 34.40% of developable area i.e., 472.885 Ha).
- VIII. Tentative EMP cost of the park is INR 17.98 Crores. Details are given below:

S.No	Project Components	Tentative Capital Cost (INR Crores)	
1	STP for Industrial Housing	3.50	
2	Solid Waste Management Facility	8.18	
3	Greenbelt development	2.96	
4	Storm water drains and Rain water harvesting	1.25	
5	Solar lighting in internal road	1.69	
6	DG sets Acoustics and Stack (for Industrial Housing)	0.40	
	Total EMP Cost	17.98	

IX. As per the MoEF&CC Office Memorandum No. 22-65/2017-IA.III, dated 25.02.2021, SIPCOT will allocate INR 17.98 Crores towards Environment Management Plan (EMP) instead of allocation of funds under Corporate Environment Responsibility (CER). However as per Minutes of 420<sup>th</sup> SEAC Meeting, we commit to spend Rs. 5.0 crores to improve the Solid waste management practices in Ranipet Municipality in consultation with District Administration.

### Discussion by SEIAA and the Remarks:

The proposal was placed in the 674<sup>th</sup> Authority meeting held on 20.11.2023. The Authority after detailed discussions accepted the recommendation of SEAC and decided to grant of Environmental Clearance subject to the conditions as recommended by SEAC & normal condition in addition to the following conditions:

 The project proponent shall furnish the guidelines to the individual industry with respect to the waste water disposal, green belt area, parking, solid waste disposal, E-Waste disposal, Hazardous waste disposal before obtaining CTE from the TNPCB.

MEMBER SECRETARY

- 2. The PP shall furnish an affidavit stating that the industries should not cause any damage to water environment, air quality, agricultural area, rivers/streams, livelihoods/villages around the project area before obtaining CTE from the TNPCB.
- The project proponent shall in-house only non EIA attracting industries alone (Non Leather Foot wear units, Engineering/Automobile/Electronics & Electrical and other non EC category industries) as per EIA notification as amended for the proposed 193 nos. of plots & 1 SEZ.
- 4. If any Category A or B type of industry as notified in the EIA Notification 2006, as amended is proposed in the SIPCOT, the concerned Industry/Proponent shall apply for Environmental Clearance as per EIA Notification 2006, as amended.
- The project proponent shall start establishment only after complete alienation of Patta lands, Govt. Poramboke lands & water bodies within the proposed site in concurrence with the competent authority before obtaining consent from TNPCB.
- The project proponent shall obtain necessary permission for water bodies within/around the proposed site from the Competent Authority before obtaining CTE from TNPCB.
- 7. The project proponent shall obtain and maintain valid permission all time for supply of fresh water as committed.
- 8. The project proponent shall ensure that non EIA attracting Industries to be in-housed shall treat the effluent generated by providing adequate individual ZLD followed by reject management system and shall reuse the treated effluent for the process activity.
- 9. The project proponent shall ensure that non EIA attracting Industries to be in-housed shall treat the Sewage generated by providing adequate individual STP and shall reuse the treated sewage for the toilet flushing & green belt/gardening as committed.
- 10. The project proponent shall ensure that non EIA attracting Industries to be in-housed shall provide adequate elevated closed area earmarked for collection, segregation, storage & disposal of wastes generated within the premises as per provisions of Solid Waste Management Rules, 2016, E-Waste (Management) Rules, 2016, Plastic Waste Management Rules, 2016 as amended, Bio-Medical Waste Management Rules, 2016 as amended, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 as amended, Construction and Demolition Waste Management Rules, 2016, & Batteries (Management and Handling) Rules, 2001.
- 11. The project proponent shall ensure that non EIA attracting Industries to be in-housed shall provide elevated STP/ETP of adequate capacity & its utilities above the ground

LEMBER SECRETARY 2023 Page 24 of 39 TH

- level with adequate height considering highest rainfall & flood level /inundation point of view as recommended by the competent authority for the proposed project site.
- 12. The project proponent shall ensure that the industries to be in-housed shall adhere that no treated or untreated trade effluent/sewage is discharged outside the premises under any circumstances.
- 13. The project proponent and the non EIA attracting Industries to be in-housed shall provide & ensure that the utilities/ arrangements for fresh water supply, Storm/rain water management, and for reuse of treated sewage/effluent as proposed.
- 14. The project proponent shall provide & maintain adequate storm water management & rain water harvesting structures as committed for the project site.
- 15. The project proponent shall obtain necessary permission for disposal of excess storm water from the competent authority before obtaining CTO.
- 16. The project proponent shall ensure that industries to be in-housed shall operate and maintain the proposed STP / ETP efficiently and continuously to bring the quality of treated sewage/effluent to satisfy the discharge standards prescribed by the CPCB at all times.
- 17. The proponent & the Industries to be in-housed shall periodically conduct and submit fire safety study, emergency evacuation plan, risk assessment study, occupational health safety study for the worst case scenario in regard to existing safety measures/standard operating procedures adopted for the process/ equipment/utilities for operation & maintenance and the storage areas of products, raw materials, solvent, fuel, etc. in the different operating zones of the plant at least once in a year to regularly identify safety fragile areas within the plant which requires regular monitoring and the proponent shall submit the same along with timeline for implementation of the said recommendations to the concerned departments.
- 18. The project proponent & the Industries to be in-housed shall ensure buildings constructed are energy efficient and conform to the green building norms.
- 19. The project proponent shall ensure Industries to be in-housed shall adhere to provide adequate parking space for visitors of all inmates including clean traffic plan as committed.
- 20. The proponent & the Industries to be in-housed shall strictly adhere to all biosafety standards, hygienic standards and safety norms of working staff and patients to be strictly from time to time as guidance of competent authority.

- 21. The proponent & the Industries to be in-housed shall strictly adhere to the disaster management and disaster mitigation measures/standards to avoid any calamities.
- 22. The proponent & the Industries to be in-housed shall strictly adhere to the EIA/EMP and disaster management plan.
- 23. The activities should in no way cause emission and build-up Green House Gases. All actions to be eco friendly and support sustainable management of the natural resources within and outside the campus premises.
- 24. The proponent should strictly comply with, Tamil Nadu Government order regarding ban on one time use and throwaway plastics irrespective of thickness with effect from 01.01.2019 under Environment (Protection) Act, 1986.
- 25. The proponent & the Industries to be in-housed shall ensure proper arrangement & utilization of recycled water.
- 26. The proponent & the Industries to be in-housed shall ensure that all trees & biodiversity listed in EIA report to be protected within the premises.
- 27. The proponent & the Industries to be in-housed shall ensure that the buildings should not cause any damage to water environment, air quality and should be carbon neutral building.
- 28. All the Buildings shall be energy efficient and confirm to the green building norms.
- 29. The proponent & the Industries to be in-housed shall ensure almost safety for the existing biodiversity, trees, flora & fauna shall not disturb under any circumstances.
- 30. The proponent & the Industries to be in-housed shall ensure that the all activities of EMP shall be completed before obtaining CTO from TNPCB.
- 31. The proponent & the Industries to be in-housed shall ensure that the activities undertaken should not result in carbon emission, and temperature rise, in the area.
- 32. The proponent & the Industries to be in-housed shall ensure that the buildings and activities should not result in Environmental damages, nor result in temperature rise.
- 33. The proponent & the Industries to be in-housed shall provide and ensure the green belt plan is implemented as indicated in EMP. Also, the proponent shall explore possibilities to provide sufficient grass lawns.
- 34. The proponent & the Industries to be in-housed shall ensure to provide the emergency exit in the buildings.
- 35. The proponent & the Industries to be in-housed shall ensure to provide elevator as per rules CMDA/DTCP.

IEMBER SECRETARY 2023 Page 23-01-39 - TN

- 36. The proponent & the Industries to be in-housed shall ensure to provide adequate capacity of DG set (standby) for the proposed STP so as ensure continues and efficient operation.
- 37. The proponent & the Industries to be in-housed shall adhere to the provision and norms regard to fire safety prescribed by competent authority.
- 38. The project proponent & the Industries to be in-housed shall adhere to storm water management plan as committed.

## Annexure 'C'

### **Climate Change**

- 1. The proponent shall adopt strategies to decarbonize the building.
- 2. The proponent shall adopt strategies to reduce emissions during operation (operational phase and building materials).
- 3. The proponent shall adopt strategies to reduce temperature including the Building Façade.
- 4. The proponent shall adopt methodology to control thermal environment and other shocks in the building.
- 5. The proponent shall adopt detailed plan to reduce carbon footprints and also develop strategies for climate proofing and climate mitigation.
- 6. The proponent shall adopt strategies to ensure the buildings in blocks are not trapping heat to become local urban heat islands.
- 7. The proponent shall ensure that the building does not create artificial wind tunnels creating cold water and uncomfortable living conditions resulting in health issues.
- 8. The activities should in no way cause emission and build-up Green House Gases. All actions to be eco-friendly and support sustainable management of the natural resources within and outside the campus premises.
- 9. The proponent shall ensure that the buildings should not cause any damage to water environment, air quality and should be carbon neutral building.

#### Health

10. The proponent shall adopt strategies to maintain the health of the inhabitants.

#### Energy

- 11. The proponent shall adopt strategies to reduce electricity demand and consumption.
- 12. The proponent shall provide provisions for automated energy efficiency.
- 13. The proponent shall provide provisions for controlled ventilation and lighting systems.

- 14. The proponent shall provide solar panels and contribute to the grid from the solar panel as proposed.
- 15. All the construction of Buildings shall be energy efficient and conform to the green building norms. The PP shall ensure that carbon neutral building.
- 16. The proponent shall provide adequate capacity of DG set (standby) for the proposed STP so as to ensure continuous and efficient operation.

## Regulatory Frameworks

- 17. The proponent shall adopt methodologies to effectively implement the Solid Waste Management Rules, 2016, E-Waste (Management) Rules, 2016, Plastic Waste Management Rules, 2016 as amended, Bio-Medical Waste Management Rules, 2016 as amended, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 as amended, Construction and Demolition Waste Management Rules, 2016, & Batteries (Management and Handling) Rules, 2001.
- 18. The project proponent shall ensure to provide adequate elevated closed area earmarked for collection, segregation, storage & disposal of wastes generated within the premises as per provisions of Solid Waste Management Rules, 2016, E-Waste (Management) Rules, 2016, Plastic Waste Management Rules, 2016 as amended, Bio-Medical Waste Management Rules, 2016 as amended, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 as amended, Construction and Demolition Waste Management Rules, 2016, & Batteries (Management and Handling) Rules, 2001.
- 19. The proponent shall provide elevator as per rules CMDA/DTCP.

## Database maintenance & audits

- 20. The database record of environmental conditions of all the events from preconstruction, construction and post-construction should be maintained in digitized format.
- 21. The proponent should maintain environmental audits to measure and mitigate environmental concerns.

## **Biodiversity**

- 22. There should not be any impact due to the modification of the habitat on critically endangered species, biodiversity, etc,.
- 23. The proponent shall ensure that the proposed activities in no way result in the spread of invasive species.

TEMBER SECRETARY /2023 Page 25.0f &9\_TM

24. The proponent shall adopt sustainability criteria to protect the micro environment from wind turbulences and change in aerodynamics since high rise buildings may stagnate air movements.

25. The proponent shall ensure almost safety for the existing biodiversity, trees, flora & fauna shall not disturb under any circumstances.

26. The proponent shall develop building-friendly pest control strategies by using non chemical measures so as to control the pest population thereby not losing beneficial organisms.

27. The proponent shall adopt strategies to prevent bird hits.

## Safety measures

28. The proponent should develop an emergency response plan in addition to the disaster management plan.

29. The proponent shall develop detailed evacuation plan for disabled people and safety evacuation plan in emergencies.

30. All bio-safety standards, hygienic standards and safety norms of working staff and patients to be strictly followed as stipulated in EIA/EMP.

31. The disaster management and disaster mitigation standards to be seriously adhered to avoid any calamities.

32. The proponent shall provide the emergency exit in the buildings.

33. The proponent shall adhere to the provision and norms regard to fire safety prescribed by competent authority.

#### Water/Sewage

34. The proponent shall ensure that no treated or untreated sewage shall be let outside the project site & shall find access to nearby water-bodies under any circumstances other than the permitted mode of disposal.

35. The proponent shall provide STP of adequate capacity as committed and shall continuously & efficiently operate STP so as to satisfy the treated sewage discharge standards prescribed by the TNPCB time to time.

36. The proponent shall periodically test the treated sewage the through TNPCB lab /NABL accredited laboratory and submit report to the TNPCB.

37. The proponent shall periodically test the water sample for the general water quality core parameters including fecal coliform within the proposed project site through TNPCB lab /NABL accredited laboratory and submit report to the concerned authorities.

MEMBER SECRETARY

Page 26 of 39

- 38. The proponent shall ensure that provision should be given for proper utilization of recycled water.
- 39. The project proponent shall adhere to storm water management plan as committed.

## **Parking**

40. The project proponent shall adhere to provide adequate parking space for visitors of all inmates including clean traffic plan as committed.

## Solid waste Management

- 41. The proponent shall ensure that no form of municipal solid waste shall be disposed outside the proposed project site at any time.
- 42. The proponent should strictly comply with, Tamil Nadu Government order regarding ban on one time use and throwaway plastics irrespective of thickness with effect from 01.01.2019 under Environment (Protection) Act, 1986.

## **EMP**

- 43. The proponent shall ensure that the EIA/EMP and disaster management plan should be adhered strictly.
- 44. The proponent shall ensure that all activities of EMP shall be completed before obtaining CTO from TNPCB.
- 45. The proponent shall provide and ensure the green belt plan is implemented as indicated in EMP. Also, the proponent shall explore possibilities to provide sufficient grass lawns.

## Others

- 46. As per the 'Polluter Pay Principle', the proponent will be held responsible for any environmental damage caused due to the proposed activity including withdrawal of EC and stoppage of work.
- 47. The project proponent shall adhere to height of the buildings as committed.

Environmental Clearance along with the conditions containing four parts namely

- Part A Common conditions applicable for Pre-construction, Construction and Operational Phases
- Part B Specific Conditions Pre construction phase
- Part C Specific Conditions Construction phase
- $Part D Specific\ Conditions Operational\ Phase/Post\ constructional\ Phase\ /\ Entire$ life of the project.

## Validity:

The SEIAA hereby accords Environmental Clearance to the above project under the provisions of EIA Notification dated 14<sup>th</sup> September, 2006 as amended, with validity for Seven years from the date of issue of EC, subject to the compliance of the terms and conditions stipulated below:

## **Conditions imposed by SEAC:**

- The construction shall comply with Green Building norms and shall get IGBC Gold rating.
- 2. The Environmental Engineer to be engaged in Environmental Monitoring Cell.
- 3. STP shall be installed on 10-year BOOT basis, so that the construction and maintenance are combined in one single responsibility.
- 4. The project proponent shall provide entry and exit points for the OSR area, play area as per the norms for the public usage and as committed. The PP shall construct a pond of appropriate size in the earmarked OSR land in consultation with the local body. The pond should be modelled like a temple tank with parapet walls, steps, etc. The pond is meant to play three hydraulic roles, namely (1) as a storage, which acted as insurance against low rainfall periods and also recharges groundwater in the surrounding area, (2) as a flood control measure, preventing soil erosion and wastage of runoff waters during the period of heavy rainfall, and (3) as a device which was crucial to the overall ecosystem.
- Project proponent is advised to explore the possibility and getting the cement in a closed container rather through the plastic bag to prevent dust emissions at the time of loading/unloading.
- Project proponent should ensure that there will be no use of "Single use of Plastic" (SUP).
- 7. The proponent should provide the sufficient electric vehicle charging points as per the requirements at ground level and allocate the safe and suitable place in the premises for the same.
- 8. The project proponent should develop green belt in the township as per the plan submitted and also follow the guidelines of CPCB/Development authority for green belt as per the norms.
- Project proponent should invest the CSR amount as per the proposal and submit the compliance report regularly to the concerned authority/Directorate of environment.

MENBER SECRETARY SEIAA-TN

- 10. Proponent should submit the certified compliance report of previous/present EC along with action taken report to the Regional office MoEF Lko/Director of Environment and other concerning authority regularly.
- 11. Proponent shall provide the dual pipeline network in the project for utilization of treated water of STP for different purposes and also provide the monitoring mechanism for the same. STP treated water not to be discharged outside the premises without the permission of the concerned authority.
- 12. The project proponent shall provide a measuring device for monitoring the various sources of water supply namely fresh water, treated waste water and harvested rain water.
- 13. The proponent should provide the MoU with STPs' owner/concerned department for getting the STPs treated water for construction use.

Standard Environmental Clearance Conditions prescribed by MoEF&CC for Construction Projects.

## 1. Statutory Compliance:

- 1. The project proponent shall obtain all necessary clearance/permission from all relevant agencies including town planning authority before commencement of work. All the construction shall be done in accordance with the local building byelaws.
- 2. The approval of the Competent Authority shall be obtained for structural safety of buildings due to earthquakes, adequacy of firefighting equipment etc as per National Building Code including protection measures from lightning etc.
- 3. The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1986, in case of the diversion of forest land for non-forest purpose involved in the project.
- 4. The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.
- 5. The project proponent shall obtain Consent to Establish / Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State Pollution Control Board/ Committee.
- 6. The project proponent shall obtain the necessary permission for drawing of ground water / surface water required for the project from the competent authority.

- 7. A certificate of adequacy of available power from the agency supplying power to the project along with the load allowed for the project should be obtained.
- 8. All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department and Civil Aviation Department shall be obtained, as applicable, by project proponents from the respective competent authorities.
- 9. The provisions of the Solid Waste (Management) Rules, 2016, e-Waste (Management) Rules, 2016, and the Plastics Waste (Management) Rules, 2016 shall be followed.
- 10. The project proponent shall follow the ECBC/ECBC-R prescribed by Bureau of Energy Efficiency, Ministry of Power strictly.

## 2. Air quality monitoring and preservation:

- Notification GSR 94(E) dated 25.01.2018 of MoEF&CC regarding Mandatory Implementation of Dust Mitigation Measures for Construction and Demolition Activities for projects requiring Environmental Clearance shall be complied with.
- 2. A management plan shall be drawn up and implemented to contain the current exceedance in ambient air quality at the site.
- 3. The project proponent shall install a system to carry out Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g., PM10 andPM25) covering upwind and downwind directions during the construction period.
- 4. Construction site shall be adequately barricaded before the construction begins. Dust, smoke & other air pollution prevention measures shall be provided for the building as well as the site. These measures shall include screens for the building under construction, continuous dust/ wind breaking walls all around the site (at least 3-meter height). Plastic/tarpaulin sheet covers shall be provided for vehicles bringing in sand, cement, murram and other construction materials prone to causing dust pollution at the site as well as taking out debris from the site.
- 5. Sand, murram, loose soil, cement, stored on site should be covered adequately so as to prevent dust pollution.
- 6. Wet jet shall be provided for grinding and stone cutting.
- Unpaved surfaces and loose soil should be adequately sprinkled with water to suppress
  dust.
- All construction and demolition debris shall be stored at the site (and not dumped on the roads or open spaces outside) before they are properly disposed. All demolition and

MENHER SECRETARY SEIAA-TN

EC Identification No. - EC23B039TN110847 File No. - 10204 Date of Issue EC - 06/12/2023

Page 30 of 39

- construction waste shall be managed as per the provisions of the Construction and Demolition Waste Rules 2016.
- 9. The diesel generator sets to be used during construction phase shall be low Sulphur diesel type and shall conform to Environmental (Protection) prescribed for air and noise mission standards.
- 10. The gaseous emissions from DG set shall be dispersed through adequate stack height as per CPCB standards. Acoustic enclosure shall be provided to the DG sets to mitigate the noise pollution. The location of the DG set and exhaust pipe height shall be as per the provisions of the Central Pollution Control Board (CPCB) norms.
- 11. For indoor air quality the ventilation provisions as per National Building Code of India.

## 3. Water Quality Monitoring and Preservation:

- 1. The natural drain system should be maintained for ensuring unrestricted flow of water. No construction shall be allowed to obstruct the natural drainage through the site, on wetland and water bodies. Check dams, bio-swales, landscape, and other sustainable urban drainage systems (SUDS) are allowed for maintaining the drainage pattern and to harvest rainwater.
- 2. Buildings shall be designed to follow the natural topography as much as possible. Minimum cutting and filling should be done.
- 3. Total freshwater use shall not exceed the proposed requirement as provided in the project details.
- 4. The quantity of freshwater usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with Half Yearly Compliance Reports (HYCR).
- 5. A certificate shall be obtained from the local body supplying water, specifying the total annual water availability with the local authority, the quantity of water already committed, the quantity of water allotted to the project under consideration and the balance water available. This should be specified separately for ground water and surface water sources, ensuring that there is no impact on other users.
- 6. At least 20% of the open spaces as required by the local building byelaws shall be pervious. Use of Grass pavers, paver blocks with at least 50% opening, landscape etc. would be considered as pervious surface.

- 7. Installation of dual pipe plumbing for supplying fresh water for drinking, cooking and bathing etc and other for supply of recycled water for flushing, landscape irrigation car washing, thermal cooling, conditioning etc. shall be done.
- Use of water saving devices/ fixtures (viz. low flow flushing systems; use of low flow faucets tap aerators etc) for water conservation shall be incorporated in the building plan.
- Use of water saving devices/ fixtures (viz. low flow flushing systems; use of low flow faucets tap aerators etc) for water conservation shall be incorporated in the building plan.
- 10. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.
- 11. The local bye-law provisions on rainwater harvesting should be followed. If local byelaw provision is not available, adequate provision for storage and recharge should be followed as per the Ministry of Urban Development Model Building Byelaws, 2016. Rainwater harvesting recharge pits/storage tanks shall be provided for ground water recharging as per the CGWB norms.
- 12. A rainwater harvesting plan needs to be designed where the recharge bores of minimum one recharge bore per 5,000 square meters of built-up area and storage capacity of minimum one day of total freshwater requirement shall be provided. In areas where ground water recharging is not feasible, the rainwater should be harvested and stored for reuse. The ground water shall not be withdrawn without approval from the Competent Authority.
- 13. All recharges should be limited to shallow aquifer.
- 14. No ground water shall be used during construction phase of the project.
- 15. Any ground water dewatering should be properly managed and shall conform to the approvals and the guidelines of the CGWA in the matter. Formal approval shall be taken from the CGWA for any ground water abstraction or dewatering.
- 16. The quantity of freshwater usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with Half Yearly Compliance Reports (HYCR).

MEMBER SECRETARY SEIAA-TN

Page 32 of 39

- 17. Sewage shall be treated in the STP with tertiary treatment. The treated effluent from STP shall be recycled/re-used for flushing, AC make up water and gardening. As proposed, not related water shall be disposed into municipal drain.
- 18. No sewage or untreated effluent water would be discharged through storm water drains.
- 19. Onsite sewage treatment of capacity of treating 100% wastewater to be installed. The installation of the Sewage Treatment Plant (STP) shall be certified by an independent expert and a report in this regard shall be submitted to the Ministry before the project is commissioned for operation. Treated wastewater shall be reused on site for landscape, flushing, cooling tower, and other end-uses. Excess treated water shall be discharged as per statutory norms notified by Ministry of Environment, Forest and Climate Change. Natural treatment systems shall be promoted.
- 20. Periodical monitoring of water quality of treated sewage shall be conducted. Necessary measures should be taken to mitigate the odor problem from STP.
- 21. Sludge from the onsite sewage treatment, including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Centre Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013.

### 4. Noise Monitoring and Prevention:

- 1. Ambient noise levels shall conform to residential area/commercial area/industrial area/silence zone both during day and night as per Noise Pollution (Control and Regulation) Rules, 2000. Incremental pollution loads on the ambient air and noise quality shall be closely monitored during construction phase. Adequate measures shall be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB / SPCB.
- 2. Noise level survey shall be carried out as per the prescribed guidelines and report in this regard shall be submitted to Regional Officer of the Ministry as a part of Half Yearly Compliance Report (HYCR).
- 3. Acoustic enclosures for DG sets, noise barriers for ground-run bays, ear plugs for operating personnel shall be implemented as mitigation measures for noise impact due to ground sources.

## 5. Energy Conservation Measures:

- 1. Compliance with the Energy Conservation Building Code (ECBC) of Bureau of Energy Efficiency shall be ensured. Buildings in the States which have notified their own ECBC, shall comply with the State ECBC.
- 2. Outdoor and common area lighting shall be LED.
- 3. The proponent shall provide solar panels covering a minimum of 50% of terrace area as committed.
- 4. Concept of passive solar design that minimize energy consumption in buildings by using design elements, such as building orientation, landscaping, efficient building envelope, appropriate fenestration, increased day lighting design and thermal mass etc. shall be incorporated in the building design. Wall, window, and roof u-values shall be as per ECBC specifications.
- 5. Energy conservation measures like installation of CFLs/ LED for the lighting the area outside the building should be integral part of the project design and should be in place before project commissioning.
- 6. Solar, wind or other Renewable Energy shall be installed to meet electricity generation equivalent to 1% of the demand load or as per the state level/ local building byelaws requirement, whichever is higher.
- 7. Solar power shall be used for lighting in the apartment to reduce the power load on grid. Separate electric meter shall be installed for solar power. Solar water heating shall be provided to meet 20% of the hot water demand of the commercial and institutional building or as per the requirement of the local building byelaws, whichever is higher. Residential buildings are also recommended to meet its hot water demand from solar water heaters, as far as possible.

## 6. Waste Management:

- 1. A certificate from the competent authority handling municipal solid wastes, indicating the existing civic capacities of handling and their adequacy to cater to the M.S.W. generated from project shall be obtained.
- 2. Disposal of muck during construction phase shall not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.

Page 34 of 39

- 3. Separate wet and dry bins must be provided in each unit and at the ground level for facilitating segregation of waste. Solid waste shall be segregated into wet garbage and inert materials.
- 4. Organic waste compost/ Vermiculture pit/ Organic Waste Converter within the premises with a minimum capacity of 0.3 kg/person/day must be installed.
- 5. All non-biodegradable waste shall be handed over to authorized recyclers for which a written tie up must be done with the authorized recyclers.
- 6. Any hazardous waste generated during construction phase shall be disposed of as per applicable rules and norms with necessary approvals of the State Pollution Control Board.
- 7. Use of environmentally friendly materials in bricks, blocks and other construction materials, shall be required for at least 20% of the construction material quantity. These include Fly Ash bricks, hollow bricks, AACs, Fly Ash Lime Gypsum blocks, Compressed earth blocks, and other environmentally friendly materials.
- 8. Fly ash should be used as building material in the construction as per the provision of Fly Ash Notification of September 1999 and amended from time to time. Ready mixed concrete must be used in building construction.
- 9. Any wastes from construction and demolition activities related thereto shall be managed to strictly conform to the Construction and Demolition Rules, 2016.
- 10. Used CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/ rules of the regulatory authority to avoid mercury contamination.

#### 7. Green Cover:

- 1. No tree can be felled/transplant unless exigencies demand. Where absolutely necessary, tree felling shall be with prior permission from the concerned regulatory authority. Old trees should be retained based on girth and age regulations as may be prescribed by the Forest Department. Plantations to be ensured species (cut) to species (planted).
- 2. A minimum of 1 tree for every 80 sqm of land should be planted and maintained. The existing trees will be counted for this purpose. The landscape planning should include plantation of native species. The species with heavy foliage, broad leaves and wide canopy cover are desirable. Water intensive and/or invasive species should not be used for landscaping.

- 3. Where the trees need to be cut with prior permission from the concerned local authority, compensatory plantation in the ratio of 1:10 (i.e. planting of 10 trees for every 1 tree that is cut) shall be done and maintained. Plantations to be ensured species (cut) to species (planted). Area for green belt development shall be provided as per the details provided in the project document.
- 4. Topsoil should be stripped to a depth of 20 cm from the areas proposed for buildings, roads, paved areas, and external services. It should be stockpiled appropriately in designated areas and reapplied during plantation of the proposed vegetation on site.
- A wide range of indigenous plant species should be planted as given in the Appendix-I, in consultation with the Government Forest/Horticulture Departments and State Agriculture University.

## 8. Transport:

- A comprehensive mobility plan, as per MoUD best practices guidelines (URDPFI), shall
  be prepared to include motorized, non-motorized, public, and private networks. Road
  should be designed with due consideration for environment, and safety of users. The
  road system can be designed with these basic criteria.
  - a. Hierarchy of roads with proper segregation of vehicular and pedestrian traffic.
  - b. Traffic calming measures.
  - c. Proper design of entry and exit points.
  - d. Parking norms as per local regulation.
- Vehicles hired to bring construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards be operated only during non-peak hours.
- 3. A detailed traffic management and traffic decongestion plan shall be drawn up to ensure that the current level of service of the roads within a 05 kms radius of the project is maintained and improved upon after the implementation of the project. This plan should be based on cumulative impact of all development and increased habitation being carried out or proposed to be carried out by the project or other agencies in this 05 Kms radius of the site in different scenarios of space and time and the traffic management plan shall be duly validated and certified by the State Urban Development department and the P.W.D./ competent authority for road augmentation and shall also have their consent to the implementation of components of the plan which involve the participation of these departments.

MEMBER SECRETARY SEIAA-TN

EC Identification No. - EC23B039TN110847 File No. - 10204 Date of Issue EC - 06/12/2023

Page 36 of 39

#### 9. Human Health Issues:

- All workers working at the construction site and involved in loading, unloading, carriage
  of construction material and construction debris or working in any area with dust
  pollution shall be provided with dust mask.
- 2. For indoor air quality the ventilation provisions as per National Building Code of India.
- 3. Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.
- 4. Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
- 5. Occupational health surveillance of the workers shall be done on a regular basis.
- 6. A First Aid Room shall be provided in the project both during construction and operations of the project.

## 10. Corporate Environment Responsibility:

- 1. The PP shall complete the CER activities, as committed, before obtaining CTE.
- 2. The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest / wildlife norms / conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of Half Yearly Compliance Report (HYCR).
- A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization.
- 4. Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Half Yearly Compliance Report (HYCR).

10204 Date of Issue EC - 06/12/2023 Page 37 of 39

#### 11. Miscellaneous:

- The project proponent shall prominently advertise it at least in two local newspapers of
  the District or State, of which one shall be in Tamil language within seven days
  indicating that the project has been accorded environment clearance and the details of
  MoEFCC/SEIAA website where it is displayed.
- The copies of the environmental clearance shall be submitted by the project proponents
  to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the
  relevant offices of the Government who in turn must display the same for 30 days from
  the date of receipt.
- 3. The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.
- 4. The project proponent shall submit Half Yearly Compliance Reports (HYCR) on the status of the compliance of the stipulated environmental conditions on the website of the Ministry of Environment, Forest and Climate Change at environment clearance portal.
- 5. The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.
- 6. The project proponent shall inform the Authority (SEIAA) of the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.
- 7. The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.
- The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report and also during their presentation to the State Expert Appraisal Committee.
- 9. No further expansion or modifications to the plant shall be carried out without prior approval of the Authority (SEIAA).
- 10. Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.

MBER SECRETARY

- 11. The Authority (SEIAA) may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
- 12. The Authority reserves the right to stipulate additional conditions if found necessary. The Company in a time-bound manner shall implement these conditions.
- 13. The Regional Office of the MoEF&CC Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.
- 14. The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.

MEMBER SECRETARY

Copy to:

- 1. The Additional Chief Secretary to Government, Environment, Climate Change and Forests Department, Govt. of Tamil Nadu, Fort St. George, Chennai - 9.
- 2. The Chairman, Central Pollution Control Board, Parivesh Bhavan, CBD Cum-Office Complex, East Arjun Nagar, New Delhi - 110032.
- 3. The Chairman, Tamil Nadu Pollution Control Board, 76, Mount Salai, Guindy, Chennai-600 032.
- 4. Monitoring Cell, I A Division, Ministry of Environment & Forests, Paryavaran Bhavan, CGO Complex, New Delhi - 110003.
- Stock File.