



EC/A.Sathanur/HYC/June/2025

To,
The Member Secretary,
State Level Environment Impact Assessment Authority,
Chennai Metro Rail Limited (Head office),
No.327, Anna Salai, Nandanam,
Chennai - 600 035.

Sir,

Sub: SIPCOT SEZ at A.Sathanur, Kallakurichi District – Submission of Half Yearly Compliance Report for June 2025 (for the period from October 2024 to March

2025) - Reg.

Ref: EC vide Letter No SEIAA-TN/F.No. 9898/8(b)/EC. No: 1001/2023, dated:

10.01.2024.

We hereby submit the Half Yearly Compliance Report for the Development of SIPCOT Special Economic Zone at A.Sathanur Village, Ulundurpet Taluk, Kallakurichi District, Tamil Nadu for June 2025 (for the period from October 2024 to March 2025) along with the supporting documents for your perusal.

Thanking you

CONSULTANT

Yours faithfully,

(PROJECT MANAGEMENT)

Date: 30.05.2025

Encl: As above.

Copy to:

The Director,
 The Ministry of Environment and Forest & Climate Change,
 Integrated Regional Office,
 1st Floor, Additional Office Block for GPOA,
 Shastri Bhawan, Haddows Road,
 Nungambakkam, Chennai – 600 006.

 The Director, CPCB Zonal Office, 77-A, South Avenue Road, Ambattur Industrial Estate, Ambattur Taluk, Thiruvallur District, Chennai - 600 058.

P.T.O.

State Industries Promotion Corporation of Tamil Nadu Limited

(A Government of Tamil Nadu Undertaking)





- The Chairman, Tamil Nadu Pollution Control Board, No-76, Mount Road, Guindy, Chennai - 600 032.
- The Project Officer SIPCOT Industrial Park, Eraiyur.

State Industries Promotion Corporation of Tamil Nadu Limited

(A Government of Tamil Nadu Undertaking) CIN I U74999TN1971SGC005967

Regd. Office: 19-A, Rukmani Lakshmipathy Road, Post Box No. 7223, Egmore, Chennai - 600 908.

Phone: 4526 1777, Fax: 4526 1796 Website: www.sipcot.tn.gov.in

HALF YEARLY ENVIRONMENTAL CLEARANCE COMPLIANCE REPORT

For the Period of October 2024 – March 2024

For

"DEVELOPMENT OF SPECIAL ECONOMIC ZONE (SEZ) AT KALLAKURICHI DISTRICT Land area – 77.095 Ha. (190.42 Acres)"

EC Obtained vide Letter No SEIAA-TN/F.NO 9898/8(b)/EC. No: 1001/2023, dated: 10.01.2024

EC Amendment obtained vide Identification No. EC24B3813TN5337555A, File No. 9898 dated 18.06.2024

Submitted by



M/S. STATE INDUSTRIES PROMOTION CORPORATION OF TAMILNADU LTD 19/A, Rukmani Lakshmipathy Road,

Egmore, Chennai-600008.

Prepared by



ENVIRONMENTAL CONSULTANT HUBERT ENVIRO CARE SYSTEMS (P) LTD CHENNAI

May 2025

TABLE OF CONTENTS

S.No		List of Contents	Page No
1.	Proje	ect details	4
2.	Loca	tion map	5
3.	Site photograph		6
4.	Six n	nonthly environmental clearance statement	7
5.	Envi	ronmental Monitoring Details	50
	5.1	Ambient air quality monitoring	50
	5.2	Ambient noise level monitoring	50
	5.3	Soil Quality monitoring	50
	5.4	Ground water quality monitoring	50
	5.5	Surface water quality monitoring	50
6.	Conc	clusion	51


LIST OF ANNEXURE

S. No	List Of Contents
Annexure 1	Copy of Environmental Clearance
Annexure 2	Copy of EC Amendment
Annexure 3	Newspaper Advertisement
Annexure 4	Water supply letter from TWAD
Annexure 5	Environmental Monitoring Photos
Annexure 6	Environmental Management Cell
Annexure 7	Screenshot of EC details uploaded in website
Annexure 8	Screenshot of six monthly Compliance Report uploaded in website
Annexure 9	Acknowledgement on submission of Form V to TNPCB and screenshot of Environmental Statement uploaded in website
Annexure 10	Environment Monitoring Reports
Annexure 11	Storm water drain photograph

1. PROJECT DETAILS

Name of the Project	Proposed Development of Special Economic Zone (SEZ) at Kallakurichi District [Land Area 77.095 Ha. (190.42 Acres)]
Name of the Proponent	M/S. State Industries Promotion Corporation of Tamil Nadu Ltd.
Location	A.Sathanur Village, Ulundurpet Taluk, Kallakurichi District, Tamil Nadu.
EC. No	Lr No SEIAA-TN/F.NO 9898/8(b)/EC. No: 1001/2023, dated:10.01.2024 (Enclosed as Annexure 1) EC Amendment obtained vide Identification No. A, File No. 9898 dated 18.06.2024 (Enclosed as Annexure 2)
Total Extent	77.095 Ha. (190.42 Acres)
	2373 KLD
Water Requirements	Source: Letter from TWAD for the supply of 3.20 MLD Fresh water supply from 10.00 MLD dedicated Water supply scheme to AlIRLIVAS site at Thalaivasalkoot Road in Salem District vide Letter no. F.SIPCOT/JDO/RWS/SLM/2023/dated: 10.01.2023 (Enclosed as Annexure 4)
Project Cost	Rs.2302 Crore

2. LOCATION MAP



3. SITE PHOTOGRAPH





4. SIX MONTHLY ENVIRONMENTAL CLEARANCE COMPLIANCE STATEMENT

SEIAA Condition.

S.NO	CONDITIONS	STATUS OF COMPLIANCE
1.	The PP shall obtain fresh water supply	Water supply letter from TWAD Board is
	commitment letter from the Competent	enclosed as Annexure 4
	authority before obtaining CTE from TNPCB	

Climate Change

Annexure 'C'

S.NO	CONDITIONS	STATUS OF COMPLIANCE
1.	The proponent shall adopt strategies to	Condition noted.
	decarbonize the building.	All the member units will be instructed to
		follow applicable rules and guidelines.
2.	The proponent shall adopt strategies to reduce	Condition noted.
	emissions during operation (operational phase	All the member units will be instructed to
	and building materials).	follow applicable rules and guidelines.
3.	The proponent shall adopt strategies to reduce	Condition noted.
	temperature including the Building Façade.	All the member units will be instructed to
		follow applicable rules and guidelines.
4.	The proponent shall adopt methodology to	Condition noted.
	control thermal environment and other shocks in	All the member units will be instructed to
	the building.	follow applicable rules and guidelines.
5.	The proponent shall adopt detailed plan to	Condition noted.
	reduce carbon footprints and also develop	All the member units will be instructed to
	strategies for climate proofing and climate	follow applicable rules and guidelines.
	mitigation.	
6.	The proponent shall adopt strategies to ensure	Condition noted.
	the buildings in blocks are not trapping heat to	All the member units will be instructed to
	become local urban heat islands.	follow applicable rules and guidelines.
7.	The proponent shall ensure that the building does	Condition noted.
	not create artificial wind tunnels creating cold	All the member units will be instructed to
	water and uncomfortable living conditions	follow applicable rules and guidelines.
	resulting in health issues.	

Ī	8.	The activities should in no way cause emission	Condition noted.
		and build-up Green House Gases. All actions to	All the member units will be instructed to
		be eco-friendly and support sustainable	follow applicable rules and guidelines.
		management of the natural resources within and	
		outside the campus premises.	
ı			
	9.	The proponent shall ensure that the buildings	Condition noted.
	9.	The proponent shall ensure that the buildings should not cause any damage to water	
	9.		All the member units will be instructed to
	9.	should not cause any damage to water	All the member units will be instructed to

Health

10.	The proponent shall adopt strategies to Condition noted.	
	maintain the health of the inhabitants	

Energy

Energ	ergy			
11.	The proponent shall adopt strategies to reduce	Condition noted.		
	electricity demand and consumption.	All the member units will comply with.		
12.	The proponent shall provide provisions for	Condition noted.		
	automated energy efficiency.	All the member units will comply with.		
13.	The proponent shall provide provisions for	Condition noted.		
	controlled ventilation and lighting systems.	All the member units will comply with.		
14.	The proponent shall provide solar panels and	Condition noted.		
	contribute to the grid from the solar panel as	Individual industries will Comply with.		
	proposed.			
15.	All the construction of Buildings shall be energy	Condition noted. Individual industries will		
	efficient and conform to the green building	Comply with.		
	norms. The PP shall ensure that carbon neutral			
	building.			
16.	The proponent shall provide adequate capacity of	Condition noted.		
	DG set (standby) for the proposed STP so as to	All the member units will comply with		
	ensure continuous and efficient operation.	win the member times win comply with		
		<u> </u>		

Regulatory Frameworks

17.	The proponent shall adopt methodologies to	Condition noted.
	effectively implement the Solid Waste	
	Management Rules, 2016, E-Waste (Management)	All the member industries will be instructed
	Rules, 2016, Plastic Waste Management Rules,	to follow necessary rules and guidelines.
	2016 as amended, Bio-Medical Waste	
	Management Rules, 2016 as amended. Hazardous	
	and Other Wastes (Management and	
	Transboundary Movement) Rules, 2016 as	
	amended, Construction and Demolition Waste	
	Management Rules, 2016, & Batteries	
	(Management and Handling) Rules, 2001.	
18.	The project proponent shall ensure to provide	Condition will be complied.
	adequate elevated closed area earmarked for	
	collection, segregation, storage & disposal of	All the member industries will be instructed
	wastes generated within the premises as per	to follow necessary rules and guidelines.
	provisions of Solid Waste Management Rules,	
	2016, E-Waste (Management) Rules, 2016, Plastic	
	Waste Management Rules. 2016 as amended, Bio-	
	Medical Waste Management Rules, 2016 as	
	amended, Hazardous and Other Wastes	
	(Management and Transboundary Movement)	
	Rules, 2016 as amended, Construction and	
	Demolition Waste Management Rules, 2016, &	
	Batteries (Management and Handling) Rules,	
	2001.	
19.	The proponent shall provide elevator as per rules	Not applicable. it is an infrastructure
	CMDA/DTCP.	development project. All the member units
		will be instructed to follow the applicable
		rules and guidelines.

Database maintenance & audits

	20.	The database record of environmental conditions of	Condition noted.
		all the events from pre- construction, construction	All the member units will comply with.
		and post-construction should be maintained in	
		digitized format.	
ŀ	21.	The proponent should maintain environmental audits	Condition noted.
		to measure and mitigate environmental concerns.	All the member units will comply with.

Biodiversity

22.	There should not be any impact due to the	Condition noted.
	modification of the habitat on critically endangered	All the member units will comply with.
	species, biodiversity, etc.	
23.	The proponent shall ensure that the proposed	Condition noted.
	activities in no way result in the spread of invasive	All the member units will comply with.
	species.	
24.	The proponent shall adopt sustainability criteria to	Condition noted and Accepted.
	protect the micro environment from wind turbulences and change in aerodynamics since high	All the member units will be instructed to follow the applicable rules and guidelines.
	rise buildings may stagnate air movements.	ronow the applicable rules and gardennes.
25.	The proponent shall ensure almost safety for the	Condition noted.
	existing biodiversity, trees, flora & fauna shall not	All the member units will comply with.
	disturb under any circumstances.	
26.	The proponent shall develop building-friendly pest	Condition noted.
	control strategies by using non chemical measures	All the member units will comply with.
	so as to control the pest population thereby not losing	
	beneficial organisms.	
27.	The proponent shall adopt strategies to prevent bird	Condition noted.
	hits. Safety measures	All the member units will comply with.
28.	The proponent should develop an emergency	Condition noted.
	response plan in addition to the disaster management	All the member units will comply with.
	plan.	

29.	The proponent shall develop detailed evacuation plan	Condition noted.
	for disabled people and safety evacuation plan in	All the member units will comply with.
	emergencies.	
30.	All bio-safety standards, hygienic standards and	Condition noted.
	safety norms of working staff and patients to be	All the member units will be instructed to
	strictly followed as stipulated in EIA/EMP.	follow applicable rules and guidelines.
31.	The disaster management and disaster mitigation	Condition noted.
	standards to be seriously adhered to avoid any	All the member units will be instructed to
	calamities.	follow applicable rules and guidelines.
32.	The proponent shall provide the emergency exit in	Condition noted.
	the buildings.	All the member units will comply with.
33.	The proponent shall adhere to the provision and	Condition noted . All the member units will
	norms regard to fire safety prescribed by competent	be instructed to follow applicable rules and
	authority.	guidelines.

Water/Sewage

34.	The proponent shall ensure that no treated or	Condition noted.
	untreated sewage shall be let outside the project site	The project is under construction phase.
	& shall find access to nearby water-bodies under	
	any circumstances other than the permitted mode of	
	disposal.	
35.	The proponent shall provide STP of adequate	Condition noted.
	capacity as committed and shall continuously &	All the member units will comply with.
	efficiently operate STP so as to satisfy the treated	
	sewage discharge standards prescribed by the	
	TNPCB time to time.	
36.	The proponent shall periodically test the treated	Condition noted.
	sewage the through TNPCB lab/NABL accredited	All the member units will comply with.
	laboratory and submit report to the TNPCB.	

37.	The proponent shall periodically test the water	Condition noted.
	sample for the general water quality core parameters	All the member units will comply with.
	including fecal coliform within the proposed project	
	site through TNPCB Lab / NABL Accredited	
	laboratory and submit report to the concerned	
	authorities.	
38.	The proponent shall ensure that provision should be	Condition noted.
	given for proper utilization of recycled water.	All the member units will be mandated to have
		STP/ETP for treatment of sewage/effluent and
		to reuse the treated water within their premises
20		
39.	The project proponent shall adhere to storm water	Condition noted.
	management plan as committed.	All the member units will comply with.

Parking

40.	The project proponent shall adhere to provide	Condition noted.
	adequate parking space for visitors of all inmates	All the member units will comply with.
	including clean traffic plan as committed.	
41.	The proponent shall ensure that no form of municipal	Condition noted.
	solid waste shall be disposed outside the proposed	All the member units will be instructed to
	project site at any time.	follow all applicable rules and guidelines.
42.	The proponent should strictly comply with, Tamil	Condition noted.
	Nadu Government order regarding ban on one time	All the member units will comply with.
	use and throwaway plastics irrespective of thickness	
	with effect from 01.01.2019 under Environment	
	(Protection) Act, 1986.	

EMP

43.	The proponent shall ensure that the EIA/EMP and	Condition noted.
	disaster management plan should be adhered strictly.	All the member units will comply with.

44.	The proponent shall ensure that all activities of EMP	Condition noted.
	shall be completed before obtaining CTO from	All the member units will comply with.
	TNPCB	
45.	The proponent shall provide and ensure the green	Condition noted.
	belt plan is implemented as indicated in EMP. Also,	All the member units will comply with.
	the proponent shall explore possibilities to provide	
	sufficient grass lawns.	
Othe	erc	
Oth		
46.	As per the 'Polluter Pay Principle', the proponent	Condition noted.
	As per the 'Polluter Pay Principle', the proponent	
	As per the 'Polluter Pay Principle', the proponent will be held responsible for any environmental	
	As per the 'Polluter Pay Principle', the proponent will be held responsible for any environmental damage caused due to the proposed activity	

CONDITIONS IMPOSED BY SEAC:

1.	The construction shall comply with Green Building	Condition Noted.
	norms and shall get minimum IGBC Gold rating.	
2.	PP shall submit the commitment letter from the	Water supply letter from TWAD Board is
	local body for supply of fresh water before issue of	enclosed as Annexure-4
	EC.	
3.	STP shall be installed on 10-year BOOT basis, so	Condition noted.
3.		

4.	The project proponent shall provide entry and exit	Condition noted.
	points for the OSR area, play area as per the norms	All the member units will comply with.
	for the public usage and as committed. The PP shall	
	construct a pond of appropriate size in the	
	earmarked OSR land in consultation with the local	
	body. The pond should be modelled like a temple	
	tank with parapet walls, steps, etc. The pond is	
	meant to play three hydraulic roles, namely (1) as a	
	storage, which acted as insurance against low	
	rainfall periods and also recharges groundwater in	
	the surrounding area, (2) as a flood control measure,	
	preventing soil erosion and wastage of runoff waters	
	during the period of heavy rainfall, and (3) as a	
	device which was crucial to the overall eco-system.	
5.	Project proponent is advised to explore the	Condition noted.
	possibility and getting the cement in a closed	All the member units will comply with.
	container rather through the plastic bag to prevent	
	dust emissions at the time of loading/unloading.	
6.	Project proponent should ensure that there will be	Condition noted.
	no use of "Single use of Plastic" (SUP)	All the member units will comply with.
7.	The proponent should provide the sufficient	Condition noted.
	electric vehicle charging points as per the	All the member units will comply with.
	requirements at ground level and allocate the safe	
	and suitable place in the premises for the same.	
8.	The project proponent should develop green belt	Condition noted.
	in the township as per the plan submitted and also	All the member units will comply with.
	follow the guidelines of CPCB/Development	
	authority for green belt as per the norms.	
9.	Project proponent should invest the CSR amount	Condition noted.
	as per the proposal and submit the compliance	All the member units will comply with.
	report regularly to the concerned	
	authority/Directorate of environment.	

10.	Proponent should submit the certified	Condition noted.
	compliance report of previous/present EC along	All the member units will comply with.
	with action taken report to the Regional office	
	MoEF Lko/Director of Environment and other	
	concerning authority regularly.	
11.	Proponent shall provide the dual pipeline network	Condition noted.
	in the project for utilization of treated water of STP	All the member units will comply with.
	for different purposes and also provide the	
	monitoring mechanism for the same. STP treated	
	water not to be discharged outside the premises	
	without the permission of the concerned authority.	
12.	The project proponent shall provide a measuring	Condition noted.
	device for monitoring the various sources of water	All the member units will comply with.
	supply namely fresh water, treated waste water and	
	harvested rain water.	
12		G Pa
13.	The proponent should provide the MoU with STPs'	Condition noted.
	owner/concerned department for getting the STPs	All the member units will comply with.
	treated water for construction use.	

1. STATUTORY COMPLIANCE:

1.	The project proponent shall obtain all necessary	Condition noted.
	clearance/ permission from all relevant agencies	All the member units will comply with.
	including town planning authority before	
	commencement of work. All the construction shall be	
	done in accordance with the local building byelaws.	
2.	The approval of the Competent Authority shall be	Condition noted. All the member units
	obtained for structural safety of buildings due to	will be instructed to follow applicable rules
	earthquakes, adequacy of firefighting equipment etc	and guidelines.
	as per National Building Code including protection	
	measures from lightning etc.	
3.	The project proponent shall obtain forest clearance	Condition noted.
	under the provisions of Forest (Conservation) Act,	
	1986, in case of the diversion of forest land for non-	
	forest purpose involved in the project.	

4.	The project proponent shall obtain clearance from the	Condition noted.
	National Board for Wildlife, if applicable.	
5.	The project proponent shall obtain Consent to	Condition will be complied.
	Establish/Operate under the provisions of Air	
	(Prevention & Control of Pollution) Act, 1981 and	
	the Water (Prevention & Control of Pollution) Act.	
	1974 from the concerned State Pollution Control	
	Board/ Committee.	
6.	The project proponent shall obtain the necessary	Letter for fresh water has been obtained
	permission for drawing of ground water /surface	from TWAD Board copy is it is enclosed as
	water required for the project from the competent	Annexure 4.
	authority.	
7.	A certificate of adequacy of available power from the	Condition noted.
	agency supplying power to the project along with the	All the member units will comply with.
	load allowed for the project should be obtained	
8.	All other statutory clearances such as the approvals	Condition noted.
	for storage of diesel from Chief Controller of	All the member units will comply with.
	Explosives, Fire Department and Civil Aviation	
	Department shall be obtained, as applicable, by project	
	proponents from the respective competent authorities.	
9.	The provisions of the Solid Waste (Management)	Condition noted. All the member units
	Rules, 2016, E-Waste (Management) Rules, 2016. and	will be instructed to follow applicable rules
	the Plastics Waste (Management) Rules, 2016 shall	and guidelines.
	be followed.	
10.	The project proponent shall follow the ECBC/ECBC-	Condition noted. All the member units
	R prescribed by Bureau of Energy Efficiency, Ministry	will be instructed to follow applicable rules
	of Power strictly.	and guidelines.
1 1	ir quality monitoring and preservation.	

1. Air quality monitoring and preservation:

1.	Notification GSR 94(E) dated 25.01.2018 of	Condition noted. All the member units
	MoEF&CC regarding Mandatory Implementation of	will be instructed to follow applicable rules
	Dust Mitigation Measures for Construction and	and guidelines.
	Demolition Activities for projects requiring	
	Environmental Clearance shall be complied with.	

2.	A management plan shall be drawn up and	Condition noted.
	implemented to contain the current exceedance in	All the member units will comply with.
	ambient air quality at the site.	
3.	The project proponent shall install a system to carry	Condition noted.
	out Ambient Air Quality monitoring for	Ambient Air Quality monitoring report is
	common/criterion parameters relevant to the main	enclosed as Annexure 10.
	pollutants released (e.g., PM10 andPM25) covering	
	upwind and downwind directions during the	
	construction period.	
4.	Construction site shall be adequately barricaded before	Condition noted.
	the construction begins. Dust. Smoke & other air	All the member units will comply with.
	pollution prevention measures shall be provided	
	for the building as well as the site. These measures	
	shall include screens for the building under	
	construction, continuous dust/wind breaking walls all	
	around the site (at least 3-meter height).	
	Plastic/tarpaulin sheet covers shall be provided for	
	vehicles bringing in sand, cement, murram and other	
	construction materials prone to causing dust pollution	
	at the site as well as taking out debris from the site.	
5.	Sand, murram, loose soil, cement, stored on site should	Condition noted.
	be covered adequately so as to prevent dust	All the member units will comply with.
	pollution.	
6.	Wet jet shall be provided for grinding and stone	Condition noted.
	cutting.	All the member units will comply with.
7.	Unpaved surfaces and loose soil should be adequately	Condition noted.
	sprinkled with water to suppress dust.	All the member units will comply with.
8.	All construction and demolition debris shall be stored	Condition noted.
	at the site (and not dumped on the roads or open	All the member units will comply with.
	spaces outside) before they are properly disposed. All	
	demolition and construction waste shall be managed	
	as per the provisions of the Construction and	
	Demolition Waste Rules 2016.	

9.	The diesel generator sets to be used during	Condition noted. All the member units will
	construction phase shall be low Sulphur diesel type	be instructed to follow applicable rules and
	and shall conform to Environmental (Protection)	guidelines.
	prescribed for air and noise mission standards.	
10.	The gaseous emissions from DG set shall be dispersed	Condition noted.
	through adequate stack height as per CPCB standards.	All the member units will be instructed to
	Acoustic enclosure shall be provided to the DG sets	follow applicable rules and guidelines.
	to mitigate the noise pollution. The location of the	
	DG set and exhaust pipe height shall be as per the	
	provisions of the Central Pollution Control Board	
	(CPCB) norms.	
11.	For indoor air quality the ventilation provisions as pe	Condition noted. All the member units will
	National Building Code of India	be instructed to follow applicable rules and
		guidelines

2. Water Quality Monitoring and Preservation:

1.	The natural drain system should be maintained for	Condition noted.
	ensuring unrestricted flow of water. No construction	All the member units will comply with.
	shall be allowed to obstruct the natural drainage	
	through the site, on wetland and water bodies. Check	
	dams, bio-swales, landscape, and other sustainable	
	urban drainage systems (SUDS) are allowed for	
	maintaining the drainage pattern and to harvest	
	rainwater.	
2.	Buildings shall be designed to follow the natural	Condition noted.
	topography as much as possible. Minimum cutting	All the member units will comply with.
	and filling should be done.	
3.	Total freshwater use shall not exceed the propose	Condition noted.
	requirement as provided in the project details.	All the member units will comply with.

4.	The quantity of freshwater usage, water recycling and	Condition noted.
	rainwater harvesting shall be measured and recorded	All the member units will comply with.
	to monitor the water balance as projected by the	
	project proponent. The record shall be submitted to	
	the Regional Office, MoEF&CC along with Half	
	Yearly Compliance Reports (HYCR).	
5.	A certificate shall be obtained from the local body	Letter for fresh water has been obtained
	supplying water, specifying the total annual water	from TWAD Board copy is it is enclosed
	availability with the local authority, the quantity of	as Annexure 4.
	water already committed, the quantity of water	
	allotted to the project under consideration and the	
	balance water available. This should be specified	
	separately for ground water and surface water sources,	
	ensuring that there is no impact on other users.	
6.	At least 20% of the open spaces as required by the	Condition noted. All the member units will
	local building byelaws shall be pervious. Use of Grass	be instructed to follow applicable rules and
	pavers, paver blocks with at least 50% opening,	guidelines.
	landscape etc. would be considered as pervious surface	
7.	Installation of dual pipe plumbing for supplying fresh	Condition noted. All the member units
	water for drinking, cooking and bathing etc. and other	shall comply with.
	for supply of recycled water for flushing, landscape	
	irrigation car washing, thermal cooling, conditioning	
	etc, shall be done.	
8.	Use of water saving devices/ fixtures (viz. low flow	Condition noted. All the member units
	flushing systems; use of low flow faucets tap aerators	shall comply with.
	etc) for water conservation shall be incorporated in	
	the building plan	
9.	Use of water saving devices/ fixtures (viz, low flow	Condition noted. All the member units
	flushing systems; use of low flow faucets tap aerators	shall comply with.
	etc.) for water conservation shall be incorporated in	
	the building plan.	

10.	Water demand during construction should be reduced	Condition noted. All the member units
	by use of pre-mixed concrete, curing agents and other	shall comply with.
	best practices referred.	
11.	The local bye-law provisions on rainwater harvesting	Condition noted. All the member units
	should be followed. If local byelaw provision is not	will be instructed to follow applicable rules
	available, adequate provision for storage and recharge	and guidelines.
	should be followed as per the Ministry of Urban	
	Development Model Building Byelaws, 2016	
	Rainwater harvesting recharge pits/storage tanks shall	
	be provided for ground water recharging as per the	
	CGWB norms.	
12.	A rainwater harvesting plan needs to be designed	Condition noted.
	where the recharge bores of minimum one recharge	All the member units will be instructed to
	bore per 5,000 square meters of built-up area and	follow applicable rules and guidelines
	storage capacity of minimum one day of total	
	freshwater requirement shall be provided. In area	
	where ground water recharging is not feasible, the	
	rainwater should be harvested and stored for reuse.	
	The ground water shall not be withdrawn without	
	approval from the Competent Authority.	
13.	All recharges should be limited to shallow aquifer	Condition noted. All the member units
		shall comply with.
14.	No ground water shall be used during construction	Condition noted.
	phase of the project	
15.	Any ground water dewatering should be properly	Condition noted.
	managed and shall conform to the approvals and the	Fresh water will be sourced from TWAD.
	guidelines of the CGWA in the matter. Formal	Water supply letter from TWAD Board is
	approval shall be taken from the CGWA for any	enclosed as Annexure - 4
	ground water abstraction or dewatering.	

16.	The quantity of freshwater usage, water recycling and	Condition noted. Industrial Park is in
	rainwater harvesting shall be measured and recorded	Construction Phase.
	to monitor the water balance as projected by the	
	project proponent. The record shall be submitted to	
	the Regional Office, MoEF&CC along with Half	
	Yearly Compliance Reports (HYCR).	
17.	Sewage shall be treated in the STP with tertiary	Condition noted. All the member units
	treatment. The treated effluent from STP shall be	shall comply with.
	recycled/re-used for flushing. AC make up water and	
	gardening. As proposed, not related water shall be	
	disposed into municipal drain.	
18.	No sewage or untreated effluent water would be	Condition noted. All member units will
	discharged through storm water drains.	comply with.
19.	Onsite sewage treatment of capacity of treating 100%	Condition noted.
	wastewater to be installed. The installation of the	All member units will comply with.
	Sewage Treatment Plant (STP) shall be certified by	
	an independent expert and a report in this regard shall	
	be submitted to the Ministry before the project is	
	commissioned for operation. Treated wastewater shall	
	be reused on site for landscape. Flushing, cooling	
	tower, and other end-uses. Excess treated water shall	
	be discharged as per statutory norms notified by	
	Ministry of Environment, Forest and Climate Change	
	Natural treatment systems shall be promoted.	
20.	Periodical monitoring of water quality of treated	Condition noted. All member units will
	sewage shall be conducted. Necessary measures	comply with.
	should be taken to mitigate the odor problem from	
	STP.	
21.	Sludge from the onsite sewage treatment, including	Condition noted. All the member units
	septic tanks, shall be collected. Conveyed and	will be instructed to follow applicable rules
	disposed as per the Ministry of Urban Development,	and guidelines.
	Centre Public Health and Environmental Engineering	
	Organization (CPHEEO) Manual on Sewerage and	
	Sewage Treatment Systems, 2013.	

3. Noise Monitoring and Prevention:

1.	Ambient noise levels shall conform to residential	Condition noted.
	area/commercial area/industrial area/silence zone	Ambient noise monitoring report is enclosed
	both during day and night as per Noise Pollution	as Annexure 10.
	(Control and Regulation) Rules, 2000, Incremental	
	pollution loads on the ambient air and noise quality	
	shall be closely monitored during construction phase.	
	Adequate measure shall be made to reduce ambient	
	air and noise level during construction phase, so as to	
	conform to the stipulated standards by CPCB/SPCB.	
2.	Noise level survey shall be carried out as per the	Condition noted.
	prescribed guidelines and report in this regard shall	Ambient noise monitoring report is enclosed
	be submitted to Regional Officer of the Ministry as a	as Annexure 10.
	part of Half Yearly Compliance Report (HYCR).	
3	Acoustic enclosures for DG sets, noise barriers for	Condition noted.
	ground-run bays, car plugs for operating personnel	All member units will comply with.
	shall be implemented as mitigation measures for	
	noise impact due to ground sources.	

4. Energy Conservation Measures:

1.	Compliance with the Energy Conservation Building	Condition noted. All the member units will
	Code (ECBC) of Bureau of Energy Efficiency shall	be instructed to follow applicable rules and
	be ensured. Buildings in the States which have	guidelines.
	notified their own ECBC, shall comply with the State	
	ECBC.	
2.	Outdoor and common area lighting shall be LED.	Condition noted. All member units will
		comply with.
3.	The proponent shall provide solar panels covering a	Condition Noted.
	minimum of 50% of terrace area as committed.	All member units will comply with.

4.	Concept of passive solar design that minimize energy	Condition	noted.	All	member	units	will
	consumption in buildings by using design elements,	comply with	h.				
	such as building orientation, landscaping, efficient						
	building envelope, appropriate fenestration, increased						
	day lighting design and thermal mass etc., shall be						
	incorporated in the building design. Wall, window,						
	and roof u-values shall be as per ECBC						
	specifications.						
5.	Energy conservation measures like installation of	Condition	noted.	All	member	units	will
	CFLs/LED for the lighting the area outside the	comply with	h.				
	building should be integral part of the project design						
	and should be in place before project commissioning.						
6.	Solar, wind or other Renewable Energy shall be	Condition 1	Noted.				
	installed to meet electricity generation equivalent to						
	1% of the demand load or as per the state level/ local						
	building byelaws requirement, whichever is higher.						
7.	Solar power shall be used for lighting in the apartment	Condition 1	Noted.				
	to reduce the power load on grid. Separate electric						
	meter shall be installed for solar power. Solar water						
	heating shall be provided to meet 20% of the hot						
	water demand of the commercial and institutional						
	building or as per the requirement of the local						
	building byelaws, whichever is higher. Residential						
	buildings are also recommended to meet its hot water						
	demand from solar water heaters, as far as possible.						

5. Waste Management:

1.	A certificate from the competent authority handling	Condition noted.
	municipal solid wastes, indicating the existing civic	All member units will comply with.
	capacities of handling and their adequacy to cater to	
	the M.S.W. generated from project shall be obtained.	

2.	Disposal of muck during construction phase shall not	Condition noted. All member units will
	create any adverse effect on the neighboring	comply with.
	communities and be disposed taking the necessary	
	precautions for general safety and health aspects of	
	people, only in approved sites with the approval of	
	competent authority.	
3.	Separate wet and dry bins must be provided in each	Condition noted. All member units will
	unit and at the ground level for facilitating	comply with.
	segregation of waste. Solid waste shall be segregated	
	into wet garbage and inert materials.	
4.	Organic waste compost/ Vermiculture pit/Organic	Condition Noted.
	Waste Converter within the premises with a	The project is in construction phase
	minimum capacity of 0.3 kg /person/day must be	
	installed.	
5.	All non-biodegradable waste shall be handed over to	Condition noted. All member units will
	authorized recyclers for which a written tie up must	comply with.
	be done with the authorized recyclers.	
6.	Any hazardous waste generated during construction	Condition noted . All the member units will
	phase shall be disposed of as per applicable rules and	be instructed to follow applicable rules and
	norms with necessary approvals of the State	guidelines.
	Pollution Control Board.	
7.	Use of environmentally friendly materials in bricks,	Condition Noted.
	blocks and other construction materials, shall be	All member units will comply with.
	required for at least 20% of the construction material	
	quantity. These include Fly Ash bricks, hollow bricks,	
	AACs, Fly Ash Lime Gypsum blocks, Compressed	
	earth blocks, and other environmentally friendly	
	materials.	
8.	Fly ash should be used as building material in the	Condition noted. All the member units will
	construction as per the provision of Fly Ash	be instructed to follow applicable rules and
	Notification of September 1999 and amended from	guidelines.
	time to time. Ready mixed concrete must be used in	
	building construction.	

9. Any wastes from construction and demolition Condition noted. All the member units will activities related thereto shall be managed to strictly be instructed to follow applicable rules and conform to the Construction and Demolition Rules, guidelines.
2016.
10. Used CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines rules of the regulatory authority to avoid mercury contamination.

6. Green Cover:

1.	No tree can be felled/transplant unless exigencies	Condition noted. All the member units
	demand. Where absolutely necessary, tree felling shall	shall comply with.
	be with prior permission from the concerned	
	regulatory authority. Old trees should be retained	
	based on girth and age regulations as may be	
	prescribed by the Forest Department. Plantations to be	
	ensured species (cut) to species (planted).	
2.	A minimum of 1 tree for every 80 sqm of land should	Condition noted.
	be planted and maintained. The existing trees will be	
	counted for this purpose. The landscape planning	
	should include plantation of native species. The	
	species with heavy foliage, brud leaves and wide	
	canopy cover are desirable Water intensive and	
	invasive species should not be wed for landscaping.	
2	XXII day and a second s	
3.	Where the trees need to be cut with prior permission	Condition noted.
	from the concerned local authority, compensatory	
	plantation in the ratio of 1:10 (i.e. planting of 10 trees	
	for every 1 tree that is cut) shall be done and	
	maintained. Plantations to be ensured species (cut) to	
	species (planted). Area for green belt development	
	shall be provided as per the details provided in the	
	project document.	

	4.	Topsoil should be stripped to a depth of 20 cm from	Condition noted. All the member units
		the areas proposed for buildings, roads, paved areas,	shall comply with.
		and external services. It should be stockpiled	
		appropriately in designated areas and reapplied during	
		plantation of the proposed vegetation on site.	
	5.	A wide range of indigenous plant species should be	Condition Noted.
		planted as given in the Appendix-1, in consultation	
		with the Government Forest/Horticulture Departments	
		and State Agriculture University.	
ı			

7. Transport:

1.	A comprehensive mobility plan, as per MoUD best	Condition will be complied.
	practices guidelines (URDPFI), shall be prepared to	
	include motorized, non-motorized, public, and private	
	networks. Road should be designed with due	
	consideration for environment, and safety of users.	
	The road system can be designed with these basic	
	criteria.	
	a. Hierarchy of roads with proper segregation of	
	vehicular and pedestrian traffic.	
	b. Traffic calming measures.	
	c. Proper design of entry and exit points.d. Parking norms as per local regulation.	
2.	Vehicles hired to bring construction material to the	Condition noted . All the member units shall
۷.	site should be in good condition and should have a	comply with.
		compry with.
	pollution check certificate and should conform to	
	applicable air and noise emission standards be	
	operated only during non-peak hours.	

3. detailed traffic management traffic and decongestion plan shall be drawn up to ensure that the current level of service of the roads within a 05 kms radius of the project is maintained and improved upon after the implementation of the project. This plan should be based on-cumulative impact of all development and increased habitation being carried out or proposed to be carried out by the project or other agencies in this 05 Kms radius of the site in different scenarios of space and time and the traffic management plan shall be duly validated and certified by the State Urban Development department and the P.W.D/competent authority for road augmentation and shall also have their consent to implementation of components of the plan which involve the participation of these departments.

Condition noted. All the member units shall comply with.

8. Human Health Issues:

1.	All workers working at the construction site and	Condition noted. All the member units shall
	involved in loading, unloading, carriage of	comply with.
	construction material and construction debris or	
	working in any area with dust pollution shall be	
	provided with dust mask.	
2.	For indoor air quality the ventilation provisions as	Condition noted. All the member units shall
	per National Building Code of India.	comply with.
3.	Emergency preparedness plan based on the Hazard	Condition noted. All the member units shall
	identification and Risk Assessment (HIRA) and	comply with.
	Disaster Management Plan shall be implemented.	

4.	Provision shall be made for the housing of	Condition noted. All the member units shall
	construction labour within the site with all necessary	comply with.
	infrastructure and facilities such as fuel for	
	cooking, mobile toilets, mobile STP, safe drinking	
	water, medical health care, crèche etc. The housing	
	may be in the form of temporary structures to be	
	removed after the completion of the project.	
5.	Occupational health surveillance of the workers shall	Condition Noted. All the member units
	be done on a regular basis.	shall comply with.
6.	A First Aid Room shall be provided in the project	Condition will be complied. Member units
	both during construction and operations of the	shall comply with.
	project.	

9. Corporate Environment Responsibility:

1.	The PP shall complete the CER activities, as	Condition noted.
	committed, before obtaining CTE.	
2.	The company shall have a well laid down	Condition noted.
	environmental policy duly approved by the Board of	
	Directors. The environmental policy should	
	prescribe standard operating procedures to have	
	proper checks and balances and to bring into focus	
	any infringements/deviation/violation of the	
	environmental forest wildlife norms/ conditions. The	
	company shall have defined system of reporting	
	infringements/ deviation/violation of the	
	environmental/forest/wildlife norms/conditions	
	and/or shareholders stake holders. The copy of the	
	board resolution in this regard shall be submitted to	
	the MoEF&CC as a part of Half Yearly Compliance	
	Report (HYCR).	

A separate Environmental Cell both at the project Condition complied. `3. and company head quarter level, with qualified Separate environmental management cell has personnel shall be set up under the control of senior been assigned and will report to the General Executive, who will directly to the head of the Manager, SIPCOT who will report directly to organization.

Head of the Organization implementation monitoring and compliance of the environmental safeguards. Details of Environmental Management Cell with Roles Responsibilities are enclosed Annexure-6

4. Action plan for implementing **EMP** and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be

reported to the Ministry/Regional Office along with

the Half Yearly Compliance Report (HYCR).

Condition noted.

10. Miscellaneous:

1. The project proponent shall prominently advertise it at least in two local newspapers of the District or State, of which one shall be in Tamil language within seven days indicating that the project has been accorded environment clearance and the details of MOEFCC/SEIAA website where it is displayed.

Condition complied.

Newspaper advertisement copy is enclosed as Annexure-3.

2. The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn must display the same for 30 days from the date of receipt.

Fresh water will be sourced from TWAD. Water supply letter from TWAD Board is enclosed as Annexure - 4

port uploaded in xure -7.
port uploaded in
xure -8.
•
to TNPCB and
uploading the
SIPCOT website
nember units
applicable rules
ember units shall

10.	Concealing factual data or submission of	Condition noted. All the member units shall
	false/fabricated data may result in revocation of this	comply with.
	environmental clearance and attract action under the	
	provisions of Environment (Protection) Act, 1986.	
11.	The Authority (SEIAA) may revoke or suspend the	Condition noted.
	clearance, if implementation of any of the above	
	conditions is not satisfactory.	
12.	The Authority reserves the right to stipulate	Condition noted.
	additional conditions if found necessary. The	
	Company in a time-bound manner shall implement	
	these conditions.	
13.	The Regional Office of the MoEF&CC Ministry	Condition noted.
	shall monitor compliance of the stipulated	We SIPCOT give full cooperation to the
	conditions. The project authorities should extend	officer (s) of the Regional Office by
	full cooperation to the officer (s) of the Regional	furnishing the requisite data/
	Office by furnishing the requisite data/	information/monitoring reports.
	information/monitoring reports.	
11.	The above conditions shall be enforced, inter-alia	Condition noted. All the member units shall
	under the provisions of the Water (Prevention &	comply with.
	Control of Pollution) Act, 1974, the Air (Prevention	
	& Control of Pollution) Act. 1981, the Environment	
	(Protection) Act, 1986, Hazardous and Other	
	Wastes (Management and Transboundary	
	Movement) Rules, 2016 and the Public Liability	
	Insurance Act, 1991 along with their amendments	
	and Rules and any other orders passed by the	
	Hon'ble Supreme Court of India / High Courts	
	and any other Court of Law relating to the subject	
	matter.	

STANDARD CONDITIONS

 $\mbox{\bf Part}$ - $\mbox{\bf A}$ - Common conditions applicable for Pre-construction, Construction and Operational Phases:

1.	Any appeal against this Environmental Clearance shall	No appeal lies against this Environmental
	lie with the Hon'ble National Green Tribunal, if	Clearance
	preferred, within a period of 30 days as prescribed under	
	Section 16 of the National Green Tribunal Act, 2010.	
2.	The construction of STP, ETP, Solid Waste	Condition Noted. Construction will be
	Management facility, E-waste management facility, IX	carried out as per the layout approval.
	sets, etc. should be made in the earmarked area only. In	
	any case, the location of these utilities should not be	
	changed later on.	
3.	The Environmental safeguards contained in the	SIPCOT shall comply with all the
	application of the proponent (mentioned during the	applicable conditions issued in the EC
	presentation before the State Level Environment Impact	
	Assessment Authority/State Level Expert Appraisal	
	Committee should be implemented in the letter and	
	spirit.	
4.	All other statutory clearances such as the approvals for	Condition noted. All the member units
	storage of diesel from Chief Controller of Explosives,	will be instructed to obtain all necessary
	Fire and Rescue Services Department, Civil Aviation	statutory clearances and approvals.
	Department, Forest Conservation Act, 1980 and Wild	
	Life (Protection) Act, 1972, State Central Ground Water	
	Authority, Coastal Regulatory Zone Authority, other	
	statutory and other authorities as applicable to the	
	project shall be obtained by project proponent from the	
	concerned competent authorities.	
5.	The SEIAA reserves the right to add additional	Condition noted.
	safeguard measures subsequently, if non-compliance of	
	any of the EC conditions is found and to take action,	
	including revoking of this Environmental Clearance as	
	the case may be.	
6.	A proper record showing compliance of all the	Condition is being complied.
	conditions of Environmental Clearance shall be	
	maintained and made available at all the times.	

7.	The environmental statement for each financial year	Condition is being complied. Proof of
	ending 31st March in Form-V as is mandated to be	dispatch of Form V to TNPCB and the
	submitted by the project proponent to the concerned	screenshot of uploading the environmental
		statement in SIPCOT website is enclosed as
		Annexure –9
	State Pollution Control Board as prescribed under the	
	Environment (Protection) Rules, 1986, as amended	
	subsequently, shall also be put on the website of the	
	company. The status of compliance of environmental	
	clearance conditions and shall also be sent to the	
	Regional Office of the Ministry of Environment and	
	Forests, Chennai by e-mail.	
8.	The Regional Office of the Ministry located at Chennai	Condition will be complied.
	shall monitor compliance of the stipulated conditions.	
	The project authorities should extend full cooperation	
	to the officer (s) of the Regional Office by furnishing	
	the requisite data information/ monitoring reports.	
9.	"Consent for Establishment shall be obtained from the	Condition will be complied.
	Tamil Nadu Pollution Control Board and a copy shall	
	be submitted to the SEIAA, CTE obtained from TNPCB	
	and the copy to Tamil Nadu.	
10.	In the case of any change(s) in the scope of the project,	Condition Noted.
	a fresh appraisal by the SEAC/SEIAA shall be obtained	There is no change in the scope of the
	before implementation.	project

11.	The conditions will be enforced inter-alia, under the	Condition noted. All the member units
	provisions of the Water (Prevention & Control of	will be instructed to follow applicable rules
	Pollution) Act, 1974, the Air (Prevention & Control of	and guidelines.
	Pollution) Act, 1981, the environment (Protection) Act,	
	1986, the Public Liability Insurance Act, 1991, along	
	with their amendments, draft Minor Mineral	
	Conservation & Development Rules, 2010 framed	
	under MMDR Act 1957, National Commission for	
	protection of Child Right Rules 2006 and rules made	
	there under and also any other orders passed by	
	Hon'ble Supreme Court of India/Hon'ble High Court of	
	Madras and any other Courts of Law, including the	
	Hon'ble National Green Tribunal relating to the subject	
	matter.	
12.	The Environmental Clearance shall not be cited for	Condition Noted.
	relaxing the other applicable rules to this project.	
13.	Failure to comply with any of the conditions mentioned	Condition Noted.
	above may result in withdrawal of this clearance and	
	attract action under the provisions of the Environment	
	(Protection) Act 1986.	
14.	The proponent shall upload the status of compliance of	Condition will be complied.
	the stipulated EC conditions, including results of	
	monitored data on their website and shall update the	
	same periodically. It shall simultaneously be sent to the	
	Regional Office of MoEF, Chennai, the respective	
	Zonal Office of CPCH. Bengaluru and the TNPCB.	
	The criteria pollutant levels namely: PM, PM, SO, NO,	
	(ambient levels as well as stack emissions) or critical	
	sectoral parameters, indicated for the project shall be	
	monitored.	

15.	The SEIAA, TN may cancel the Environmental	Condition noted.
	Clearance granted to this project under the provisions	
	of EIA Notification, 2006, if, at any stage of the validity	
	of this environmental clearance, if it is found or if it	
	comes to the knowledge of this SEIAA TN that the	
	project proponent has deliberately concealed and or	
	submitted false or misleading information or inadequate	
	data for obtaining the Environmental Clearance	
16.	The Environmental Clearance does not imply that the	Condition noted.
	other statutory / administrative clearances shall be	
	granted to the project by the concerned authorities.	
	Such authorities would be considering the project on	
	merits and be taking decisions independently of the	
	Environmental Clearance.	
17.	The SEIAA. TN may alter/modify the above conditions	Condition noted.
	or stipulate any further condition in the interest of	
	environment protection, even during the subsequent	
	period.	
18.	The Environmental Clearance does not absolve the	Condition noted.
	applicant/proponent of his obligation/requirement to	
	obtain other statutory and administrative clearances	
	from other statutory and administrative authorities.	
19.	Where the trees need to be cut, compensation plantation	Condition noted.
	in the ratio of 1:10 (i.e. planting of 10 trees for every	
	one tree that is cut) should be done with the obligation	
	to continue maintenance.	

20.	A separate environmental management cell with	Condition complied.
	suitable qualified personnel should be set-up under the control of a Senior Executive who will report directly to the Head of the Organization and the shortfall shall be strictly reviewed and addressed.	Separate environmental management cell has been assigned and will report to the General Manager, SIPCOT who will report directly to the Head of the Organization for implementation monitoring and compliance of the environmental safeguards. Details of Environmental Management Cell with Roles and Responsibilities are enclosed as Annexure-6.
21.	The EMP cost shall be deposited in a nationalized bank	Condition noted.
	by opening separate account and the head wise	
	expenses statement shall be submitted to TNPCB with	
	a copy to SEIAA annually.	
22.	The Project Proponent has to provide adequate rain	Condition noted.
	water harvesting pits as committed to recover and reuse	
	the rain water during normal rains as reported.	
23.	The project activity should not cause any disturbance &	Condition noted.
	deterioration of the local bio diversity.	
24.	The project activity should not impact the water bodies.	Condition will be complied.
	A detailed inventory of the water bodies and forest	Surface water quality monitoring report is
	should be evaluated and fact reported to the Forest	enclosed as Annexure -10.
	Department & PWD for monitoring.	
25.	All the assessed flora & fauna should be conserved and	Condition will be complied.
	protected.	
26.	The proponent should strictly comply with, Tamil Nadu	Condition will be complied.
	Government Order (Ms) No.84 Environment and forests	
	(EC.2) Department dated 25.06.2018 regarding ban on	
	one time use and throwaway plastics irrespective of	
	thickness with effect from 01.01.2019 under	
	Environment (Protection) Act, 1986.	

27.	Necessary permission shall be obtained from the	Condition noted. Water supply letter from
	competent authority for the drawl/ outsourcing of fresh	TWAD Board is enclosed as Annexure
	water before obtaining consent from TNPCB.	4.
28.	The proponent shall appoint an Environmental Engineer	Condition noted. All the member units
	with necessary qualification for the operation and	shall comply with.
	maintenance of STP (Sewage Treatment Plant) and	
	GWTP (grey water Treatment Plant)	
29.	The Proponent shall provide the dispenser for the	Condition noted. All the member units
	disposal of Sanitary Napkins.	shall comply with.
30.	All the mitigation measures committed by the	Condition noted. All the member units
	proponent for the flood management, Solid waste	shall comply with.
	disposal, Sewage treatment & disposal etc., shall be	
	followed strictly.	
31.	No waste of any type to be disposed of in any	Condition noted. All the member units
	watercourse including drains, canals and the surrounding	shall comply with.
	environment.	
32.	Traffic congestion near the entry and exit points from	Condition noted. All the member units
	the roads adjoining the proposed project site must be	shall comply with.
	avoided.	
33.	The safety measures proposed in the report should be	Condition noted. All the member units
	strictly followed.	shall comply with.

Part-B-Specific Conditions - Pre construction phase:

1.	The project authorities should advertise with	Newspaper advertisement copy is enclosed as
	basic details at least in two local newspapers	Annexure-3.
	widely circulated, one of which shall be in the	
	vernacular language of the locality concerned,	
	within 7 days of the issue of clearance. The press	
	releases also mention that a copy of the clearance	
	letter is available with the State Pollution Control	
	Board and also at website of SEIAA, TN. The	
	copy of the press release should be forwarded to	
	the Regional Office of the Ministry of	
	Environment and Forests located at Chennai and	
	SEIAA-TN.	
2.	In the case of any change(s) in the scope of the	Condition noted.
	project, a fresh appraisal by the SEAC/SEIAA	There is no change in the scope of the project
	shall be obtained before implementation.	
3.	A copy of the clearance letter shall be sent by	Condition being complied.
	the proponent to the Local Body. The clearance	Clearance letter uploaded in our website and the
	letter shall also be put on the website of the	screenshot of Environmental Clearance uploaded
	Proponent.	in our website is attached as Annexure- 7
4.	The approval of the competent authority shall be	Condition will be complied. All the member
	obtained for structural safety of the buildings	units will be instructed to obtain all necessary
	during earthquake, adequacy of fighting	statutory clearances and approvals.
	equipments, etc. as per National Building Code	
	including protection measures from lightning etc.	
	before commencement of the work.	
5.	All required sanitary and hygienic measures for	Condition noted.
	the workers should be in place before starting	All the member units shall comply with.
	construction activities and they have to be	
	maintained throughout the construction phase.	
6.	Design of buildings should be in conformity with	Condition noted . All the member units will be
	the Seismic Zone Classifications.	instructed to obtain all necessary statutory
		clearances and approvals.

7.	The Construction of the structures should be undertaken as per the plans approved by the concerned local authorities/local administration.	Construction will be carried out as per the layout approval.
8.	No construction activity of any kind shall be	Condition noted.
	taken up in the OSR area.	
9.	Consent of the local body concerned should be	Condition Noted.
	obtained for using the treated sewage in the OSR	
	area for gardening purpose. The quality of	
	treated sewage shall satisfy the bathing quality	
	prescribed by the CPCB.	
10.	The height and coverage of the constructions	Condition is not applicable.
	shall be in accordance with the existing FSI/FAR	
	norms as per Coastal Regulation Zone	Site does not fall in CRZ area.
	Notification, 2011.	
11.	The Project Proponent shall provide car parking	Condition is not applicable. Proposed project
	exclusively for the visiting guest in the proposed	is an industrial park / SEZ.
	residential apartment as per CMDA norms	
12.	The project proponent shall ensure the entry of	Condition noted.
	basement shall be above maximum flood level.	All the member units will be instructed to follow
		applicable rules and guidelines.
13.	The proponent shall prepare completion plans	Condition applicable will be complied.
	showing Separate pipelines marked with different	
	colours with the following details	
	i. Location of STP, compost system,	
	underground sewer line.	
	ii. Pipe Line conveying the treated effluent for	
	green belt development.	
	iii. Pipe Line conveying the treated effluent for	
	toilet flushing	
	iv. Water supply pipeline	
	v. Gas supply pipe line, if proposed	
	vi. Telephone cable	
	vii. Power cable	
	III I OWOI CAOIC	

	viii. Strom water drains, and	
	ix. Rain water harvesting system, etc. and it shall	
	be made available to the owners.	
14.	A First Aid Room shall be provided in the project	Condition noted.
	site during the entire construction and operation	All the member units shall comply with.
	phases of the project.	
15.	The present land use surrounding the project site	Condition noted.
	shall not be disturbed at any point of time.	All the member units shall comply with.
16.	The green belt area shall be planted with	Condition will be complied.
	indigenous native trees.	Greenbelt will be developed with indigenous
		native species.
17.	Natural vegetation listed particularly the trees	Condition noted.
	shall not be removed during the	All the member units shall comply with.
	construction/operation phase. In case any trees	
	are likely to be disturbed, shall be replanted.	
18.	During the construction and operation phase,	Condition noted.
	there should be no disturbance to the aquatic eco-	All the member units shall comply with.
	system within and outside the area.	
19.	The Provisions of Forest conservation Act 1980,	Condition noted.
	Wild Life Protection Act 1972 & Bio diversity	All the member units will be instructed to follow
	Act 2002 should not be violated	applicable rules and guidelines.
20.	There should be Firefighting plan and all required	Condition noted.
	safety plan.	All the member units will be instructed to follow
		applicable rules and guidelines.
21.	Regular fire drills should he held to create	Condition noted.
	awareness among owners/residents	All the member units shall comply with.

Part-C-Specific Conditions - Construction phase:

1. Construction Schedule:		
i)	The Project proponent shall have to furnish the	Condition noted.
	probable date of commissioning of the project	
	supported with necessary bar charts to SEIAA-TN	

2. La	2. Labour Welfare:		
i)	All the laborers to be engaged for construction	Condition noted.	
	should be screened for health and adequately	All the member units shall comply with.	
	treated before and during their employment on the		
	work at the site.		
ii)	Personnel working in dusty areas should wear	Condition noted.	
	protective respiratory devices and they should also	All the member units shall comply with.	
	be provided with adequate training and		
	information on safety and health aspects.		
	Occupational health surveillance program of the		
	workers should be undertaken periodically to		
	observe any contradictions due to exposure to dust		
	and take corrective measures, if needed.		
iii)	Periodical medical examination of the workers	Condition noted.	
	engaged in the project shall be carried out and	All the member units shall comply with.	
	records maintained. For the purpose, schedule of		
	health examination of the workers should be		
	drawn and followed accordingly. The workers		
	shall be provided with personnel protective		
	measures such as masks, gloves, boots etc.		
3. W	ater Supply:		
i)	The entire water requirement during construction	Condition noted.	
	phase may be met from private tankers	All the member units shall comply with.	
ii)	Provision shall be made for the housing labour	Condition noted.	
	within the site with all necessary infrastructures		
	and facilities such as fuel for cooking, mobile		
	toilets, mobile STP, safe drinking water, medical		
	health care, crèche etc. The housing may be in the		
	form of temporary structures to be removed after		
	the completion of the project.		
iii)	Adequate drinking water and sanitary facilities	Condition noted.	
	should be provided for construction workers at the	All the member units shall comply with.	
	site. The treatment and disposal of waste water		

	shall be through dispersion trench after treatment	
	through septic tank. The MSW generated shall be	
	disposed through Local Body and the identified	
	dumpsite only.	
iv)	Water demand during construction should be	Condition noted.
10)	reduced by use of pre-mixed concrete, curing	
		All the member units shall comply with.
>	agents and other best practices prevalent.	Condition and
v)	Fixtures for showers, toilet flushing and drinking	Condition noted.
	water should be of low flow type by adopting the	All the member units shall comply with.
	use of aerators/pressure reducing devises/sensor	
	based control.	
4. So	olid Waste Management:	
i)	In the solid waste management plan, the STP	Condition noted.
	sludge management plan for direct use as manure	All the member units will be instructed to
	for gardens is not acceptable; it must be co-	follow applicable rules and guidelines
	composted with biodegradables.	
ii)	Hazardous waste such as batteries, small	Condition noted.
	electronics, CFL bulbs, expired medicines and	All the member units shall comply with.
	used cleaning solvent bottles should be segregated	
	at source, collected once in a month from	
	residences and disposed as per the SWM Rules	
	2016.	
iii)	Domestic solid wastes to be regularly collected in	Condition noted.
	bins or waste handling receptacles and disposed as	All the member units will be instructed to
	per the solid waste management rules 2016.	follow applicable rules and guidelines.
iv)	No waste of any type to be disposed of in any	Condition noted.
	watercourse including drains, Canals and the	All the member units will be instructed to
	surrounding environment.	comply with.
v)	E-waste shall be disposed through Authorized	Condition noted. All the member units will
	vendor as per E-waste (Management and	be instructed to follow applicable rules and
	Handling) Rules, 2016 and subsequent	guidelines.
	amendment.	
5.	Top Soil Management:	

i)	All the top soil excavated during construction	Condition noted. All the member units shall
	activities should be stored for use in horticulture/	comply with.
	landscape development within the project site.	
6.	Construction Debris disposal:	
i)	Disposal of construction debris during	Condition will be complied. All the member
	construction phase should not create any adverse	units will be instructed to follow all applicable
	effect on the neighboring communities and be	rules and guidelines.
	disposed off only in approved sites, with the	
	approval of Competent Authority with necessary	
	precautions for general safety and health aspects	
	of the people. The construction and demolition	
	waste shall be managed as per Construction &	
	Demolition Waste Management Rules, 2016.	
ii)	Construction spoils, including bituminous	Condition will be complied.
	materials and other hazardous materials, must not	All the member units will be instructed to
	be allowed to contaminate watercourses. The	comply with.
	dump sites for such materials must be secured so	
	that they should not leach into the adjacent	
	land/lake/stream etc.	
7.	Diesel Generator sets:	
i)	Low Sulphur Diesel shall be used for operating	Condition noted . All the member units will be
	diesel generator sets to be used during construction	instructed to follow applicable rules and
	phase. The air and noise emission shall conform to	guidelines.
	the standards prescribed in the Rules under the	
	Environment (Protection) Act 1986, and the Rules	
	framed thereon.	
ii)	The diesel required for operating stand by DG sets	Condition noted. All the member units shall
	shall be stored in barrels fulfilling the safety norms	be instructed to obtain necessary approvals.
	and if required, clearance from Chief Controller of	
	Explosives shall be taken.	
iii)	The acoustic enclosures shall be installed at all	Condition noted.
	noise generating equipments such as DG sets, air	All the member units shall comply with.
	anditioning systems, appling water tower ata	
	conditioning systems, cooling water tower etc.	

i)	Vehicles hired for bringing construction materials	Condition noted.
	to the site should be in good condition and should	All the member units shall comply with.
	conform to air and noise emission standards,	
	prescribed by TNPCB/CPCB. The vehicles should	
	be operated only during non-peak hours.	
ii)	Ambient air and noise levels should conform to	Condition being complied.
	residential standards prescribed by the TNPCB,	Ambient Air and Noise monitoring report is
	both during day and night. Incremental pollution	enclosed as Annexure – 10.
	loads on the ambient air and noise quality should	All the member units will be instructed to
	be closely monitored during the construction	follow applicable rules and guidelines.
	phase. The pollution abatement measures shall be	
	strictly implemented.	
iii)	Traffic congestion near the entry and exit points	Condition will be complied.
	from the roads adjoining the proposed project site	
	shall be avoided. Parking shall be fully	
	internalized and no public space should be	
	utilized. Parking plan to be as per CMDA norms.	
	The traffic department shall be consulted and any	
	cost effective traffic regulative facility shall be met	
	before commissioning.	
iv)	The buildings should have adequate distance	All the member units shall comply with.
	between them to allow free movement of fresh air	
	and passage of natural light, air and ventilation.	
v)	The project proponent should ensure that adequate	Condition noted.
	Air Pollution Control measures shall be provided	All the member units shall comply with.
	from buses and other vehicles, which will be	
	entering the bus terminal. Further, water sprinkling	
	system shall be provided and same shall be used at	
	regular interval to control the dust emission within	
	the project site.	
9. Bu	uilding material:	

i)	Fly-ash blocks should be used as building material	All the member units will be instructed to
	in the construction as per the provision of Fly ash	follow applicable rules and guidelines.
	Notification of September, 1999 and amended as	
	on 27th August, 2003 and Notification No. S.O.	
	2807 (E) dated: 03.11.2009.	
ii)	Ready-mix concrete shall alone be used in building	Condition will be complied.
	construction and necessary cube-tests should be	
	conducted to ascertain their quality.	
iii)	Use of glass shall be reduced up to 40% to reduce	Condition Noted.
	the electricity consumption and load on air	
	conditioning. If necessary, high quality double	
	glass with special reflecting coating shall be used	
	in windows.	
10.	Storm Water Drainage:	
i)	Storm water management around the site and on	Condition noted.
	site shall be established by following the guidelines	All the member units shall comply with.
	laid down by the storm water manual.	Storm water drain photograph is enclosed as
		annexure 11
ii)	Storm water management plan shall be obtained	Condition Noted.
	by engaging the services of Anna University/IIT.	
11.	Energy Conservation Measures:	
i)	Roof should meet prescriptive requirement as per	All the member units will be instructed to
	Energy Conservation Building Code by using	follow applicable rules and guidelines.
	appropriate thermal insulation material, to fulfill	
	the requirement.	
ii)	Opaque wall should meet prescribed requirement	All the member units will be instructed to
	as per Energy Conservation Building Code which	follow applicable rules and guidelines.
	is mandatory for all air conditioned spaces by use	
	of appropriate thermal insulation material to fulfill	
	the requirement.	

iii)	All norms of Energy Conservation Building Code	All the member units will be instructed to
	(ECBC) and National Building Code, 2005 as	follow applicable rules and guidelines.
	energy conservation have to be adopted Solar	
	lights shall be provided for illumination of	
	common areas.	
iv)	Application of solar energy should be incorporated	All the member units will be instructed to
	for illumination of common areas, lighting for	follow applicable rules and guidelines.
	gardens and street lighting. A hybrids system or	
	fully solar system for a portion of the apartments	
	shall be provided.	
v)	A report on the energy conservation measures	Condition Noted.
	conforming to energy conservation norms	
	prescribed by the Bureau of Energy Efficiency	
	shall be prepared incorporating details about	
	building materials & technology; R & U factors	
	etc. and submitted to the SEIAA in three months'	
	time.	
vi)	Energy conservation measures like installation of	Condition will be complied.
	CFLs/TFLs for lighting the areas outside the	All the member units shall comply with.
	building should be integral part of the project	
	design and should be in place before project	
	commissioning.	
12.	Fire Safety:	
i)	Adequate fire protection equipments and rescue	Condition noted. All the member units shall
	arrangements should be made as per the prescribed	comply with.
	standards.	
ii)	Proper and free approach road for fire-fighting	Condition noted. All the member units shall
	vehicles upto the buildings and for rescue	comply with.
	operations in the event of emergency shall be	
	made.	
13.	Green Belt Development:	

i)	The Project Proponent shall plant tree species with	Condition noted. All the member units shall
	large potential for carbon capture in the proposed	comply with.
	green belt area based on the recommendation of	
	the Forest department well before the project is	
	completed.	
ii)	The proponent has to earmark the greenbelt area	Condition will be complied. Greenbelt will be
	with dimension and GPS coordinates for the green	developed as per the Layout Approval.
	belt area all along the boundary of the project site	
	with at least 3 meter wide and the same shall be	
	included in the layout out plan to be submitted for	
	CMDA/DTCP approval.	
iii)	The proponent shall develop the green belt as per	Condition will be complied. Greenbelt will be
	the plan furnished and area earmarked for the	developed as per the Layout Approval.
	greenbelt shall not be alter at any point of time for	
	any other purpose.	
14.	Sewage Treatment Plant:	
i)	The Sewage Treatment Plant (STP) installed	All the member Industries will be mandated to
	should be certified by an independent expert/	provide adequate capacity of STP and the
	reputed Academic institutions for its adequacy and	treated sewage will be reused for their
	a report in this regard should be submitted to the	greenbelt development.
	SEIAA, TN before the project is commissioned for	
	operation. Explore the less power consuming	
	systems viz baffle reactor, etc., for the treatment of	
	sewage.	
ii)	The Proponent shall install STP as furnished. Any	All the member Industries will be mandated to
	alteration to satisfy the bathing quality shall be	provide adequate capacity of STP and the
	informed to SEIAA-TN	treated sewage will be reused for their greenbelt.
iii)	The project proponent shall operate and maintain	All the member Industries will be mandated to
	the Sewage treatment Plant and Effluent treatment	provide adequate capacity of STP and the
	plant effectively to meet out the standards	treated sewage will be reused for their greenbelt
	prescribed by the CPCB.	development.
<u> </u>		

iv)	The project proponent shall continuously operate	All the member Industries will be mandated to
	and maintain the Sewage treatment plant and	provide adequate capacity of STP and the
	Effluent treatment plant to achieve the standards	treated sewage will be reused for their greenbelt
	prescribed by the CPCB.	development.
v)	The project proponent has to ensure the complete	All the member Industries will be mandated to
	recycling of treated Sewage & Effluent water after	provide adequate capacity of STP and ETP to
	achieving the standards prescribed by the CPCB.	treat sewage and effluent. Treated sewage will
		be reused for their greenbelt and treated
		Effluent will be reused for process and utilities.
`vi)	The project proponent has to provide separate	Condition noted.
	Stand by D.G set for the STP/GWTP for the	
	continuous operation of the STP/GWTP in case of	
	power failure.	
15.	Rain Water Harvesting:	
i)	The proponent shall ensure that roof rain water	Condition noted. All the member units shall
	collected from the covered roof of the buildings,	comply with.
	etc shall be harvested so as to ensure the maximum	
	beneficiation of rain water harvesting by	
	constructing adequate sumps so that 100% of the	
	harvested water shall be reused.	
ii)	Rain water harvesting for surface run-off, as per	Condition noted. All the member units shall
	plan submitted should be implemented. Before	comply with.
	recharging the surface run off, pre-treatment with	
	screens, settlers etc, must be done to remove	
	suspended matter, oil and grease, etc.	
iii)	The Project Proponent has to provide adequate	Condition noted. All the member units shall
	rain water harvesting pits as committed to recover	comply with.
	and reuse the rain water during normal rains as	
	reported.	
iv)	The project activity should not cause any	Condition will be complied.
	disturbance & deterioration of the local bio	
	diversity.	
16.	Building Safety:	

Lightning arrester shall be properly designed and	Condition noted. All the member units shall
installed at top of the building and where ever is	comply with.
necessary.	

Part-D-Specific Conditions - Operational Phase/Post constructional phase/Entire life of the project:

Not Applicable – Since the project is under construction phase.

5.0 ENVIRONMENTAL MONITORING DETAILS

It is mandatory to submit Six Monthly Compliance Report (Half Yearly Compliance) to MoEF & CC Regional Office by the proponent. For the purpose of submitting Six-Monthly Compliance report, environmental monitoring was carried out at site by M/s. Hubert Enviro Care Systems Pvt. Ltd. an NABL Accredited Laboratory during the period of October 2024 – March 2025.

•

5.1 Ambient Air Quality monitoring

The ambient air quality parameters such as suspended Particulate matter (PM10), Respirable Particulate matter (PM 2.5), Sulphur dioxide, Oxides of Nitrogen (NOx), Ammonia, Ozone and Carbon monoxide were monitored. The test report of ambient air quality for the period of October 2024 – March 2025.is enclosed as **Annexure - 10.**

5.2 Ambient Noise level monitoring

Ambient noise levels were monitored and the test report of ambient noise recorded during the period of October 2024 – March 2025. is enclosed as **Annexure 10.**

5.3 Soil quality monitoring

Soil samples were collected and analyzed for nutrients and heavy metals. The test report of soil samples collected and analyzed during the period of October 2024 – March 2025 is enclosed as **Annexure - 10.**

5.4 Ground water quality monitoring

Ground water was tested for various water quality parameters during the period of October 2024 – March 2025. The test report of bore well water collected and analyzed is enclosed as **Annexure-10.**

5.5 Surface water quality monitoring

The surface water was collected and tested for various water quality parameters during the period of October 2024 – March 2025. The test report of surface water collected and analyzed is enclosed as **Annexure-10**.

6.0 CONCLUSION

- 1. The environmental monitoring was carried out at site during the period of October 2024 March 2025.
- 2. All the conditions stipulated in Environmental Clearance are being complied/ will be complied.

Dr. RAJKUMAR SAMUEL Director Technical

ame: Dr. Rajkumar Samuel
Designation: Director Technical
Company Name: Hubert Enviro Care
Systems Private Limited



Pro-Active and Responsive Facilitation by Interactive, and Virtuous Environmental Single-Window Hub)





Government of India Ministry of Environment, Forest and Climate Change (Issued by the State Environment Impact Assessment Authority(SEIAA), TAMIL NADU)

To,

The Managing Director
STATE INDUSTRIES PROMOTION CORPORATION OF TAMILNADU LIMITED (SIPCOT)

19-A, Rukmani Lakshmipathy Road, Egmore, Chennai -600008

Subject: Grant of Environmental Clearance (EC) to the proposed Project Activity under the provision of EIA Notification 2006-regarding

Sir/Madam,

This is in reference to your application for Environmental Clearance (EC) in respect of project submitted to the SEIAA vide proposal number SIA/TN/INFRA2/451103/2023 dated 14 Dec 2023. The particulars of the environmental clearance granted to the project are as below.

1. EC Identification No. EC24B039TN182418

File No.
 Project Type
 New

4. Category B

5. **Project/Activity including** 8(b) Townships and Area Development projects.

6. Name of Project DEVELOPMENT OF SPECIAL ECONOMIC ZONE (SEZ) AT

DEVELOPMENT OF SPECIAL ECONOMIC ZONE (SEZ) AT KALLAKURICHI DISTRICT Land area –

77.09 Ha. (190.42 Acres)

7. Name of Company/Organization STATE INDUSTRIES PROMOTION CORPORATION OF TAMILNADU


LIMITED (SIPCOT)

8. Location of Project TAMIL NADU

9. TOR Date N/A

The project details along with terms and conditions are appended herewith from page no 2 onwards.

(e-signed)
Thiru.Deepak S.Bilgi
Date: 25/01/2024
Member Secretary
SEIAA - (TAMIL NADU)





THIRU.DEEPAK S.BILGI, LF.S., MEMBER SECRETARY

STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY-TAMILNADU

3rd Floor, Panagal Maaligat, No.1, Jeenis Road, Saidapet, Chennai-15, Phone No. 044-24359973 Fax No. 044-24359975

ENVIRONMENTAL CLEARANCE Lr.No. SEIAA-TN/F,No.9898/8(b)/EC, No:1001/2023, dated:10.01.2024.

Sir/Madam

Sub: SEIAA, TN – Proposed Development of Special Economic Zone (SEZ) at Kallakurichi District over an extent of 77.095 Ha (190.42 Acres) at Survey No: 213/2, 213/3 & 213/4 of A. Sathanur Village, Ulundurpet Taluk, Kallakurichi District, Tamil Nadu by – M/s. State Industries Promotion Corporation of Tamil Nadu Limited(SIPCOT) Under Project Category "B1" and Schedule S.No.8(b) "Township and Area Development Projects"–Issue of Environmental Clearance – Regarding.

Ref:

- Terms of reference issued by SEIAA-TN vide Lr No. SEIAA -TN/F.No.9898/SEAC/8(b)/ToR-1430/2023 dated:21.04.2023.
- Online Proposal No SIA/TN/INFRA2/451103/2023 dated 02.11.2023.
- EIA report submitted dated:03.11.2023.
- Minutes of the 431st Meeting of SEAC held on 15.12.2023.
- Minutes of the 688th Meeting of SEIAA held on 10.01.2024.

This has reference to your application 2nd & 3rd cited, the Proposed Development of Special Economic Zone (SEZ) at Kallakurichi District over an extent of 77.095 Ha (190.42 Acres) at Survey No: 213/2, 213/3 & 213/4 of A. Sathanur Village, Ulundurpet Taluk, Kallakurichi

TEMBER SECRETARY SEIAA-TN

4

District - under Category B1 and Schedule S.No.8(b) under the Environment Impact Assessment Notification, 2006, as amended.

The Competent Authority and Authorized Signatory furnished the detailed information in Form 1, Form 1A, Conceptual plan and liquidate enclosures are as Annexures.

Annexure 1

S. No	Description		Details					
1.	Name of the Project	[Land /	"Proposed Development of Special Economic Zone (SEZ) at Kallakurichi District [Land Area – 77.095 Ha. (190.42 Acres)]" by M/s. State Industries Promotion Corporation of Tamil Nadu Limited (SIPCOT).					
2.	Location	A.Satha Kallaku	Survey No: 213/2, 213/3 & 213/4, A.Sathanur Village, Ulundurpet Taluk, Kallakurichi District and Tamil Nadu state.					
3.	Type of Project	Categor	Category – 8(b)					
		S.No	Latitude	Longitude	S.No	Latitude	Longitude	
		1	11°40′56.63″N	79"14'46.49"E	6	11°40'21.55"N	79°14'30.20"E	
	Latitude &	2	11°40'42.03"N	79°15'5,91"E	7	11°40'29.92"N	79°14'19.85"E	
4.	Longitude	3	11°40'40.44"N	79°15'2.48"E	8	11°40'32.25"N	79°14'16.98"E	
		4	11°40'25.31"N	79°14'40.52"E	9	11°40′40.19″N	79°14'26.44"E	
		5	11°40′19,21°N	79°14'34.38"E	10	11°40′52.37″N	79°14'41.33"E	
5.	Total Plot Area (in sq. m)	77.095 Ha (190.42 Acres)						
6.	Brief description of the project	Econor Acres)	The Environmental Clearance is sought for "Proposed Development of Special Economic Zone (SEZ) at Kallakurichi District [Land Area – 77.095 Ha. (190.42 Acres)]" by M/s. State Industries Promotion Corporation of Tamil Nadu Limited (SIPCOT)					

MEMBER SECRETARY SEIAA-TN /2024 Page 3 of 40

EC Identification No. - EC24B039TN182418 File No. - 9898 Date of Issue EC - 25/01/2024

7.	Built up area details	Not applicable - It is infrastructure development project		
8.	Maximum height of the project	18.2m (Since the proposed Project is development of SEZ)		
9.	Maximum number of floors	SEZ - based on industrial units Industrial Dormitory- 3 Floors		
10.	No. of blocks	SEZ - based on industrial units Industrial Dormitory - 4 towers		
11.	Permissible FSI area			
12.	Proposed FSI area	•		
13.	Cost of Project	INR. 2302 crores		
14.	No. of Saleable Units	Not applicable. Total developable area is 190.42Acres (77.095 Ha) which includes SEZ plot area, Dormitory, Other Common facilities, Greenbelt, SWM, Road, Storm Water Drain, OSR and such other infrastructure facilities.		
15.	Expected Population	Construction phase - 100 Nos. Operation phase - 23000 Nos (including 100Nos for Dormitory during operation phase)		
16.	a) Water requirement (in KLD)	2373 KLD (Fresh Water -1144.70 KLD and Recycled Water 1228.30 KLD)		
	b) Source	Letter from TWAD for the supply of 3.20 MLD Fresh water supply from 10.00 MLD dedicated Water supply scheme to AHRLIVAS site at Thalaivasalkoot Road in Salem District vide Letter no. F.SIPCOT/JDO/RWS/SLM/2023/dated: 10.01.2023		
17.	Details of Sewage generation and Treatment	Total Sewage generation: 1080.4 KLD Treatment Method: Sewage from Industries & Dormitory - Will be treated through CSTP of 1200 KLD and treated sewage used for flushing & green belt development within the SEZ.		

	generation, Mode of	Waste Schedule	Waste Type	Quantity	Method of Disposa	ıl
22.	Quantity of Biomedical Waste	200000000000000000000000000000000000000	waste generation	and manageme SEZ)	ent (from Health centre	within
21.	Quantity of E-Waste generation, Mode of treatment and Disposal	the proposed p waste storage.	project is ~1.4 To The same will b	n/Year, 82.00 So e disposed thro	or, controller, etc) gener q.m area will be earmark nugh TNPCB Authorized gement Rules 2016.	ced for e
20.	Quantity of Solid Waste generation, Mode of treatment and Disposal	Organic waste		6.983 For SEZ: Individual industries will segregate the waste and organic waste will be composted and used as manure or be collected and sold to TNPCB authorized recyclers/ vendors.		TPD
	effluent	Total Solid Wa	aste Generation		11,123	TPD
19.	Mode of Disposal of treated sewage /		effluent will be us sewage will be us		units for their Process & & Flushing.	Utilities
18.	Details of greywater / Effluent generation and Treatment	Effluent reused maintair norms) bodies d	from Industries - for process, utilit ned. In exceptiona will be let out into furing heavy flood	Will be treated ies, greenbelt a d case, the wate the Highway sto with necessary	through CETP (160 K) and flushing and ZLD er (treated water as per orm water drain and near precautions	will be TNPCB by water

MEMBER SECRETARY SEIAA-TN /2024 Page 5 of 40

EC Identification No. - EC24B039TN182418 File No. - 9898 Date of Issue EC - 25/01/2024

treatment and Disposal	Yellow	Soiled wastes	80 kg/Year	Will be sent to TNPCB Authorized common Biomedical waste Management Facility for Incineration
	Yellow	Expired/Discarded Medicines	40 kg/Year	Will be sent back to the supplier for Incineration
	Red	Contaminated wastes	300 kg/Year	Will be sent to TNPCB Authorized common Biomedical waste Management Facility for sterilization
	White	Waste sharps including metals	30 kg/Year	Will be sent to TNPCB Authorized common Biomedical waste Management Facility for shredding & disposal
	Blue	Glassware	15 kg/year	Will be sent to TNPCB Authorized common Biomedical waste Management Facility for disinfection & recycling

Hazardous waste s	eneration from	SEZ & i	ts management

		Hazardous waste schedule & type	Quantity	Method of Disposal		
23.	Quantity of Hazardous Waste generation, Mode of	5.1 - Used /Spent Oil	9.5KL/A	Will be sent to TNPCB authorized recyclers/vendors		
		33.1-Empty barrels/ containers/ liners contaminated with hazardous chemicals/wastes	280 Kg/day	Will be sent to TNPCB authorized recyclers/vendors		
	Disposal	35.3 Chemical Sludge form waste water treatment (TPA)	505Kg/day	Generation, Collection, Storage, Disposal through Authorized TSDF		
		20.2 Spent solvents	468 Kg/day	Will be sent to TNPCB nuthorized recyclers/vendors		
		33.2 Contaminated cotton rags or other cleaning materials	690 Kg/day	Will be sent to TNPCB authorized recyclers/vendors		

		12.1 Acidic and alkaline residues	138kg/day	Will be sent to TNPCB authorized recyclers/vendors
24.	Power requirement	20 MVA (Source: TANGEDCO)		
25.	Details of solar energy	SIPCOT may insist the individual in will account for no less than 35% of is expected to be fully operational by of RTS (Rooftop Solar), REC (Ren Power Purchase Agreement), etc., solution. The individual industries may utilize illumination of common area like St.	the total energical control of the total energical control of the total energy depending of the Renewable I	gy utilization rate by 2030, and it able energy will be a combination by Certificate) and DPPA (Direct in the feasibility study for each Energy (Solar, DPPA, REC) for
26.	Details of D.G. set with Capacity	1x250 kVA DGs will act as SIPCOT will not propose an	power back up	
27.	Details of Green Belt Area i) Total area of green belt ii) No. of trees existing within the project site iii) No. of trees proposed to be planted iv) No. of trees to be transplanted / cut	OSR/Greenbelt Area – 25.50 Existing Tree - 48 Nos. Tree cut - 18 Nos. IV. Tree going to be planted - 3.		Acres)
28.	Details of OSR Area	6.05 Ha (14.94 acres)		
-	Details of Parking	Details	Area	in Sq.m Area in Acres
29.				

MEABER SECRETARY SEIAA-TN 01/2024 Page 7 of 40

		Bus Parking Area (Total 168)	20340	5.03
		Trucks Parking Area (Total 20)	4205	1.04
30.	Provision for rain water harvesting	Rain water Harvesting pond capacity = The capacity of the Rain water storage two sumps are proposed, so the total c 2430 KL. Total runoff collected through the d collection tanks and rain water harvest.	tank has been cal- apacity of the Ra frain channel wil	culated as 1215 KL and in water storage tank is
31.	EMP Cost (Rs.)	Capital Cost- Rs. 120.668 Crores Recurring cost- Rs. 54 Lakhs/annum		
32.	CER Cost	Rs. 5 erores The PP shall spend the amount as committed. Tribal Schools towards (i) Tree plantation, (ii) Library, books, in addition to that the amount shall be spendentation, small play area for children etc. Action plan-Within 12 months from the december of the spendentation of the spendentation.	nt for Public Heal	th Centre for tree

AFFIDAVIT FURNHSED BY THE PROPONENT

I. Thiru. Dr. K. Senthil Raj, I.A.S., Managing Director, Authorized Signatory, representing M/s. State Industries Promotion Corporation of Tamil Nadu Limited (SIPCOT) having registered office at 19-A, Rukmani Lakshmipathy Road, Egmore, Chennai – 600008, for proposed "Development of Special Economic Zone (SEZ) at Kallakurichi District over an extent of 77,095 Ha. (190.42 Acres)" at Survey No: 213/2, 213/3 & 213/4 of A.Sathanur Village, Ulundurpet Taluk, Kallakurichi District and Tamil Nadu, hereby take outh and state as under in this affidavit:

- The total water requirement of the park is estimated at 2373 KLD (Fresh water: 1144.70 KLD and Recycled water: 1228.30 KLD). Fresh water requirement for the SEZ is proposed to be sourced from Tamil Nadu Water Supply and Drainage (TWAD) Board.
- Power Supply (20 MVA) will be ensured from Tamil Nadu Generation and Distribution
 Ltd. (TANGEDCO) Facility as a common supply system by SIPCOT to all member

MANBER SECRETARY SEIAA-TN industries. Individual industries will have back up DG sets as per their requirement. Further 1x250 kVA DG will act as power back up for common facilities of Dormitory during power failure.

- 111. Storm water drainage system will be provided along the road ensuring proper rain water harvesting. All member industries will be instructed to provide rain water harvesting structures as per norms.
- IV. All individual industries will be instructed to have their own Solid waste and Hazardous waste storage facility. Inorganic wastes will be sold to TNPCB authorized recyclers by Individual Industries. For Dormitory, Organic waste will be composted and used as manure for Greenbelt development or it will be collected and sold to TNPCB authorized recyclers/vendors. Inorganic waste will be sold to TNPCB authorized recyclers/local vendors.
- V. Separate area will be earmarked for E-waste storage. The same will be disposed by individual units through TNPCB Authorized recyclers / vendor as per E-waste Management Rules, 2016.
- VI. All member industries will be mandated to dispose the hazardous waste generated within their premises as per Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.
- VII. Sewage generated from SEZ / Dormitory will be treated through CSTP and treated sewage will be used for greenbelt development. Effluent from SEZ will be treated through CETP and treated effluent will be used for process, utilities, flushing, etc. and ZLD will be maintained.
- VIII. Overall Greenbelt area of the SEZ would be 25.58 Ha. (i.e. 33.18% of developable area i.e., 77.095 Ha).
 - 1X. Tentative EMP cost of the park is 1NR 120.668 Crores. Details are given below:

MEMBER SECRETARY

Page 9 of 40

S.No	Project Components	Tentative Capital Cost (INR Crores)
t	Storm Water drains, culverts & rainwater harvesting systems	63.91804
2	CETP with ZLD	5.65
3	Sewerage system and CSTP	19.3
4	Solid and Hazardous waste Management	7.2
5	Green belt development	17
6	Solar lighting in internal road	4
7	DG sets Acousties and Stack (for dormitory)	3.6
	Total EMP Cost	120.66804 (say 121)

X. As per the MoEF&CC Office Memorandum No. 22-65/2017-1A.III. dated 25.02.2021. SIPCOT will allocate INR 120.668 Crores towards Environment Management Plan (EMP) instead of allocation of funds under Corporate Environment Responsibility (CER). However as per the direction of SEAC, an amount of INR, 5.0 crores will be allocated for CER Activities.

DISCUSSION BY SEIAA AND THE REMARKS: -

The proposal was placed in the 688th Authority meeting held on 10.01.2024. The Authority noted that the subject was appraised in the 431th SEAC meeting held on 15.12.2023. Based on the presentation and documents furnished by the project proponent, SEAC decided to recommend the proposal for the grant of Environmental Clearance subject to the conditions stated therein.

After detailed discussions, the Authority accepts the recommendation of SEAC and decided to grant Environmental Clearance subject to the conditions as recommended by SEAC & normal conditions and conditions in Annexure 'C' of this minutes in addition to the following conditions.

 The PP shall obtain fresh water supply commitment letter from the Competent authority before obtaining CTE from TNPCB.

Annexure 'C'

MEMBER SECRÉTARY SEIAA-TN

Climate Change

- The proponent shall adopt strategies to decarbonize the building.
- The proponent shall adopt strategies to reduce emissions during operation (operational phase and building materials).
- The proponent shall adopt strategies to reduce temperature including the Building Façade.
- The proponent shall adopt methodology to control thermal environment and other shocks in the building.
- The proponent shall adopt detailed plan to reduce carbon footprints and also develop strategies for climate proofing and climate mitigation.
- The proponent shall adopt strategies to ensure the buildings in blocks are not trapping heat to become local urban heat islands.
- The proponent shall ensure that the building does not create artificial wind tunnels
 creating cold water and uncomfortable living conditions resulting in health issues.
- The activities should in no way cause emission and build-up Green House Gases. All
 actions to be eco-friendly and support sustainable management of the natural resources
 within and outside the campus premises.
- The proponent shall ensure that the buildings should not cause any damage to water environment, air quality and should be carbon neutral building.

Health

The proponent shall adopt strategies to maintain the health of the inhabitants.

Energy

- 11. The proponent shall adopt strategies to reduce electricity demand and consumption.
- 12. The proponent shall provide provisions for automated energy efficiency.
- 13. The proponent shall provide provisions for controlled ventilation and lighting systems.
- 14. The proponent shall provide solar panels and contribute to the grid from the solar panel as proposed.
- 15. All the construction of Buildings shall be energy efficient and conform to the green building norms. The PP shall ensure that carbon neutral building.
- 16. The proponent shall provide adequate capacity of DG set (standby) for the proposed STP so as to ensure continuous and efficient operation.

Regulatory Frameworks

MEMBER SECRETARY

Page 11 of 40

- 17. The proponent shall adopt methodologies to effectively implement the Solid Waste Management Rules, 2016, E-Waste (Management) Rules, 2016, Plastic Waste Management Rules, 2016 as amended, Bio-Medical Waste Management Rules, 2016 as amended, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 as amended, Construction and Demolition Waste Management Rules, 2016, & Batteries (Management and Handling) Rules, 2001.
- 18. The project proponent shall ensure to provide adequate elevated closed area earmarked for collection, segregation, storage & disposal of wastes generated within the premises as per provisions of Solid Waste Management Rules, 2016, E-Waste (Management) Rules, 2016, Plastic Waste Management Rules, 2016 as amended, Bio-Medical Waste Management Rules, 2016 as amended, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 as amended, Construction and Demolition Waste Management Rules, 2016, & Batteries (Management and Handling) Rules, 2001.
- 19. The proponent shall provide elevator as per rules CMDA/DTCP.

Database maintenance & audits

- The database record of environmental conditions of all the events from preconstruction, construction and post-construction should be maintained in digitized format.
- The proponent should maintain environmental audits to measure and mitigate environmental concerns.

Biodiversity

- There should not be any impact due to the modification of the habitat on critically endangered species, biodiversity, etc..
- 23. The proponent shall ensure that the proposed activities in no way result in the spread of invasive species.
- 24. The proponent shall adopt sustainability criteria to protect the micro environment from wind turbulences and change in aerodynamics since high rise buildings may stagnate air movements.
- 25. The proponent shall ensure almost safety for the existing biodiversity, trees, flora & fauna shall not disturb under any circumstances.

TEMBER SECRETARY SEIAA-TN

- 26. The proponent shall develop building-friendly pest control strategies by using non chemical measures so as to control the pest population thereby not losing beneficial organisms.
- The proponent shall adopt strategies to prevent bird hits.

Safety measures

- The proponent should develop an emergency response plan in addition to the disaster management plan.
- The proponent shall develop detailed evacuation plan for disabled people and safety evacuation plan in emergencies.
- All bio-safety standards, hygienic standards and safety norms of working staff and patients to be strictly followed as stipulated in EIA/EMP.
- The disaster management and disaster mitigation standards to be seriously adhered to avoid any calamities.
- 32. The proponent shall provide the emergency exit in the buildings.
- 33. The proponent shall adhere to the provision and norms regard to fire safety prescribed by competent authority.

Water/Sewage

- 34. The proponent shall ensure that no treated or untreated sewage shall be let outside the project site & shall find access to nearby water-bodies under any circumstances other than the permitted mode of disposal.
- 35. The proponent shall provide STP of adequate capacity as committed and shall continuously & efficiently operate STP so as to satisfy the treated sewage discharge standards prescribed by the TNPCB time to time.
- The proponent shall periodically test the treated sewage the through TNPCB lab/NABL accredited laboratory and submit report to the TNPCB.
- 37. The proponent shall periodically test the water sample for the general water quality core parameters including fecal coliform within the proposed project site through TNPCB lab /NABL accredited laboratory and submit report to the concerned authorities.
- 38. The proponent shall ensure that provision should be given for proper utilization of recycled water.
- 39. The project proponent shall adhere to storm water management plan as committed.

Parking

MEMBER SECRETARY

Page 13 of 40

40. The project proponent shall adhere to provide adequate parking space for visitors of all inmates including clean traffic plan as committed.

Solid waste Management

- 41. The proponent shall ensure that no form of municipal solid waste shall be disposed outside the proposed project site at any time.
- 42. The proponent should strictly comply with, Tamil Nadu Government order regarding ban on one time use and throwaway plastics irrespective of thickness with effect from 01.01.2019 under Environment (Protection) Act. 1986.

EMP

- The proponent shall ensure that the EIA/EMP and disaster management plan should be adhered strictly.
- 44. The proponent shall ensure that all activities of EMP shall be completed before obtaining CTO from TNPCB.
- 45. The proponent shall provide and ensure the green belt plan is implemented as indicated in EMP. Also, the proponent shall explore possibilities to provide sufficient grass lawns.

Others

- 46. As per the 'Polluter Pay Principle', the proponent will be held responsible for any environmental damage caused due to the proposed activity including withdrawal of EC and stoppage of work.
- 47. The project proponent shall adhere to height of the buildings as committed.

Environmental Clearance along with the conditions containing four parts namely

- Part A Common conditions applicable for Pre-construction, Construction and Operational Phases
 - Part B Specific Conditions Pre construction phase
 - Part C Specific Conditions Construction phase
 - Part D Specific Conditions Operational Phase/Post constructional Phase / Entire life of the project.

Validity:

The SEIAA hereby accords Environmental Clearance to the above project under the provisions of EIA Notification dated 14th September, 2006 as amended, with validity for Seven years from the date of issue of EC, subject to the compliance of the terms and

> MEMBER SECRETARY SEIAA-TN

conditions stipulated below:

CONDITIONS IMPOSED BY SEAC:

- The construction shall comply with Green Building norms and shall get minimum IGBC Gold rating.
- PP shall submit the commitment letter from the local body for supply of fresh water before issue of EC.
- STP shall be installed on 10-year BOOT basis, so that the construction and maintenance are combined in one single responsibility.
- 4. The project proponent shall provide entry and exit points for the OSR area, play area as per the norms for the public usage and as committed. The PP shall construct a pond of appropriate size in the earmarked OSR land in consultation with the local body. The pond should be modelled like a temple tank with parapet walls, steps, etc. The pond is meant to play three hydraulic roles, namely (1) as a storage, which acted as insurance against low rainfall periods and also recharges groundwater in the surrounding area, (2) as a flood control measure, preventing soil erosion and wastage of runoff waters during the period of heavy rainfall, and (3) as a device which was crucial to the overall ecosystem.
- Project proponent is advised to explore the possibility and getting the cement in a closed container rather through the plastic bag to prevent dust emissions at the time of loading/unloading.
- Project proponent should ensure that there will be no use of "Single use of Plastic" (SUP).
- The proponent should provide the sufficient electric vehicle charging points as per the
 requirements at ground level and allocate the safe and suitable place in the premises for
 the same.
- The project proponent should develop green belt in the township as per the plan submitted and also follow the guidelines of CPCB/Development authority for green belt as per the norms.
- Project proponent should invest the CSR amount as per the proposal and submit the compliance report regularly to the concerned authority/Directorate of environment.

MEMBER SECRETARY

Page 15 of 40

- Proponent should submit the certified compliance report of previous/present EC along with action taken report to the Regional office MoEF Lko/Director of Environment and other concerning authority regularly.
- 11. Proponent shall provide the dual pipeline network in the project for utilization of treated water of STP for different purposes and also provide the monitoring mechanism for the same. STP treated water not to be discharged outside the premises without the permission of the concerned authority.
- The project proponent shall provide a measuring device for monitoring the various sources of water supply namely fresh water, treated waste water and harvested rain water.
- The proponent should provide the MoU with STPs' owner/concerned department for getting the STPs treated water for construction use.

1. Statutory Compliance:

- The project proponent shall obtain all necessary clearance/ permission from all relevant agencies including town planning authority before commencement of work. All the construction shall be done in accordance with the local building byelaws.
- The approval of the Competent Authority shall be obtained for structural safety of buildings due to earthquakes, adequacy of firefighting equipment etc as per National Building Code including protection measures from lightning etc.
- The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1986, in case of the diversion of forest land for non-forest purpose involved in the project.
- The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.
- The project proponent shall obtain Consent to Establish / Operate under the provisions
 of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention &
 Control of Pollution) Act, 1974 from the concerned State Pollution Control Board/
 Committee.
- The project proponent shall obtain the necessary permission for drawing of ground water / surface water required for the project from the competent authority.
- A certificate of adequacy of available power from the agency supplying power to the project along with the load allowed for the project should be obtained.

MEMBER SECRETARY SEIAA-TN

Page 16 of 40

- All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department and Civil Aviation Department shall be obtained, as applicable, by project proponents from the respective competent authorities,
- The provisions of the Solid Waste (Management) Rules, 2016, e-Waste (Management)
 Rules, 2016, and the Plastics Waste (Management) Rules, 2016 shall be followed.
- The project proponent shall follow the ECBC/ECBC-R prescribed by Bureau of Energy Efficiency, Ministry of Power strictly.

1. Air quality monitoring and preservation:

- Notification GSR 94(E) dated 25.01.2018 of MoEF&CC regarding Mandatory Implementation of Dust Mitigation Measures for Construction and Demolition Activities for projects requiring Environmental Clearance shall be complied with.
- A management plan shall be drawn up and implemented to contain the current exceedance in ambient air quality at the site.
- The project proponent shall install a system to carry out Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g., PM10 andPM25) covering upwind and downwind directions during the construction period.
- 4. Construction site shall be adequately barricaded before the construction begins. Dust, smoke & other air pollution prevention measures shall be provided for the building as well as the site. These measures shall include screens for the building under construction, continuous dust/ wind breaking walls all around the site (at least 3-meter height). Plastic/tarpaulin sheet covers shall be provided for vehicles bringing in sand, cement, murram and other construction materials prone to causing dust pollution at the site as well as taking out debris from the site.
- Sand, murram, loose soil, cement, stored on site should be covered adequately so as to prevent dust pollution.
- Wet jet shall be provided for grinding and stone cutting.
- Unpaved surfaces and loose soil should be adequately sprinkled with water to suppress
 dust.
- 8. All construction and demolition debris shall be stored at the site (and not dumped on the roads or open spaces outside) before they are properly disposed. All demolition and construction waste shall be managed as per the provisions of the Construction and Demolition Waste Rules 2016.

MEMBER SECRETARY

Page 17 of 40

- The diesel generator sets to be used during construction phase shall be low Sulphur diesel type and shall conform to Environmental (Protection) prescribed for air and noise mission standards.
- 10. The gaseous emissions from DG set shall be dispersed through adequate stack height as per CPCB standards. Acoustic enclosure shall be provided to the DG sets to mitigate the noise pollution. The location of the DG set and exhaust pipe height shall be as per the provisions of the Central Pollution Control Board (CPCB) norms.
- 11. For indoor air quality the ventilation provisions as per National Building Code of India.

2. Water Quality Monitoring and Preservation:

- The natural drain system should be maintained for ensuring unrestricted flow of water.
 No construction shall be allowed to obstruct the natural drainage through the site, on
 wetland and water bodies. Check dams, bio-swales, landscape, and other sustainable
 urban drainage systems (SUDS) are allowed for maintaining the drainage pattern and to
 harvest rainwater.
- Buildings shall be designed to follow the natural topography as much as possible. Minimum cutting and filling should be done.
- Total freshwater use shall not exceed the proposed requirement as provided in the project details.
- 4. The quantity of freshwater usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office. MoEF&CC along with Half Yearly Compliance Reports (HYCR).
- 5. A certificate shall be obtained from the local body supplying water, specifying the total annual water availability with the local authority, the quantity of water already committed, the quantity of water allotted to the project under consideration and the balance water available. This should be specified separately for ground water and surface water sources, ensuring that there is no impact on other users.
- 6. At least 20% of the open spaces as required by the local building byelaws shall be pervious. Use of Grass pavers, paver blocks with at least 50% opening, landscape etc. would be considered as pervious surface.

MUNIBER SECRETARY SEIAA-TN

- Installation of dual pipe plumbing for supplying fresh water for drinking, cooking and bathing etc and other for supply of recycled water for flushing, landscape irrigation car washing, thermal cooling, conditioning etc. shall be done.
- Use of water saving devices/ fixtures (viz. low flow flushing systems; use of low flow faucets tap aerators etc) for water conservation shall be incorporated in the building plan.
- Use of water saving devices/ fixtures (viz. low flow flushing systems; use of low flow faucets tap aerators etc) for water conservation shall be incorporated in the building plan.
- Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.
- 11. The local bye-law provisions on rainwater harvesting should be followed. If local byelaw provision is not available, adequate provision for storage and recharge should be followed as per the Ministry of Urban Development Model Building Byelaws, 2016. Rainwater harvesting recharge pits/storage tanks shall be provided for ground water recharging as per the CGWB norms.
- 12. A rainwater harvesting plan needs to be designed where the recharge bores of minimum one recharge bore per 5,000 square meters of built-up area and storage capacity of minimum one day of total freshwater requirement shall be provided. In areas where ground water recharging is not feasible, the rainwater should be harvested and stored for reuse. The ground water shall not be withdrawn without approval from the Competent Authority.
- 13. All recharges should be limited to shallow aquifer.
- No ground water shall be used during construction phase of the project.
- 15. Any ground water dewatering should be properly managed and shall conform to the approvals and the guidelines of the CGWA in the matter. Formal approval shall be taken from the CGWA for any ground water abstraction or dewatering.
- 16. The quantity of freshwater usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with Half Yearly Compliance Reports (HYCR).

MEMBER SECRETARY SELAA-TN

Page 19 of 40

- 17. Sewage shall be treated in the STP with tertiary treatment. The treated effluent from STP shall be recycled/re-used for flushing, AC make up water and gardening. As proposed, not related water shall be disposed into municipal drain.
- No sewage or untreated effluent water would be discharged through storm water drains.
- 19. Onsite sewage treatment of capacity of treating 100% wastewater to be installed. The installation of the Sewage Treatment Plant (STP) shall be certified by an independent expert and a report in this regard shall be submitted to the Ministry before the project is commissioned for operation. Treated wastewater shall be reused on site for landscape, flushing, cooling tower, and other end-uses. Excess treated water shall be discharged as per statutory norms notified by Ministry of Environment, Forest and Climate Change. Natural treatment systems shall be promoted.
- 20. Periodical monitoring of water quality of treated sewage shall be conducted. Necessary measures should be taken to mitigate the odor problem from STP.
- 21. Sludge from the onsite sewage treatment, including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Centre Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013.

3. Noise Monitoring and Prevention:

- Ambient noise levels shall conform to residential area/commercial area/industrial
 area/silence zone both during day and night as per Noise Pollution (Control and
 Regulation) Rules, 2000. Incremental pollution loads on the ambient air and noise
 quality shall be closely monitored during construction phase. Adequate measures shall
 be made to reduce ambient air and noise level during construction phase, so as to
 conform to the stipulated standards by CPCB / SPCB.
- Noise level survey shall be carried out as per the prescribed guidelines and report in this regard shall be submitted to Regional Officer of the Ministry as a part of Half Yearly Compliance Report (HYCR).
- Acoustic enclosures for DG sets, noise barriers for ground-run bays, ear plugs for operating personnel shall be implemented as mitigation measures for noise impact due to ground sources.

4. Energy Conservation Measures:

MEMBER SECRÉTARY SEIAA-TN

- Compliance with the Energy Conservation Building Code (ECBC) of Bureau of Energy Efficiency shall be ensured. Buildings in the States which have notified their own ECBC, shall comply with the State ECBC.
- Outdoor and common area lighting shall be LED.
- The proponent shall provide solar panels covering a minimum of 50% of terrace area as committed.
- 4. Concept of passive solar design that minimize energy consumption in buildings by using design elements, such as building orientation, landscaping, efficient building envelope, appropriate fenestration, increased day lighting design and thermal mass etc. shall be incorporated in the building design. Wall, window, and roof u-values shall be as per ECBC specifications.
- Energy conservation measures like installation of CFLs/ LED for the lighting the area outside the building should be integral part of the project design and should be in place before project commissioning.
- Solar, wind or other Renewable Energy shall be installed to meet electricity generation
 equivalent to 1% of the demand load or as per the state level/ local building byelaws
 requirement, whichever is higher.
- 7. Solar power shall be used for lighting in the apartment to reduce the power load on grid. Separate electric meter shall be installed for solar power. Solar water heating shall be provided to meet 20% of the hot water demand of the commercial and institutional building or as per the requirement of the local building byelaws, whichever is higher. Residential buildings are also recommended to meet its hot water demand from solar water heaters, as far as possible.

5. Waste Management:

- A certificate from the competent authority handling municipal solid wastes, indicating
 the existing civic capacities of handling and their adequacy to cater to the M.S.W.
 generated from project shall be obtained.
- Disposal of muck during construction phase shall not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.

MEMBER SECRETARY

Page 21 of 40

- Separate wet and dry bins must be provided in each unit and at the ground level for facilitating segregation of waste. Solid waste shall be segregated into wet garbage and inert materials.
- Organic waste compost/ Vermiculture pit/ Organic Waste Converter within the premises with a minimum capacity of 0.3 kg /person/day must be installed.
- All non-biodegradable waste shall be handed over to authorized recyclers for which a written tie up must be done with the authorized recyclers.
- Any hazardous waste generated during construction phase shall be disposed of as per applicable rules and norms with necessary approvals of the State Pollution Control Board.
- 7. Use of environmentally friendly materials in bricks, blocks and other construction materials, shall be required for at least 20% of the construction material quantity. These include Fly Ash bricks, hollow bricks, AACs, Fly Ash Lime Gypsum blocks, Compressed earth blocks, and other environmentally friendly materials.
- 8. Fly ash should be used as building material in the construction as per the provision of Fly Ash Notification of September 1999 and amended from time to time. Ready mixed concrete must be used in building construction.
- Any wastes from construction and demolition activities related thereto shall be managed to strictly conform to the Construction and Demolition Rules, 2016.
- 10. Used CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/ rules of the regulatory authority to avoid mercury contamination.

6. Green Cover:

- No tree can be felled/transplant unless exigencies demand. Where absolutely necessary,
 tree felling shall be with prior permission from the concerned regulatory authority. Old
 trees should be retained based on girth and age regulations as may be prescribed by the
 Forest Department. Plantations to be ensured species (cut) to species (planted).
- 2. A minimum of 1 tree for every 80 sqm of land should be planted and maintained. The existing trees will be counted for this purpose. The landscape planning should include plantation of native species. The species with heavy foliage, broad leaves and wide canopy cover are desirable. Water intensive and/or invasive species should not be used for landscaping.

MEMBER SECRETARY SEIAA-TN

Page 22 of 40

- 3. Where the trees need to be cut with prior permission from the concerned local authority, compensatory plantation in the ratio of 1:10 (i.e. planting of 10 trees for every 1 tree that is cut) shall be done and maintained. Plantations to be ensured species (cut) to species (planted). Area for green belt development shall be provided as per the details provided in the project document.
- 4. Topsoil should be stripped to a depth of 20 cm from the areas proposed for buildings, roads, paved areas, and external services. It should be stockpiled appropriately in designated areas and reapplied during plantation of the proposed vegetation on site.
- A wide range of indigenous plant species should be planted as given in the Appendix-I, in consultation with the Government Forest/Horticulture Departments and State Agriculture University.

7. Transport:

- A comprehensive mobility plan, as per MoUD best practices guidelines (URDPFI), shall be prepared to include motorized, non-motorized, public, and private networks. Road should be designed with due consideration for environment, and safety of users. The road system can be designed with these basic criteria.
 - a. Hierarchy of roads with proper segregation of vehicular and pedestrian traffic.
 - b. Traffic calming measures.
 - e. Proper design of entry and exit points.
 - d. Parking norms as per local regulation.
- Vehicles hired to bring construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards be operated only during non-peak hours.
- 3. A detailed traffic management and traffic decongestion plan shall be drawn up to ensure that the current level of service of the roads within a 05 kms radius of the project is maintained and improved upon after the implementation of the project. This plan should be based on cumulative impact of all development and increased habitation being carried out or proposed to be carried out by the project or other agencies in this 05 Kms radius of the site in different scenarios of space and time and the traffic management plan shall be duly validated and certified by the State Urban Development department and the P.W.D./ competent authority for road augmentation and shall also have their consent to

MEMBER SECRETARY

Page 23 of 40

the implementation of components of the plan which involve the participation of these departments.

8. Human Health Issues:

- All workers working at the construction site and involved in loading, unloading, carriage
 of construction material and construction debris or working in any area with dust
 pollution shall be provided with dust mask.
- 2. For indoor air quality the ventilation provisions as per National Building Code of India.
- Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.
- 4. Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
- 5. Occupational health surveillance of the workers shall be done on a regular basis.
- A First Aid Room shall be provided in the project both during construction and operations of the project.

9. Corporate Environment Responsibility:

- 1. The PP shall complete the CER activities, as committed, before obtaining CTE.
- 2. The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest / wildlife norms / conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of Half Yearly Compliance Report (HYCR).
- A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization.
- 4. Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection

WE MBER SECRETARY SEIAA-TN

Page 24 of 40

measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Half Yearly Compliance Report (HYCR).

10. Miscellaneous:

- The project proponent shall prominently advertise it at least in two local newspapers of the District or State, of which one shall be in Tamil language within seven days indicating that the project has been accorded environment clearance and the details of MoEFCC/SEIAA website where it is displayed.
- The copies of the environmental clearance shall be submitted by the project proponents
 to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the
 relevant offices of the Government who in turn must display the same for 30 days from
 the date of receipt.
- The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.
- The project proponent shall submit Half Yearly Compliance Reports (HYCR) on the status of the compliance of the stipulated environmental conditions on the website of the Ministry of Environment, Forest and Climate Change at environment clearance portal.
- The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.
- The project proponent shall inform the Authority (SEIAA) of the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.
- The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.
- The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report and also during their presentation to the State Expert Appraisal Committee.

MEMBER SECRETARY

Page 25 of 40

- No further expansion or modifications to the plant shall be carried out without prior approval of the Authority (SEIAA).
- Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
- The Authority (SEIAA) may revoke or suspend the clearance, if implementation of any
 of the above conditions is not satisfactory.
- 12. The Authority reserves the right to stipulate additional conditions if found necessary.
 The Company in a time-bound manner shall implement these conditions.
- 13. The Regional Office of the MoEF&CC Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.
- 11. The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.

STANDARD CONDITIONS

Part - A - Common conditions applicable for Pre-construction, Construction and Operational Phases:

- Any appeal against this Environmental Clearance shall lie with the Hon'ble National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
- The construction of STP, ETP, Solid Waste Management facility, E-waste management facility, DG sets, etc., should be made in the earmarked area only. In any case, the location of these utilities should not be changed later on.
- The Environmental safeguards contained in the application of the proponent /mentioned during the presentation before the State Level Environment Impact Assessment

MEMBER SECRETARY SEIAA-TN

- Authority / State Level Expert Appraisal Committee should be implemented in the letter and spirit.
- 4. All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire and Rescue Services Department, Civil Aviation Department, Forest Conservation Act, 1980 and Wild Life (Protection) Act, 1972, State / Central Ground Water Authority, Coastal Regulatory Zone Authority, other statutory and other authorities as applicable to the project shall be obtained by project proponent from the concerned competent authorities.
- The SEIAA reserves the right to add additional safeguard measures subsequently, if non-compliance of any of the EC conditions is found and to take action, including revoking of this Environmental Clearance as the case may be.
- A proper record showing compliance of all the conditions of Environmental Clearance shall be maintained and made available at all the times.
- 7. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company. The status of compliance of environmental clearance conditions and shall also be sent to the Regional Office of the Ministry of Environment and Forests, Chennai by e-mail.
- The Regional Office of the Ministry located at Chennai shall monitor compliance
 of the stipulated conditions. The project authorities should extend full cooperation to
 the officer (s) of the Regional Office by furnishing the requisite data / information /
 monitoring reports.
- "Consent for Establishment" shall be obtained from the Tamil Nadu Pollution Control Board and a copy shall be submitted to the SEIAA, Tamil Nadu.
- 10. In the case of any change(s) in the scope of the project, a fresh appraisal by the SEAC/SEIAA shall be obtained before implementation.
- 11. The conditions will be enforced inter-alia, under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, the Public Liability Insurance Act, 1991, along with their amendments, draft Minor Mineral Conservation & Development Rules, 2010 framed under MMDR Act 1957, National Commission for

MEMBER SECRETARY

Page 27 of 40

protection of Child Right Rules ,2006 and rules made there under and also any other orders passed by the Hon'ble Supreme Court of India/Hon'ble High Court of Madras and any other Courts of Law, including the Hon'ble National Green Tribunal relating to the subject matter.

- The Environmental Clearance shall not be cited for relaxing the other applicable rules to this project.
- Failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of the Environment (Protection) Act, 1986.
- 14. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, Chennai, the respective Zonal Office of CPCB, Bengaluru and the TNPCB. The criteria pollutant levels namely; PM₁₀, PM_{2.5}, SO₂, NO₈ (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored.
- 15. The SEIAA, TN may cancel the Environmental Clearance granted to this project under the provisions of EIA Notification, 2006, if, at any stage of the validity of this environmental clearance, if it is found or if it comes to the knowledge of this SEIAA. TN that the project proponent has deliberately concealed and/or submitted false or misleading information or inadequate data for obtaining the Environmental Clearance.
- 16. The Environmental Clearance does not imply that the other statutory / administrative clearances shall be granted to the project by the concerned authorities. Such authorities would be considering the project on merits and be taking decisions independently of the Environmental Clearance.
- The SEIAA, TN may alter/modify the above conditions or stipulate any further condition in the interest of environment protection, even during the subsequent period.
- 18. The Environmental Clearance does not absolve the applicant/proponent of his obligation/requirement to obtain other statutory and administrative clearances from other statutory and administrative authorities.
- 19. Where the trees need to be cut, compensation plantation in the ratio of 1:10 (i.e. planting of 10 trees for every one tree that is cut) should be done with the obligation to continue maintenance.

SEIAA-TN

Page 28 of 40

- 20. A separate environmental management cell with suitable qualified personnel should be set-up under the control of a Senior Executive who will report directly to the Head of the Organization and the shortfall shall be strictly reviewed and addressed.
- 21. The EMP cost shall be deposited in a nationalized bank by opening separate account and the head wise expenses statement shall be submitted to TNPCB with a copy to SEIAA annually.
- 22. The Project Proponent has to provide adequate rain water harvesting pits as committed s to recover and reuse the rain water during normal rains as reported.
- The project activity should not cause any disturbance & deterioration of the local bio diversity.
- 24. The project activity should not impact the water bodies. A detailed inventory of the water bodies and forest should be evaluated and fact reported to the Forest Department & PWD for monitoring.
- All the assessed flora & fauna should be conserved and protected.
- 26. The proponent should strictly comply with, Tamil Nadu Government Order (Ms) No.84 Environment and forests (EC.2) Department dated 25.06.2018 regarding ban on one time use and throwaway plastics irrespective of thickness with effect from 01.01.2019 under Environment (Protection) Act, 1986.
- Necessary permission shall be obtained from the competent authority for the drawl / outsourcing of fresh water before obtaining consent from TNPCB.
- The proponent shall appoint an Environmental Engineer with necessary qualification for the operation and maintenance of STP (Sewage Treatment Plant) and GWTP (grey water Treatment Plant)
- The Proponent shall provide the dispenser for the disposal of Sanitary Napkins.
- 30. All the mitigation measures committed by the proponent for the flood management, Solid waste disposal, Sewage treatment & disposal etc., shall be followed strictly.
- 31. No waste of any type to be disposed of in any watercourse including drains, canals and the surrounding environment.
- Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided.
- 33. The safety measures proposed in the report should be strictly followed.

Part - B - Specific Conditions - Pre construction phase:

MEMBER SECRETARY

Page 29 of 40

- 1. The project authorities should advertise with basic details at least in two local newspapers widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of clearance. The press releases also mention that a copy of the clearance letter is available with the State Pollution Control Board and also at website of SEIAA, TN. The copy of the press release should be forwarded to the Regional Office of the Ministry of Environment and Forests located at Chennai and SEIAA-TN.
- In the case of any change(s) in the scope of the project, a fresh appraisal by the SEAC/SEIAA shall be obtained before implementation.
- A copy of the clearance letter shall be sent by the proponent to the Local Body.The clearance letter shall also be put on the website of the Proponent.
- 4. The approval of the competent authority shall be obtained for structural safety of the buildings during earthquake, adequacy of firefighting equipments, etc. as per National Building Code including protection measures from lightning etc. before commencement of the work.
- All required sanitary and hygienic measures for the workers should be in place before starting construction activities and they have to be maintained throughout the construction phase.
- Design of buildings should be in conformity with the Seismic Zone Classifications.
- The Construction of the structures should be undertaken as per the plans approved by the concerned local authorities/local administration.
- 8. No construction activity of any kind shall be taken up in the OSR area.
- Consent of the local body concerned should be obtained for using the treated sewage in the OSR area for gardening purpose. The quality of treated sewage shall satisfy the bathing quality prescribed by the CPCB.
- The height and coverage of the constructions shall be in accordance with the existing FSI/FAR norms as per Coastal Regulation Zone Notification, 2011.
- The Project Proponent shall provide car parking exclusively for the visiting guest in the proposed residential apartments as per CMDA norms.
- The project proponent shall ensure the entry of basement shall be above maximum flood level.

PEMBER SECRETARY SEIAA-TN

Page 30 of 40

- 13. The proponent shall prepare completion plans showing Separate pipelines marked with different colours with the following details
 - i. Location of STP, compost system, underground sewer line,
 - ii. Pipe Line conveying the treated effluent for green belt development.
 - iii. Pipe Line conveying the treated effluent for toilet flushing
 - iv. Water supply pipeline
 - v. Gas supply pipe line, if proposed
 - vi. Telephone cable
 - vii. Power cable
 - viii. Strom water drains, and
 - ix. Rain water harvesting system, etc. and it shall be made available to the owners
- 14. A First Aid Room shall be provided in the project site during the entire construction and operation phases of the project.
- 15. The present land use surrounding the project site shall not be disturbed at any point of time.
- 16. The green belt area shall be planted with indigenous native trees.
- 17. Natural vegetation listed particularly the trees shall not be removed during the construction/operation phase. In case any trees are likely to be disturbed, shall be replanted.
- 18. During the construction and operation phase, there should be no disturbance to the aquatic eco-system within and outside the area.
- 19. The Provisions of Forest conservation Act 1980, Wild Life Protection Act 1972 & Bio diversity Act 2002 should not be violated.
- 20. There should be Firefighting plan and all required safety plan.
- Regular fire drills should be held to create awareness among owners/ residents.

Part - C - Specific Conditions - Construction phase:

1. Construction Schedule:

 The Project proponent shall have to furnish the probable date of commissioning of the project supported with necessary bar charts to SEIAA-TN.

2. Labour Welfare:

MEMBER SECRETARY

Page 31 of 40

- All the laborers to be engaged for construction should be screened for health and adequately treated before and during their employment on the work at the site.
- iii) Personnel working in dusty areas should wear protective respiratory devices and they should also be provided with adequate training and information on safety and health aspects. Occupational health surveillance program of the workers should be undertaken periodically to observe any contradictions due to exposure to dust and take corrective measures, if needed.
- iii) Periodical medical examination of the workers engaged in the project shall be carried out and records maintained. For the purpose, schedule of health examination of the workers should be drawn and followed accordingly. The workers shall be provided with personnel protective measures such as masks, gloves, boots etc.

3. Water Supply:

- The entire water requirement during construction phase may be met from private tankers
- ii) Provision shall be made for the housing labour within the site with all necessary infrastructures and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, creche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
- iii) Adequate drinking water and sanitary facilities should be provided for construction workers at the site. The treatment and disposal of waste water shall be through dispersion trench after treatment through septic tank. The MSW generated shall be disposed through Local Body and the identified dumpsite only.
- iv) Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices prevalent.
- v) Fixtures for showers, toilet flushing and drinking water should be of low flow type by adopting the use of aerators / pressure reducing devises / sensor based control.

4. Solid Waste Management:

MEMBER SECRETARY SELAA-TN

- In the solid waste management plan, the STP sludge management plan for direct use as manure for gardens is not acceptable; it must be co-composted with biodegradables.
- Hazardous waste such as batteries, small electronics. CFL bulbs, expired medicines and used cleaning solvent bottles should be segregated at source, collected once in a month from residences and disposed as per the SWM Rules 2016.
- Domestic solid wastes to be regularly collected in bins or waste handling receptacles and disposed as per the solid waste management rules 2016.
- No waste of any type to be disposed of in any watercourse including drains, canals and the surrounding environment.
- V) E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016 and subsequent amendment.

5. Top Soil Management:

 All the top soil excavated during construction activities should be stored for use in horticulture/ landscape development within the project site.

6. Construction Debris disposal:

- i) Disposal of construction debris during construction phase should not create any adverse effect on the neighboring communities and be disposed off only in approved sites, with the approval of Competent Authority with necessary precautions for general safety and health aspects of the people. The construction and demolition waste shall be managed as per Construction & Demolition Waste Management Rules, 2016.
- ii) Construction spoils, including bituminous materials and other hazardous materials, must not be allowed to contaminate watercourses. The dump sites for such materials must be secured so that they should not leach into the adjacent land/ lake/ stream etc.

7. Diesel Generator sets:

 Low Sulphur Diesel shall be used for operating diesel generator sets to be used during construction phase. The air and noise emission shall conform to the standards prescribed in the Rules under the Environment (Protection) Act, 1986, and the Rules framed thereon.

MENIBER SECRETARY

Page 33 of 40

- ii) The diesel required for operating stand by DG sets shall be stored in barrels fulfilling the safety norms and if required, clearance from Chief Controller of Explosives shall be taken.
- iii) The acoustic enclosures shall be installed at all noise generating equipments such as DG sets, air conditioning systems, cooling water tower etc.

8. Air & Noise Pollution Control:

- Vehicles hired for bringing construction materials to the site should be in good condition and should conform to air and noise emission standards, prescribed by TNPCB/CPCB. The vehicles should be operated only during non-peak hours.
- ii) Ambient air and noise levels should conform to residential standards prescribed by the TNPCB, both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during the construction phase. The pollution abatement measures shall be strictly implemented.
- iii) Traffic congestion near the entry and exit points from the roads adjoining the proposed project site shall be avoided. Parking shall be fully internalized and no public space should be utilized. Parking plan to be as per CMDA norms. The traffic department shall be consulted and any cost effective traffic regulative facility shall be met before commissioning.
- iv) The buildings should have adequate distance between them to allow free movement of fresh air and passage of natural light, air and ventilation.
- v) The project proponent should ensure that adequate Air Pollution Control measures shall be provided from buses and other vehicles, which will be entering the bus terminal. Further, water sprinkling system shall be provided and same shall be used at regular interval to control the dust emission within the project site.

9. Building material:

 Fly-ash blocks should be used as building material in the construction as per the provision of Fly ash Notification of September, 1999 and amended as on 27th August, 2003 and Notification No. S.O. 2807 (E) dated: 03.11.2009.

> MEMBER SECRETARY SEIAA-TN

- Ready-mix concrete shall alone be used in building construction and necessary cube-tests should be conducted to ascertain their quality.
- iii) Use of glass shall be reduced up to 40% to reduce the electricity consumption and load on air conditioning. If necessary, high quality double glass with special reflecting coating shall be used in windows.

10. Storm Water Drainage:

- Storm water management around the site and on site shall be established by following the guidelines laid down by the storm water manual.
- Storm water management plan shall be obtained by engaging the services of Anna University/HT.

11. Energy Conservation Measures:

- Roof should meet prescriptive requirement as per Energy Conservation Building Code by using appropriate thermal insulation material, to fulfill the requirement.
- Opaque wall should meet prescribed requirement as per Energy Conservation Building Code which is mandatory for all air conditioned spaces by use of appropriate thermal insulation material to fulfill the requirement.
- iii) All norms of Energy Conservation Building Code (ECBC) and National Building Code, 2005 as energy conservation have to be adopted Solar lights shall be provided for illumination of common areas.
- iv) Application of solar energy should be incorporated for illumination of common areas, lighting for gardens and street lighting. A hybrids system or fully solar system for a portion of the apartments shall be provided.
- v) A report on the energy conservation measures conforming to energy conservation norms prescribed by the Bureau of Energy Efficiency shall be prepared incorporating details about building materials & technology; R & U factors etc and submitted to the SEIAA in three month's time.
- vi) Energy conservation measures like installation of CFLs/TFLs for lighting the areas outside the building should be integral part of the project design and should be in place before project commissioning.

12. Fire Safety:

MEMBER SECRETARY

Page 35 of 40

- Adequate fire protection equipments and rescue arrangements should be made as per the prescribed standards.
- Proper and free approach road for fire-fighting vehicles upto the buildings and for rescue operations in the event of emergency shall be made.

13. Green Belt Development:

- The Project Proponent shall plant tree species with large potential for carbon capture in the proposed green belt area based on the recommendation of the Forest department well before the project is completed.
- ii) The proponent has to earmark the greenbelt area with dimension and GPS coordinates for the green belt area all along the boundary of the project site with at least 3 meter wide and the same shall be included in the layout out plan to be submitted for CMDA/DTCP approval.
- iii) The proponent shall develop the green belt as per the plan furnished and area earmarked for the greenbelt shall not be alter at any point of time for any other purpose.

14. Sewage Treatment Plant:

- i) The Sewage Treatment Plant (STP) installed should be certified by an independent expert/reputed Academic institutions for its adequacy and a report in this regard should be submitted to the SEIAA, TN before the project is commissioned for operation. Explore the less power consuming systems viz baffle reactor, etc., for the treatment of sewage.
- The Proponent shall install STP as furnished. Any alteration to satisfy the bathing quality shall be informed to SEIAA-TN.
- iii) The project proponent shall operate and maintain the Sewage treatment Plant and Effluent treatment plant effectively to meet out the standards prescribed by the CPCB.
- iv) The project proponent shall continuously operate and maintain the Sewage treatment plant and Effluent treatment plant to achieve the standards prescribed by the CPCB.
- The project proponent has to ensure the complete recycling of treated Sewage &Effluent water after achieving the standards prescribed by the CPCB.

PENBER SECRETARY SEIAA-TN vi) The project proponent has to provide separate standby D.G set for the STP/GWTP for the continuous operation of the STP/GWTP in case of power failure.

15. Rain Water Harvesting:

- i) The proponent shall ensure that roof rain water collected from the covered roof of the buildings, etc shall be harvested so as to ensure the maximum beneficiation of rain water harvesting by constructing adequate sumps so that 100% of the harvested water shall be reused.
- ii) Rain water harvesting for surface run-off, as per plan submitted should be implemented. Before recharging the surface run off, pre-treatment with screens, settlers etc. must be done to remove suspended matter, oil and grease, etc.
- iii) The Project Proponent has to provide adequate rain water harvesting pits as committed to recover and reuse the rain water during normal rains as reported.
- The project activity should not cause any disturbance & deterioration of the local bio diversity.

16. Building Safety:

Lightning arrester shall be properly designed and installed at top of the building and where ever is necessary.

Part - D - Specific Conditions - Operational Phase/Post constructional phase/Entire life of the project:

- 1. There should be Firefighting plan and all required safety plan.
- Regular fire drills should be held to create awareness among owners/ residents.
- Hazardous waste such as batteries, small electronics, CFL bulbs, expired medicines and used cleaning solvent bottles should be segregated at source, collected once in a month from residences and disposed as per the SWM Rules 2016.
- The building should not spoil the green views and aesthetics of surroundings and should provide enough clean air space.
- Solar energy saving shall be increased to atleast10% of total energy utilization.
- The Project proponent has to spend the CER as committed in the affidavit. The above activity shall be carried out before obtaining CTO from TNPCB.

MEMBER SECRETARY

Page 37 of 40

- The EMP cost shall be deposited in a nationalized bank by opening separate account and the head wise expenses statement shall be submitted to TNPCB with a copy to SEIAA annually
- The EMP cost shall be printed in the Brochure / Pamphlet for the preparation of the sale
 of the property and should also mention the component involved.
- The Project proponent shall get due permission from the wetland Authority before the commencement of the work, if applicable.
- 10. The Project proponent should discuss with the wet land Authority. Tamil Nadu Forest Department, PWD and support lake restoration cum improvement, awareness and conservation programs.
- 11. The project activities should in no way disturb the manmade structures.
- 12. The Proponent shall do afforestation/ restoration programme contemplated to strengthen the open spaces shall preferably include native species along with the financial forecast for planting and maintenance for 5 years.
- 13. "Consent to Operate" should be obtained from the Tamil Nadu pollution Control Board before the start of the operation of the project and copy shall be submitted to the SEIAA-TN.
- 14. Raw water quality to be checked for portability and if necessary RO plant shall be provided.
- 15. The Proponent should be responsible for the maintenance of common facilities including greening, rain water harvesting, sewage treatment and disposal, solid waste disposal and environmental monitoring including terrace gardening for a period of 3 years. Within one year after handing over the flats to all allottees a viable society or an association among the allottees shall be formed to take responsibility of continuous maintenance of all facilities with required agreements for compliance of all conditions furnished in Environment Clearance (EC) order issued by the SEIAA-TN or the Proponent himself shall maintain all the above facilities for the entire period. The copy of MOU between the buyers Association and proponent shall be communicated to SEIAA-TN.
- The ground water level and its quality should be monitored and recorded regularly in consultation with Ground Water Authority.

MIBER SECRETARY

Page 38 of 40

- 17. Treated effluent emanating from STP shall be recycled / reused to the maximum extent possible. The treated sewage shall conform to the norms and standards for bathing quality laid down by CPCB irrespective of any use. Necessary measures should be made to mitigate the odour and mosquito problem from STP.
- The Proponent shall operate STP continuously by providing stand by DG set in case of power failure.
- 19. It is the sole responsibility of the proponent that the treated sewage water disposed for green belt development/ avenue plantation should not pollute the soil/ ground water/ adjacent canals/ lakes/ ponds, etc
- Adequate measures should be taken to prevent odour emanating from solid waste processing plant and STP.
- The e waste generated should be collected and disposed to a nearby authorized ewaste centre as per E- waste (Management & Handling), Rules 2016 as amended.
- 22. Diesel power generating sets proposed as source of back-up power during operation phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets.
- The noise level shall be maintained as per MoEF/CPCB/TNPCB guidelines/norms both during day and night time.
- 24. Spent oil from D.G sets should be stored in HDPE drums in an isolated covered facility and disposed as per the Hazardous & other Wastes (Management & Transboundary Movement) Rules 2016. Spent oil from D.G sets should be disposed off through registered recyclers.
- The proponent is required to provide a house hold hazardous waste / E-waste collection and disposal mechanism.
- 26. The proponent shall ensure that storm water drain provided at the project site shall be maintained without choking or without causing stagnation and should also ensure that the storm water shall be properly disposed off in the natural drainage / channels without disrupting the adjacent public. Adequate harvesting of the storm water should also be ensured.

MEMBER SECRETARY

Page 39 of 40

- 27. Used CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/rules of the regulatory authority to avoid mercury contamination.
- Failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of the Environment (Protection) Act. 1986.
- 29. The Environmental Clearance is issued based on the documents furnished by the project proponent. In case any documents found to be incorrect/not in order at a later date the Environmental Clearance issued to the project will be deemed to be revoked/eancelled.

MEMBER SECRETARY SEIAA-TN

Copy to:

- The Principal Secretary to Government, Environment & Forests Dept, Govt. of Tamil Nadu, Fort St. George, Chennai - 9.
- The Chairman, Central Pollution Control Board, Parivesh Bhavan, CBD Cum-Office Complex, East Arjun Nagar, New Delhi - 110032.
- The Member Secretary, Tamil Nadu Pollution Control Board, 76, Mount Salai, Guindy, Chennai-600 032.
- The APCCF (C), Regional Office, Ministry of Environment & Forest (SZ),34,HEPC Building, 1st & 2std Floor, Cathedral Garden Road, Nungambakkum, Chennai - 34.
- Monitoring Cell, I A Division, Ministry of Environment & Forests, Paryavaran Bhavan, CGO Complex, New Delhi - 110003.
- 6. Stock File.



File No.: 9898

Government of India

Ministry of Environment, Forest and Climate Change (Issued by the State Environment Impact Assessment Authority(SEIAA), TAMIL NADU)





Dated 18/06/2024



To,

Managing Director

STATE INDUSTRIES PROMOTION CORPORATION OF TAMILNADU LIMITED (SIPCOT)

19-A, Rukmani Lakshmipathy Road, Egmore, Chennai, Egmore, CHENNAI, TAMIL NADU, Egmore,
600008

projects@sipcot.in

Subject:

Amendment in Environmental Clearance (EC) dated 23/05/2024 granted to the project under the provision of the EIA Notification 2006 and as amended thereof-regarding.

Sir/Madam,

This is in reference to your application submitted to SEIAA vide proposal number SIA/TN/INFRA2/467287/2024 dated 23/05/2024 for grant of an amendment in prior Environmental Clearance (EC) to the project Proposed Development of Special Economic Zone (SEZ) at Kallakurichi District over an extent of 77.095 Ha (190.42 Acres) at Survey No: 213/2, 213/3 & 213/4 of A.Sathanur Village, Ulundurpet Taluk, Kallakurichi District, under the provision of the EIA Notification 2006-and as amended thereof.

Ref:

- 1. Earlier EC issued by SEIAA-TN vide Lr.No.SEIAA-TN/F.No.9898/ 8(b)/EC.No.1001/2023 dated:10.01.2024.
- 2. Online proposal No. SIA/TN/INFRA2/467287/2024 dated: 26.04.2024.
- 3. Proponent application for EC Amendment dated: 29.04.2024.
- 2. The particulars of the proposal are as below:

(i) EC Identification No. EC24B3813TN5337555A

(ii) File No. 9898

(iii) Clearance Type Amendment in EC

(iv) Category B1

(v) Schedule No./ Project Activity

8(b) Townships/ Area Development Projects /

Rehabilitation Centres

DEVELOPMENT OF SPECIAL ECONOMIC

(vii) Name of Project ZONE (SEZ) AT KALLAKURICHI DISTRICT

Land area – 77.09 Ha. (190.42 Acres)

(viii) Location of Project (District, State) KALLAKURICHI, TAMIL NADU

(ix) Issuing AuthoritySEIAA(x) EC Date18/06/2024

(xi) Applicability of General Conditions NO

(xiii) Status of implementation of the project

3. In view of the particulars given in the Para 1 above, the project proposal interalia including Form-4(Part A, B and C) were submitted to the SEIAA for an appraisal by the State Environment Impact AssessmentAuthority(SEIAA) Appraisal Committee SEIAA under the provision of EIA notification 2006 and its subsequent amendments.

4. The SEAC, based on information submitted viz: Form-4(Part A, B and C) and other report etc., & clarifications provided by the project proponent and after detailed deliberations on all technical aspects and compliance thereto furnished by the Project Proponent, recommended the proposal for grant Amendment of Environment Clearance under the provision of EIA Notification,2006 and as amended thereof subject to stipulation of Specific and Standard EC conditions as detailed in the point below

5. The SEAC noted the following:

- 1) Earlier, the Proponent has obtained EC vide Lr.No.SEIAA-TN/F.No.9898/8(b)/EC.No.1001/2023 dated:10.01.2024 for the Proposed Development of Special Economic Zone (SEZ) at Kallakurichi District over an extent of 77.095 Ha (190.42 Acres) at Survey No: 213/2, 213/3 & 213/4 of A.Sathanur Village, Ulundurpet Taluk, Kallakurichi District, Tamil Nadu.
- 2) The project/activity is covered under Category "B1" of Item 8(b) "Townships and Area Development Projects" of the Schedule to the EIA Notification, 2006.
- 3) Now, the proponent has submitted an application in Form 4 vide Proposal No. SIA/TN/INFRA2/467287/2024 Dated: 26.04.2024 seeking the following amendments in the above-mentioned EC dated: 10.01.2024.

S. No	EC Page	Details as per EC	Amendment sought	- 211	Rema	arks		
	•		Annexure-	C				
1.	11	Energy	The proponent shall	Based on the requ	est receive	ed from p	otential	investor.
		14. The proponent shall	utilize not less than	Road map for the	utilizatio	n of Ren	ewable e	nergy is
		provide solar panels and	35% of renewable		given her	eunder:		
	0	contribute to the grid	energy by 2030 and	Renewable	2027	2028	2029	2030
		from the solar panel as	shall ensure the	Energy (%)				
	\	proposed.	buildings are energy	Rooftop Solar	3%	6%	9%	12%
2.	11	Energy	efficient.	(%)		600		
		15. All the construction	Further, Renewable	DPPA & REC	ئے ۔	-	-	23%
		of Buildings shall be	energy will be a	(%)				
	1	energy efficient and	combination of RTS	Total (%)	3%	6%	9%	35%
		conform to the green	(Rooftop Solar), REC	100				
		building norms. The PP	(Renewable Energy	In light of abo	ove, amen	dment so	ought ma	y be
		shall ensure that carbon		ts \	consid	ered.		
		neutral building.	(Direct Power					
			Purchase Agreement),					
			etc., specific					
			implementation will					
			depend on the					
			feasibility study for					
			each solution.					
			The proponent shall					
			mandate individual					
			industries to adopt to					
			the building norms for					
			their Industrial sheds					

			and buildings.					
			Conditions Imposed	l by SEAC				
3.	15	1.The construction shall			est receive	ed from r	otential	investor
٥.		comply with Green	comply with Green	In light of abo				
		Building norms and	Building norms and	In fight of u ov	conside		agiit iiia	<i>y</i> 00
		shall get minimum	shall get minimum		• • • • • • • • • • • • • • • • • • • •			
		IGBC Gold rating.	IGBC Gold rating for					
		Tobe con runng.	Dormitory.					
		Wat	er quality Monitoring	and Prevention				
4.	19	12. A rainwater	A rainwater	As per the EIA re	eport, we h	nave proi	posed to	develop
		harvesting plan needs to		Rainwater Har				
		be designed where the	Rainwater harvesting	19376.28KL/m ³ a				
		recharge bores of	pond / tank, under		(2X121:		or and a	
		minimum one recharge	normal weather		(=111=1)			
		bore per 5,000 square	conditions, needs to					
		meters of built-up area	be designed in such a	CAL				
		and storage capacity of	way that storage					
		minimum one day of	capacity is Rainwater					
		total freshwater	Harvesting (RWH)					
		requirement shall be	pond of capacity	E				
		provided.	19376.28 KL and	40				
		1	RWH tank of capacity	, O				
	/ 3		2430 KL (2X1215KL)	12 TV				
	2			1037 L				
5.	19	14. No ground water	The proponent shall	Based on the requ	est receive	ed from p	ootential	investor
		shall be used during	ob <mark>tain pr</mark> oper approval	In light of abo	ove, amen	dment so	ought ma	y be
		construction phase of	from PWD/TWAD	2 50	conside	ered.		
		the project.	before using ground					
		7	water for construction,					
		2	if required.	11 19				
			Energy Conservation	1 Measures	line.			
6.	21	3. The proponent shall	The proponent shall	Based on the requ	est r <mark>ec</mark> eive	ed from p	otential	investor
		provide solar panels	utilize not less than	Road map for the	utilization	n of Ren	ewable e	nergy is
		covering a minimum of	35% of renewable	. 5//	given her	eunder:		
		50% of terrace area as	energy by 2030.	Renewable	2027	2028	2029	2030
		committed.	Renewable energy	Energy (%)				
7.	21	6. Solar, wind or other	will be a combination	Rooftop Solar	3%	6%	9%	12%
		Renewable Energy shall	_	(%)				
		be installed to meet	Solar), REC	DPPA & REC	-	-	-	23%
		electricity generation	(Renewable Energy	(%)				
		equivalent to 1% of the	Certificate) and DPPA	Total (%)	3%	6%	9%	35%
		demand load or as per	(Direct Power			•	•	•
		the state level /local	Purchase Agreement),	In light of abo	ove, amen	dment so	ought ma	y be
		building byelaws	etc., specific		conside	ered.		
		requirement, whichever	implementation will					
		is higher.	depend on the					
			feasibility study for					
			each solution.					
8.	21	7. Solar power shall be	Solar water heating	Based on the requ		-		
		used for lighting in the	shall be provided to	In light of abo			ought ma	y be
		apartment to reduce the	meet the hot water		conside	ered.		
		power load on grid.	demand of dormitory					
		Solar water heating	as per the local					

SIA/TN/INFRA2/467287/2024 Page 3 of 11

		shall be provided to	building byelaws.	
		meet 20% of the hot		
		water demand of the		
		commercial and		
		institutional building or		
		as per the requirement		
		of the local building		
		byelaws, whichever is		
		higher.		
			Waste Manage	ement
9.	22	4. Organic waste	The proponent shall	Based on the request received from potential investor.
		compost/ Vermiculture	dispose all kinds of	In light of above, amendment sought may be
		pit/ Organic Waste	organic waste will be	considered.
		Converter within the	used as manure for	
		premises with a	greenbelt development	
		minimum capacity of	or it will be collected	40
		0.3 kg /person /day	and sold to TNPCB	
		must be installed.	authorized recyclers	
			vendors	
10	22	7. Use of	Use of	Based on the request received from potential investor.
		environmentally	environmentally	In light of above, amendment sought may be
	/	friendly materials in	friendly materials in	considered.
	/ 5	bricks blocks and other	bricks blocks and	
	-	construction materials	other construction	1631 L
	7	shall be required for at	materials shall be	
		least 20% of the	utilised by individual	S S
		construction material	industries as per their	S
		quantity.	requirement.	
				Pre construction phase
11	30	9. Consent of the local		Based on the request received from potential investor
1		body concerned should	sewage shall satisfy	since treated sewage will not be used for bathing.
		be obtained for using	the quality prescribed	In light of above, amendment sought may be
	\	the treated sewage in	by the TNPCB/CPCB	considered.
	\	the OSR area for	norms for the	20
		gardening purpose. The	utilisation of	EB
		quality of treated	OSR/Greenbelt	5
		sewage shall satisfy the	development.	
		bathing quality		0,0
		prescribed by the		e
		CPCB.	A.D.	
		Part – C	: Specific Condition -	- Construction phase
12	33	4.Solid waste	STP sludge will be	Based on the request received from potential investor.
		Management	used as manure for	In light of above, amendment sought may be
		i) In the solid waste	greenbelt development	considered.
		management plan, the	or it will be collected	
		STP the STP sludge	and sold to TNPCB	
		management plan for	authorized recyclers	
		direct use as manure for	vendors.	
		gardens is not		
		acceptable; it must be		
		co-composted with		
		biodegradables.		
13	35	9. Building Material	Use of double glass	Based on the request received from potential investor.
			J 22 22 22 25 25 25 25 25 25 25 25 25 25	l l l l l l l l l l l l l l l l l l l

SIA/TN/INFRA2/467287/2024 Page 4 of 11

	ı	I		
		iii) Use of glass shall be		,
		reduced up to 40% to	coating in building	considered.
		reduce the electricity	shall be utilised as per	
		consumption and load	design approval from	
		on air conditioning. If	concerned authority.	
		necessary high quality		
		double glass with		
		special reflecting		
		coating shall be used in		
		windows.		
14	35	10. Storm water	Storm water	Based on the request received from potential investor.
		Drainage	management plan	In light of above, amendment sought may be
		ii) Storm water	shall be obtained by	considered.
		management plan shall	engaging the services	
		be obtained by engaging		
		the services of Anna	IIT / any other reputed	C_{A}
		university/ IIT.	government	
		diff versity/ 111.	organisation.	
15.	35	11. Energy	-	Based on the request received from potential investor.
13.		Conservation	conservation	Same was provided in EIA report.
		Measures	measures conforming	In light of above, amendment sought may be
		111111111111111111111111111111111111111		considered.
		v) A report on the	to energy	considered.
		energy conservation	conservation norms	
		measures conforming to		
		energy conservation	the Bureau of Energy	
		norms prescribed by the		
		Bureau of Energy	shall be prepared	
		Efficiency shall be	incorporating	
		prepared incorporating	details about building	
		details about building	materials &	118
		materials & technology;	technology; R & U	
		R & U factors etc. and	factors etc. and	A Pro
	\	submitted to the SEIAA	- 6 IS 11 2311	
		in three months' time	SEIAA in three	20
			months' time / before	EL. S
			work	.5
		80 M	commencement – for	
		(a)	dormitory	20
			14. Sewage Treatm	<mark>ent Pl</mark> ant
16	37	6. The project		Based on the request received from potential investor.
		proponent has to	the separate standby	In light of above, amendment sought may be
		provide separate	DG set for the STP for	considered.
		standby DG set for the	the continuous	
		STP/GWTP for the	operation of the STP	
		continuous operation of	in case of power	
		the STP/GWTP in case	failure. The standby	
		of power failure.	DG operation could be	
			centralized or stand-	
			alone in individual	
			industry area.	
Pa	art – D: S	Specific Conditions – Or	-	constructional phase/Entire Life of the project
17	37	5. Solar energy saving	Solar energy	Based on the request received from potential investor.
		shall be increased to at	consumption shall	Same was provided in EIA report.
	1	1	<u> </u>	<u>.</u>

SIA/TN/INFRA2/467287/2024 Page 5 of 11

		least 10% of total	be at least 10% of	In light of above, amendment sought may be
		energy utilization.	total energy	considered.
			utilization.	
18	38	16. The ground water	The ground water	Based on the request received from potential investor.
		level and its quality	level and its	In light of above, amendment sought may be
		should be monitored	quality should be	considered.
		and recorded regularly	monitored and	
		in consultation with	recorded regularly in	
		Ground Water	consultation with	
		Authority.	PWD/TWAD-	
			if ground water is	
			used.	

Based on the presentation & documents furnished by the PP, SEAC decided to **recommend the following** amendments in the Environmental Clearance.

	EC Page	Details as per EC	A	mendmen	t recomm	ended	
		-	exure-C				
2.	11	Energy 14. The proponent shall provide solar panels and contribute to the grid from the solar panel as proposed. Energy	The proponent she energy by 2030 Further, Renewa (Rooftop Solar),	and shall of efable energy	ensure the ficient. y will be a	buildings a	on of RTS
2.	11 2	15. All the construction of Buildings shall be energy efficient and conform to the green building norms. The PP shall ensure that carbon neutral building.	DPPA (Direct P implementation when the proponent shat the building norm Road map for the	ower Purc vill depend so all mandate ns for their utilizatio her	hase Agree l on the fea olution. e individua r Industrial n of Renev reunder:	ement), etc sibility stu l industries sheds and vable energ	., specific dy for each s to adopt to buildings. gy is given
			Renewable Energy (%)	2027	2028	2029	2030
	, ,	Protects	Rooftop Solar (%)	3%	6%	9%	12%
		CAC	DPPA & REC (%)	-	:58	-	23%
			Total (%)	3%	6%	9%	35%
	1	Conditions In	nposed by SEAC	01	,		
3.	15	1.The construction shall comply with Green Building norms and shall get minimum IGBC Gold rating.	The construction and shall get mi				_
		Water quality Mon	itoring and Preve	ention			
4.	19	12. A rainwater harvesting plan needs to be designed where the recharge bores of minimum one recharge bore per 5,000 square meters of built-up area and storage capacity of minimum one day of total freshwater requirement shall be provided.	A rainwater harve tank, under norma in such a way tha (RWH) pond of	sting plan al weather t storage c capacity	conditions apacity is]	, needs to l Rainwater L and RW	be designed Harvesting
5.	19	14. No ground water shall be used during construction phase of the project.	The propone PWD/TWRD bef	ore using			
			ervation Measures		quiicu.		
		Energy Consc	a , acioni micasal ca	,			

SIA/TN/INFRA2/467287/2024

Page 6 of 11

6.	21	3. The proponent shall provide solar panels covering a minimum of 50% of	The proponent she energy by 2030. R	Renewable	energy wi	ll be a com	bination of	
	2.1	terrace area as committed.	RTS (Rooftop So				·	
7.	21	6. Solar, wind or other Renewable	and DPPA (Direct		_		-	
		Energy shall be installed to meet	implementation w	-		sibility stu	dy for each	
		electricity generation equivalent to 1%	D 1 6 1		lution.	1.1		
		of the demand load or as per the state	Road map for the			vable energ	gy is given	
		level /local building byelaws			eunder:	2020	2020	
		requirement, whichever is higher.	Renewable	2027	2028	2029	2030	
			Energy (%)					
			Rooftop Solar	3%	6%	9%	12%	
			(%)					
			DPPA & REC	-	-	-	23%	
		-210	(%)					
			Total (%)	3%	6%	9%	35%	
	21	7.6.1	0.1 . 1 .:	1 11 1	.1.1		1	
8.	21	7. Solar power shall be used for	Solar water heating	-	-			
		lighting in the apartment to reduce the	demand of dorr	nitory as p	er the loca	l building	byelaws.	
		power load on grid. Solar water heating						
		shall be provided to meet 20% of the	A T V					
		hot water demand of the commercial	La 0					
	/	and institutional building or as per the	BE THE					
		requirement of the local building	(S)					
		byelaws, whichever is higher.			_			
0	1 22		Management	11 11	11.1.1.1	<u> </u>		
9.	22	4. Organic waste compost/	The proponent shall dispose all kinds of organic waste will be used as manure for greenbelt development or it will be					
		Vermiculture pit/ Organic Waste						
		Converter within the premises with a	collected and solo	1 to INPC	B autnoriz	ea recyclei	rs vendors.	
		minimum capacity of 0.3 kg /person						
10	22	/day must be installed.	II C	4 - 11 f	11 4		-1 1-11	
10	22	7. Use of environmentally friendly materials in bricks blocks and other	Use of environme and other con					
		construction materials shall be required						
	\	for at least 20% of the construction	ilidividuai	mausures	as per uner	i requirem	CIII.	
		material quantity.	11					
		Part – B: Specific Condit	tion – Pro constru	ction nha	SO.			
11	30	9. Consent of the local body concerned				satisfy the	quality	
11	30	should be obtained for using the treated			_	-		
		sewage in the OSR area for gardening			elt develop		inisation of	
		purpose. The quality of treated sewage		ord Greene	on develop	oment.		
		shall satisfy the bathing quality	nents 1					
		prescribed by the CPCB.						
		Part – C: Specific Cond	l lition – Construct	ion nhase	<u> </u>			
12	33	4.Solid waste Management	STP sludge			re for gree	nhelt	
12		i) In the solid waste management plan,	development or			_		
		the STP the STP sludge management	-		ecyclers ve		11.11 CD	
		plan for direct use as manure for	au	o.i.zou IV	22,21015 40			
		gardens is not acceptable; it must be						
		co-composted with biodegradables.						
13	35	9. Building Material	Use of double	olace with	snecial re	flecting co	ating in	
13		iii) Use of glass shall be reduced up to	building shall	_	-	_	_	
		40% to reduce the electricity	ounding shall		ed authorit		ui 110111	
		consumption and load on air		Concern	ca auui0iil	у.		
		consumption and toad on an						

SIA/TN/INFRA2/467287/2024 Page 7 of 11

	conditioning. If necessary high quality	
	double glass with special reflecting	
	coating shall be used in windows.	
14 35	10. Storm water Drainage	Storm water management plan shall be obtained by engaging
	ii) Storm water management plan shall	the services of Anna university/ IIT / any other reputed
	be obtained by engaging the services of	government organisation.
	Anna university/ IIT.	
15. 35	11. Energy Conservation Measures	A report on the energy conservation measures conforming to
	v) A report on the energy conservation	energy conservation norms prescribed by the Bureau of
	measures conforming to energy	Energy Efficiency shall be prepared incorporating details
	conservation norms prescribed by the	about building materials & technology; R & U factors etc.
	Bureau of Energy Efficiency shall be	and submitted to the SEIAA in three months' time / before
	prepared incorporating details about	work commencement – for dormitory
	building materials & technology; R &	
	U factors etc. and submitted to the	
	SEIAA in three months' time	A.E.
	14. Sewage	Treatment Plant
16 37	6. The project proponent has to provide	Proponent will ensure the separate standby DG set for the
	separate standby DG set for the	STP for the continuous operation of the STP in case of power
	STP/GWTP for the continuous	failure. The standby DG operation could be centralized or
	operation of the STP/GWTP in case of	stand-alone in individual industry area.
	power failure.	JIT TO A
Part – D	: Specific Conditions – Operational phas	se/Post constructional phase/Entire Life of the project
17 37	5. Solar energy saving shall be	The proponent shall utilize not less than 35% of renewable
	increased to at least 10% of total	energy by 2030.
	energy utilization.	
18 38	16. The ground water level and its	The ground water level and its quality should be monitored
	quality should be monitored and	and recorded regularly in consultation with PWD/TWAD- if
	recorded regularly in consultation with	ground water is used.
	Ground Water Authority.	

The remaining conditions stipulated vide Lr.No.SEIAA-TN/F.No.9898/8(b)/EC.No.1001/2023 dated:10.01.2024 will remain unaltered.

- 6. The SEIAA has examined the proposal in accordance with the extant provisions of the Environment Impact Assessment (EIA) Notification, 2006 & further amendments thereto and based on recommondation of SEAC hereby accords amendment in Environment Clearance dated 29/04/2024 for the instant proposal to M/s. Managing Director under the provisions of EIA Notification, 2006 and as amended thereof subject to compliance of EC conditions, general instructions issued vide EC letter dated and EC identification number SIA/TN/INFRA2/467287/2024 and following additional specific conditions as mentioned below:
- 7. After detailed discussion accepts the recommendation of SEAC and decided to grant Amendment in the Environmental Clearance as follows subject to grant the existing conditions as mentioned in the EC vide SEIAA-TN/F.No. 9898/8(b)/EC.No.1001/2023 dated:10.01.2024 are remains unaltered.

S. No	EC Page	Details as per EC	Amendment granted
		Ann	exure-C
1.	11	<u>Energy</u>	The proponent shall utilize not less than 35% of renewable
		14. The proponent shall provide solar	energy by 2030 and shall ensure the buildings are energy
		panels and contribute to the grid from	efficient.
		the solar panel as proposed.	Further, Renewable energy will be a combination of RTS
2.	11	<u>Energy</u>	(Rooftop Solar), REC (Renewable Energy Certificate) and
		15. All the construction of Buildings	DPPA (Direct Power Purchase Agreement), etc., specific
		shall be energy efficient and conform to	implementation will depend on the feasibility study for each
		the green building norms. The PP shall	solution.

		ensure that carbon neutral building.	The proponent sha	ll mandate	individua	l industries	s to adopt to
			the building norn	ns for their	Industrial	sheds and	buildings.
			Road map for the			vable energ	gy is given
			D 1.1.		eunder:	2020	2020
			Renewable Energy (%)	2027	2028	2029	2030
			Rooftop Solar	3%	6%	9%	12%
			(%)	370	0%	970	1270
			DPPA & REC	_		_	23%
			(%)				23 70
			Total (%)	3%	6%	9%	35%
		Conditions I	mposed by SEAC				
3.	15	1.The construction shall comply with	The construction	shall com	ply with G	reen Build	ing norms
		Green Building norms and shall get	and shall get min	nimum IG	BC Gold ra	ating for D	ormitory.
		minimum IGBC Gold rating.		46			
		Water quality Mor					
4.	19	12. A rainwater harvesting plan needs	A rainwater harve				
		to be designed where the recharge	tank, under norma				_
		bores of minimum one recharge bore	in such a way tha	_	_		_
		per 5,000 square meters of built-up area					H tank of
	/ -	and storage capacity of minimum one	capa	acity 2430	KL (2X12	215KL).	
		day of total freshwater requirement					
	10	shall be provided.					2
5.	19	14. No ground water shall be used	The propone				
		during construction phase of the	PWD/TWRD before			ter for cons	struction, if
		project.	M. M.		quired.		
	21		ervation Measures		. 1 .1	250/ 5	1.1
6.	21	3. The proponent shall provide solar panels covering a minimum of 50% of	The proponent she energy by 2030. R				
		terrace area as committed.	RTS (Rooftop So				
7.	21	6. Solar, wind or other Renewable	and DPPA (Direct				
7.	21	Energy shall be installed to meet	implementation w		_		-
		electricity generation equivalent to 1%	imprementation w	_	lution.	sionity sta	ay for each
		of the demand load or as per the state	Road map for the			vable energ	v is given
		level /local building byelaws	KE		eunder:		,,
		requirement, whichever is higher.	Renewable	2027	2028	2029	2030
			Energy (%)	64,			
			Rooftop Solar	3%	6%	9%	12%
		e-Paus	(%)				
		- rayı	DPPA & REC	-	-	-	23%
			(%)				
			Total (%)	3%	6%	9%	35%
8.	21	7. Solar power shall be used for	Solar water heating				
		lighting in the apartment to reduce the	demand of dorr	nitory as p	er the loca	l building	byelaws.
		power load on grid. Solar water heating					
		shall be provided to meet 20% of the					
		hot water demand of the commercial					
		and institutional building or as per the					
		requirement of the local building					
		byelaws, whichever is higher.					

SIA/TN/INFRA2/467287/2024 Page 9 of 11

		Waste N	Management
9.	22	4. Organic waste compost/	The proponent shall dispose all kinds of organic waste will
		Vermiculture pit/ Organic Waste	be used as manure for greenbelt development or it will be
		Converter within the premises with a	collected and sold to TNPCB authorized recyclers vendors.
		minimum capacity of 0.3 kg /person	
		/day must be installed.	
10	22	7. Use of environmentally friendly	Use of environmentally friendly materials in bricks blocks
10		materials in bricks blocks and other	and other construction materials shall be utilised by
		construction materials shall be required	-
		for at least 20% of the construction	marviadar madsures as per their requirement.
		material quantity.	
			tion – Pre construction phase
11	30	9. Consent of the local body concerned	The quality of treated sewage shall satisfy the quality
11] 30	•	prescribed by the TNPCB/CPCB norms for the utilisation of
		sewage in the OSR area for gardening	OSR/Greenbelt development.
		purpose. The quality of treated sewage	OSIA Greenoch development.
		shall satisfy the bathing quality	
		prescribed by the CPCB.	
		-	lition Construction phase
12	33		dition – Construction phase
12	33	4.Solid waste Management	STP sludge will be used as manure for greenbelt
		i) In the solid waste management plan,	development or it will be collected and sold to TNPCB
		the STP the STP sludge management	authorized recyclers vendors.
		plan for direct use as manure for	
		gardens is not acceptable; it must be	
1.2	25	co-composted with biodegradables.	
13	35	9. Building Material	Use of double glass with special reflecting coating in
		iii) Use of glass shall be reduced up to	building shall be utilised as per design approval from
		40% to reduce the electricity	concerned authority.
		consumption and load on air	//.g
		conditioning. If necessary high quality	11.8
	0	double glass with special reflecting	
1.4	2.5	coating shall be used in windows.	
14	35		Storm water management plan shall be obtained by engaging
		ii) Storm water management plan shall	the services of Anna university/ IIT / any other reputed
		be obtained by engaging the services of	government organisation.
1.7	25	Anna university/ IIT.	
15.	35	11. Energy Conservation Measures	A report on the energy conservation measures conforming to
		v) A report on the energy conservation	energy conservation norms prescribed by the Bureau of
		measures conforming to energy	Energy Efficiency shall be prepared incorporating details
		conservation norms prescribed by the	about building materials & technology; R & U factors etc.
		Bureau of Energy Efficiency shall be	and submitted to the SEIAA in three months' time / before
		prepared incorporating details about	work commencement – for dormitory
		building materials & technology; R &	
		U factors etc. and submitted to the	
		SEIAA in three months' time	E 4 ADI 4
1.5			Treatment Plant
16	37	6. The project proponent has to provide	•
			STP for the continuous operation of the STP in case of power
		STP/GWTP for the continuous	failure. The standby DG operation could be centralized or
		operation of the STP/GWTP in case of	stand-alone in individual industry area.
		power failure.	
Pa	art – D: S	specific Conditions – Operational phas	e/Post constructional phase/Entire Life of the project

SIA/TN/INFRA2/467287/2024 Page 10 of 11

17	37	5. Solar energy saving shall be	The proponent shall utilize not less than 35% of renewable
		increased to at least 10% of total	energy by 2030.
		energy utilization.	
18	38	16. The ground water level and its	The ground water level and its quality should be monitored
		quality should be monitored and	and recorded regularly in consultation with PWD/TWAD- if
		recorded regularly in consultation with	ground water is used.
		Ground Water Authority.	

8. This issues with the approval of the Competent Authority

Copy To

- **1.** The Principal Secretary to Government, Environment & Forests Dept, Govt. of Tamil Nadu, Forest st. George, Chennai-9.
- 2. The Chairman, Central Pollution Control Board, Parivesh Bhavan, CBD Cum-Office Complex, East Arjun Nagar, New Delhi 110032.
- 3. The Member Secretary, Tamil Nadu Pollution Control Board, 76, Mount Salai, Guindy, Chennai-600 032.
- 4. The APCCF (C), Regional Office, Ministry of Environment & Forest (SZ),34, HEPC Building, 1st & 2nd Floor, Cathedral Garden Road, Nungambakkam, Chennai 34.
- 5. Monitoring Cell, I A Division, Ministry of Environment & Forests, Paryavaran Bhavan, CGO Complex, New Delhi 110003.
- 6. Stock File.

Specific EC Conditions for (Townships/ Area Development Projects / Rehabilitation Centres)

1. Seiaa Speciffic Conditions:

S. No	EC Conditions
1.1	The Authority after detailed discussion accepts the recommendation of SEAC and decided to grant Amendment in the Environmental Clearance as follows subject to grant the existing conditions as mentioned in the EC vide SEIAA-TN/F.No. 9898/8(b)/EC.No.1001/2023 dated:10.01.2024 are remains unaltered.

Forton 01.02.2024.



தமிழ்நாடு தொழில் முன்னேற்ற நிறுவனம் 19-ஏ. ருக்குமணி இலட்சுமிபதி சாலை, எழும்பூர். சென்னை – 600 008.



CIN U74999TN1971SGC005967

சிப்காட் சிறப்பு பொருளாதார மண்டலம் சுற்றுசூழல் இசைவாணை

மாநில சுற்றுச்சூழல் தாக்க மதிப்பீட்டு ஆணையம், தமிழ்நாடு கடித எண் SEIAA-TN/F.No.9898/8 (b) / EC.No : 1001/2023 தேதி : 10.01.2024 மூலம் கள்ளக்குறிச்சி மாவட்டம், உளுந்தூர்பேட்டை தாலுக்காவில் உள்ள அ.சாத்தனூர் கிராமத்தில் "சிறப்பு பொருளாதார மண்டலம்" அமைப்பதற்கான சுற்றுச்சூழல் இசைவாணை வழங்கியுள்ளது.

இவ்விசைவாணையின் முழுவிவரங்களை www.sipcot.tn.gov.in என்னும் சிப்காட் இணைய தளத்திலும், சுற்றுச்சூழல், வனம் மற்றும் காலநிலை மாற்றம் அமைச்சகம் மற்றும் மாநில சுற்றுச்சூழல் தாக்க மதிப்பீட்டு அணையத்தின் இணையதளத்திலும் பெற்றுக்கொள்ளலாம்.

மேலாண்மை இயக்குநர்

செ.ம.தொ. இ / 99 / வரைகலை / 2024

Indian Express

01.02.2024



STATE INDUSTRIES PROMOTION



CORPORATION OF TAMIL NADU LIMITED 1C 19-A, RUKMANI LAKSHMIPATHY ROAD, EGMORE, CHENNAI - 600 008. CIN U74999TN1971SGC005967

SIPCOT SPECIAL ECONOMIC ZONE **ENVIRONMENTAL CLEARANCE**

Environmental Clearance has been obtained for the proposed Development of Special Economic Zone at A.Sathanur Village, Ulundurpet Taluk, Kallakurichi District, Tamil Nadu from the State Environment Impact Assessment Authority (SEIAA), Tamil Nadu vide Letter No. SEIAA-TN/F.No.9898/8(b)/EC.No:1001/2023 dated 10.01.2024.

The Environmental Clearance (EC) letter can be downloaded from the SIPCOT website www.sipcot.tn.gov.in. The Clearance Letter is also available in the website of Ministry of Environment, Forest and Climate Change (MoEF&CC) / SEIAA.

MANAGING DIRECTOR

THURSDAY () | • () 2 • 2 () 2 4

newindianexpress com

'NMC must set up systems to resolve stipend defaults'

EXPRESS NEWS SERVICE @ Puducherry

THE Pondicherry State Students and Parents Welfare Association has urged the National Medical Commission (NMC) in New Delhi to establish a grievance redressal mechanism to resolve the stipend issues of house surgeons and post-graduate students.

President of the association, V Balasubramanian, emphasised on the urgent need to address the non-payment of stipends by certain medical colleges and deemed universities in Puducherry.

The norm dictates that house surgeons should receive ₹40,000 per month, while PG students are entitled to ₹80,000 per month. However, several private medical colleges and deemed universities have allegedly been withholding these payments, president Balasubramanian stated.

In the memorandum submitted to NMC, the association has highlighted a concerning practice where these colleges initially credit the stipends to the

'Colleges give stipends then take them back'

"These colleges initially credit the stipends to the students' accounts, only to collect it back later by way of demanding cheques from government quota students," said Balasubramanian

students' accounts, only to collect it back later by way of demanding cheques from government quota students whose tuition fees are subsidised, Balasubramanian added, calling for immediate action to rectify the situation.

The memorandum also proposed the creation of dedicated channels, including hotlines, email and social media handles, designed to address stipend-related issues. Balasubramanian also stressed on the importance of maintaining the privacy of students throughout the grievance redressal process. The association expressed its trust in NMC to promptly issue directions to the medical education directorates of all states and union territories, mainly in Puducherry.



OPEN SEASON

Egrets lying in wait for catch at a pond in Puducherry on Wednesday | SRIRAM R

Ex-DGP's harassment case put off again

EXPRESS NEWS SERVICE @ Villupuram

VILLUPURAM Chief Judicial Magistrate Purnima once again adjourned former Special DGP Rajesh Das' sexual harassment case to Thursday, February 1, as Das failed to appear for the hearing on Wednesday. Notably, Das' counsel has not argued the appeal case even once, and has repeatedly sought extensions. This comes despite the CJM's stringent warning issued in December against any more extensions, she had asked the counsel to finish arguments at the earliest.

Two days ago on Monday, Das had appeared in Villupuram court in the appeal against his three-year jail sentence issued in June 2023. CJM Purnima had declared that if the counsel did not close arguments by the next hearing (January 31), she will pronounce the judgement on February 3.

Following another adjournment on Wednesday, the CJM warned Das' counsel that the court will appoint a government prosecutor to conduct the case if counsel once again fails to argue on February 1.

Youth succumbs to head injury at hosp six days after hit by bull at race

EXPRESS NEWS SERVICE @ Tirupattur

SIX days after being hit by a bull during the Eruthu Vidum Vizha (bull race) at Perumapet, 23-year-old Kesavan from Poongulam succumbed to a head injury at a private hospital on Tuesday. Notably, police said the bull race event had continued past the prescribed closing time of 2 pm, going on till 2.45 pm. Sources said, on January 24,

Kesavan, a private company

employee, and his friends had attended the bull race event as spectators. During the event, Kesavan had approached a bull, which knocked and threw

him away, causing an injury to the back of his head. He was quickly transported to Tirupattur Government Hospital via an ambulance that had been stationed at

the event as a precautionary measure. Subsequently, he was transferred to a private hospital in Vellore, where he passed away on Tuesday.

EN MANN EN MAKKAL

BJP flagpole lands on man's head during padayatra event

EXPRESS NEWS SERVICE @ Tirupattur

A 54-year-old man, Kalil from Periyar Nagar, sustained a head injury after a 30-foot-tall BJP flagpole fell on him during the party's En Mann En Makkal Padayatra on Wednesday. Notably, the incident took place before BJP state president Annamalai delivered his address. Subsequently, the injured man was taken to Tirupattur Government Hospital for medical attention, police said.

EXPRESS NEWS SERVICE @ Vellore

CONSTRUCTING Mekedatu dam in Karnataka requires the approval of both the central and Tamil Nadu governments. said Water Resources Minister Duraimurugan on Wednesday.

He was speaking at the inauguration of 'Ungalai Thedi, Ungal Ooril' programme in Katpadi.

Earlier, the minister inspected various infrastructure projects in the district totalling a cost of ₹42 crore; he then offered insights regarding the

construction of high-level and low-level bridges and also the reconstruction of Ponnai dam in Melpadi panchayat.

Following this, speaking to mediapersons, minister Duraimurugan expressed doubts regarding the feasibility of

Karnataka's Mekedatu project. He also underscored the urgent need to submit a detailed report to the centre on the impact of the recent heavy rains and floods in the state.

Meanwhile, Tiruvannamalai Collector Baskara Pandian in-

spected the living conditions of the Irular Colony residents in Polur. Moreover, Tirupattur Collector K Darpakaraj evaluated medical services provided at Attanavur Primary Health Centre in Yelagiri Hills panchavat, Tirupattur.

Mekedatu dam not feasible, needs nod from centre and TN: Min

CHANGE OF NAME & D.O.B I, Ex.No.14569118-L / Hav /

SIVAJI S, residing at Door No.7/21, Magamadhupettai, Mettukudisai, Mullandiram Post, Ami Taluk, Tiruvannamalai District, Tamil Nadu-632512, declare that my wife's name is wrongly recorded as S JOTHY LAKSHMI instead of B JOTHILAKSHMI

and Date of Birth as 12.09.1975 instead of 24.04.1980 in my Army Service Records and I want to correct the same. If anyone got objection on this same, they may write letter to Army office. Ex.No.14569118-L / Hav.

SIVAJI S

Dushadhi The Pharmaceutical Corporation (I.M.) Kerala Ltd. Kuttanellur, Thrissur-14, Kerala Ph: 0487- 2459841, 2459807. E-mail: purchase@oushadhi.org P/146/2023-24 Date: 1.2.2024

E-TENDER NOTICE E-Tenders are invited for the supply of I) Raw Materials and II) Containers & Packing Materials for the period 1" April 2024 to 30" September 2024. Tenders can be downloaded from the website www.etenders.kerala.gov.in. For more details, please visit our website www.oushadhi.org or contact our Purchase Division at Kuttanellur.

Centre for Distance and Virtual Learning UNIVERSITY OF HYDERABAD (A Central University established by an Act of Parliament in 1974) UGC-AICTE-DEC Joint Committee Approved Courses Institution of Eminence

ADMISSION NOTIFICATION **DISTANCE EDUCATION COURSES - 2024**

Applications are invited from eligible candidates for admission to the one-year Diploma Programmes offered through distance/online mode for the year 2024 Online registration and Prospectus-2024 can be downloaded from www.cdvl.uohyd.ac.in

For further details contact: cdvl.uoh@gmail.com Mob.: 9177618205, Ph.: 040-24600264.

DIRECTOR



Bank of Baroda

applicants for deployment of Mobile ATM Van (1 No) to operate in Madurai and neighboring districts. For details and application form please visit the tenders section of Bank's website - https://www.bankofbaroda.in/tenders/zonal-

Last Date for submission of offers is 21.02.2024 up to 4.00 PM.

assigning any reason thereof.

Date: 01.02.2024 Place: Madurai

The Bank reserves its right to accept or reject any offer without



SIPCOT SPECIAL ECONOMIC ZONE **ENVIRONMENTAL CLEARANCE**

Environmental Clearance has been obtained for the proposed Development of Special Economic Zone at A.Sathanur Village, Ulundurpet Taluk, Kallakurichi District, Tamil Nadu from the State Environment Impact Assessment Authority (SEIAA), Tamil Nadu vide Letter No. SEIAA-TN/F.No.9898/8(b)/EC.No:1001/2023 dated 10.01.2024.

The Environmental Clearance (EC) letter can be downloaded from the SIPCOT website www.sipcot.tn.gov.in. The Clearance Letter is also available in the website of Ministry of Environment, Forest and Climate Change (MoEF&CC) / SEIAA.

DIPR / 99 / Display / 2024

MANAGING DIRECTOR

All the news. In just a click. Log to www.newindianexpress.com



100

NORTH OF



Government of Tamil Nadu HIGHWAYS DEPARTMENT COIMBATORE CONSTRUCTION & MAINTENANCE CIRCLE

TENDER NOTICE Tender Notice No. 30/2023-24/HDO, Dated: 29.01.2024

For and on behalf of the Governor of Tamil Nadu, Percentage tender through online only will be received up to 19.02.2024 Afternoon 3.00 Hours by the Superintending Engineer (H), C&M, Colmbatore Circle for Road Safety Work(CRIDP) and CRIDP 2023-24 pertaining to Pollachi (H) C&M Division - 1 Work and Udhagamandalam(H) C&M Division - 1 Work.

Details of works, approximate value of works, EMD, availability of tender documents and all other details will be available in the Government website https://tntenders.gov.in. from 02.02.2024. If any Changes/Corrections are made in the tender, it will be published in the above Government website only.

DIPR/508/TENDER/2024

Superintending Engineer (H).

C&M, Coimbatore Circle.



VILLUPURAM HIGHWAYS

Two Cover / Single Cover System will be received upto 21.02.2024, 15.00 hours by the Superintending Engineer (H), C&M, Villupuram Circle for CRIDP 2023-24 (Road Safety Works) (VPM-130, 131 & 132) Three works for for Villupuram, Cuddalore & Vridhachalam (H) C&M Divisions.

Details of works, approximate value of works, EMD (EMD through online payment Gateway of the Portal only) availability of tender document and all other details are available from 05.02.2024 onwards in the Government website https://tntenders.gov.in. If any Changes / Corrections in the tender, it will be published in the above Government website only.


DIPR/545/TENDER/2024

KERALA WATER AUTHORITY e-TENDER NOTICE Tender No: E-Tender No 282/2023-24/SE/PHC/CHN

JJM-WSS to Aikkaranadu, Mazhuvannoor & Kunnathunadu Panchavath - LSGD roads restoration for distribution networks in Mazhuvannoor, Kunnathunadu and Aikkaranadu Panchayaths - General Civil Work. EMD: Rs. 5,00,000/-; Tender fee: Rs. 19518; Last Date for submitting Tender: 19-02-2024, 03:00:pm. Phone: 0484-2360645 Website: www.kwa.kerala.gov.in, www.etenders.kerala.gov.in

KWA-JB-GL-6-2234-2023-24

Superintending Engineer, PH Circle, Kochi



CIN: U40101KA2009PLC049582 Date: 25.01.2024 No. EE(MSP)/YTPS/23-24/152

BRIEF TENDER NOTIFICATION

RPCL, invites bids from reputed agencies for the following E-tenders for YTPS through e-Procurement www.kppp.karnataka.gov.in Brief Details of Goods: Procurement of 1) KPCL/2023-24/IND0718/CALL-3 Apron feeder drive sprockets for CHP. 2) KPCL/2023-24/IND0576/CALL-2 Wire wound resistor and reactors. 3) KPCL/2023-24/IND 0187/CALL-2 Submersible motors for PWS. 4) KPCL/2023-24/IND0802 Sulphuric acid. 5) KPCL/2023-24/IND08699/CALL-3 Sludge Pump. 6) KPCL/2023-24/SE0083/CALL-2 Engaging the services of Medical and Paramedical staff in shift duties to YTPS for a period of two years. Last date for Bid submission; For St. No. 1: 13.02.2024, 16.00 Hrs. For St. No. 2 & 3: 12.02.2024, 16.00 Hrs. For St. No. 4: 02.02.2024, 16.00 Hrs. For St. No. 5: 09.02.2024, 16.00 Hrs. For St. No. 6: 09.02.2024, 15.00 Hrs. Further details can be had from the Executive Engineer (MSP), Mobile: 94806 82892. E-mail: eemsprpcl@gmail.com (for Sl. No. 1 to 5)/ Deputy Medical Superintendent, Mobile: +91 94806 82903 (For St. No. 6), RPCL, YTPS, Yeramarus-584134, Raichur Dist.

(CONSTRUCTION & MAINTENANCE) CIRCLE TENDER NOTICE

SUPERINTENDING ENGINEER (H) C&M CIRCLE, VILLUPURAM



1.ECHS invites applications to engage following Medicaland Non-Medical Staff on contractual basis in ECHS Polyclinic, Erode for a period of one year renewable for additional period of one year / till attaining the maximum age subject to performance of

2.For Terms & Conditions, Application Form & Remuneration. Kindly see our website www.echs.gov.in. For additional details, please contact Station Headquarter (ECHS Cell), Sulur at telephone No 0422-2683171 & email ID sanchar.5@gov.in. Also

3.Last date of receipt of application as per format given at our website Application as per requisite format along with self-attested photocopies of testimonials in support of Educational Qualifications and Work Experiences will be submitted to Officer-In-Charge, Station Headquarter (ECHS Cell), Air Force Station Sulur, Coimbatore — 641401 by **22 Feb 24** in duplicate. Any application received after 22 Feb 24 will not be accepted.

on **29 Feb 24**for the interview to be held between **10:00** to **18:00 Hrs**. Candidates must bring all the original certificates/ mark sheets/ degree of 10th / Matric, 10+2 & graduation/ post-graduation/ diploma/ course, work experience and discharge book, PPO, service record and 02 PP size colour photographs at the time of interview. No TA/DA is admissible. Only candidates meeting the Qualitative Requirements may apply.

SMART CITY THIRUVANANTHAPURAM LIMITED CIN U75302KL2017SGC05027 **E-TENDER NOTICE** E-Tenders are invited for the following projects of Smart City Thiruvananthapuram Limited PAC Amount Bid Submissi Name of Project E-Tender ID Beautification works Kazhakuttom Railway Station, Technopark, adjoing areas-Upgrading to Smart Road by providing foot path to Technopark, 2024_SCTLT_647437_1 Rs.4.17.13.381/- 03 Feb 2024 UG ducting conduits, Solar Street lights, CC camera surveillance to Sreekariyam Kazhakuttom via Kullathur road. 2 Patch Work at RKV Road 2024 SCTLT 651831 1 Rs.1,77,000/- 07 Feb-2024 Date and Time of Opening Price Bid: To Be Intimated Separately to Technically Qualified Bidders b e-mail. All the RFP documents and details are available on the e-Procurement Website. Bids are only accepted online on the Website https://etenders.kerala.gov.in (8d/-), CHIEF EXECUTIVE OFFICER, SMART CITY THIRUVANANTHAPURAM Ltd

HLL Biotech Limited, a PSU under Ministry Health & Family Welfare invites application for the positions mentioned below: 1. Chief Financial Officer (CFO) / DGM (Finance) 2. Deputy CFO / AGM (Finance) 3. Assistant CFO / Senior Manager (Finance) 4. Manager (Finance) 5. Company Secretary

> 10. Hindi Translator For more details : www.hllbiotech.com Last date for applying: 15.02.2024 **HLL Biotech Limited,**

6. Deputy CEO 7. Personal Secretary to CEO

8. Head - Engineering 9. Head - HR

Integrated Vaccine Complex, S.No. 192 & 195, Melaripakkam Post, Thirukazhukundram Tk, Chengalpattu - 603 001. Tel: 044 - 27421449

WEST OF

PUBLIC NOTICE

My Client. SMALL INDUSTRIES DEVELOPMENT BANK OF INDIA, rep. by its Deputy General Manager, OVERSEAS TOWERS, DOOR NO.756 L, ANNA SALAI (OPP TVS), CHENNAI - 600 002 is intend to sanction credit facilities to M/s. MEFCO ENGINEERS PRIVATE LIMITED, a Private Limited Company rep. by its Director Mr.S.PRABHURAM, Son of P.S.Shanmugam, having their registered Office at Fountain Plaza Building, Door No.324, Pantheor Road, Egmore, CHENNAI-600 008 against the security of the under mentioned properties. The Security property is belonged to the above Company by virtue of SALE DEED dt.01.12.2023 in Registration No.2299 of 2023, registered on the file of the SRO, Sirupakkam. On scrutiny of the title documents it is found that the schedule properties are ancestral in nature and no parental documents prior to 2012 are available with the previous sellers o the under mentioned properties namely 1) Manjaan son of Periasamy Mesthiri and others namely 2) Arumugam 3) Periasamy 4) Anbazhagan all are sons of Krishnasamy Servai and 5) Vaiyapuri son of Chinnu Mesthiri and M/s.SPEED BOOMI PROMOTERS.

Therefore, this Public Notice is issued calling upon the Public in General that any person or persons having any right, title, claim, share or interest by way of inheritance in respect of the under mentioned property should send their claims in writing to the under signed or to my abovenamed clien along with genuine documentary evidence in support of their claim thereof within SEVEN DAYS of publication of this notice, failing which, the claims in any way shall be deemed to be waived. Any claim after the stipulated period will not be entertained for any reason whatsoever. Schedule of property

In Cuddalore District, Veppur Taluk, Viruthachalam Registration District, Sirupakkam Sub Registration District, in Mangalore Village... Item No.1: As per Patta No. 13261 in Avan Puniai land comprised in S.F.No. 11/1. P.Hec.0.34.50 is equal to 85 cents in entirety is bounded as follows:- (as shown in the Plan)

BOUNDARIES

EAST OF

I	NORTH OF	EAST OF	SOUTH OF	WEST OF	I
ı		BOUNDARIES			
I	follows:- (as shown in the Plan)				I
ı	Item No.2: As per Patta No. 13261 i	in Ayan Punjai land comprised in S.F	.No. 11/2, P.Hec.0.29.50 is equal to	73 cents in entirety is bounded as	
ı	Land comprised in S.F.No.10	Land comprised in S.F.No. 11/2	ianu compriseu in 5.F.No.11/5A	ianu compriseu s.r.ivo.12	ı

land comprised in S.F.No.11/4 Land comprised in S.F.No.10 Land comprised in S.F.No. 10 and 11/4 land comprised S.F.No.11/1 Item No.3: As per Patta No. 13261 in Ayan Punjai land comprised in S.F.No.11/3A, P.Hec.0.51.00 is equal to 1 acre 26 cents in entirety is bounde as follows:- (as shown in the Plan) **BOUNDARIES**

SOUTH OF

NUKIH UF	EAST UF	2001H OF	MF21 OF
Land comprised in S.F.No. 11/1	Land comprised in S.F.No. 11/4	land comprised in S.F.No. 11/3B and S.F.No.397	land comprised in S.F.No.12

Item No.4: As per Patta No. 13261 in Ayan Punjai land comprised in S.F.No.11/4, P.Hec.0.99.00 is equal to 2 acre 44.5 cents in this on the Western side, P.Hec.0.93.50 is equal to 2 acre 31 cents in entirety is bounded as follows:- (as shown in the Plan)

NORTH OF	EAST OF	SOUTH OF	WEST OF
1	Remaining Land comprised in S.F.No.11/4 (belonged to Speed	·	land comprised in S.F.No.11/3A and S.F.No. 11/2
Boundary	Boomi Promoters)		

Item No.5: As per Patta No. 13262 in Ayan Punjai land comprised in S.F.No. 12/2, P.Hec.O.30.00 is equal to 74 cents, in this on the Eastern side, **P.Hec.O.19.50** is equal to **48 cents in entirety** is bounded as follows:- (as shown in the Plan)

1	NORTH OF	EAST OF	SOUTH OF	WEST OF	
	Land comprised in S.F.No. 13	Land comprised in S.F.No.11	land comprised in S.F.No. 12/11 and S.F.No. 12/4	Remaining Land comprised in S.F.No. 12/2 (belonged to Speed Boomi Promoters)	

Item No.6: As per Patta No. 13262 in Ayan Punjai land comprised in S.F.No.397/2, P.Hec.O.79.00 is equal to 1 Acre 95 cents, in this on the Western side, P.Hec.0.75.80 is equal to 1 Acre 87 cents in entirety is bounded as follows:- (as shown in the Plan) **BOUNDARIES**

ı	NUKIH UF	EAST OF	2001H OF	MF21 NL
I	Land comprised in S.F.No. 11	Remaining Land comprised in S.F.No.397/2 (belonged to Speed Boomi Promoters)		Land comprised in S.F.No.397/1D
ı	All the above six items annexed together totally measuring P.Hec.3.03.80 is equal to 7 Acres 50 Cents with all rights of ingress and egre			vith all rights of ingress and egress ir

the usual cart tracks, pathway and all other Easementary rights provided for the above property. A.Ravindran, B.A., B.L., Advocate & Notary Chennai/Tirupur 19, Police Line II Street, Valipalayam, Tirupur-641 601 Mobile No.93455 62462, 98422 62462 30.01.2024 (Panel Advocate for SIDBI)

epaper.newindunexpress om







REQUIREMENT OF MOBILE ATM VAN (1 NO) TO OPERATE IN MADURAL Bank of Baroda Regional Office, Madurai invites sealed tenders in two bid system from

100

Regional Manager

GOVERNMENT OF TAMILNADU

TENDER NOTICE NO.45/2023-2024/HDO/DATED:27.01.2024 For and on behalf of the Governor of Tamil Nadu, Percentage tender through online under

GOVERNMENT OF INDIA MINISTRY OF DEFENCE

EMPLOYMENT NOTICE

Appointment	Minimum Qualification	No of Vac	Fixed Remuneration
Officer -In -Charge Polyclinic	Graduate (Post reserved for retired defence officers only)	01	75,000/-
Medical Officer	MBBS(minimum 05 years of work experience after internship)	01	75,000/-
Driver	Education-8 class, Class I MT driver (Armed Forces), Posses a civil driving licence (minimum 05 years of experience as driver)	01	19,700/-

approach concerned ECHS Polyclinic for details. Preference will be given to the Ex-servicemen.

4.Interview Date, Timing & Venue Candidate must reach Station Headquarter ECHS, Air Force Station Sulur, Coimbatore — 641401 at **09:00 Hrs**



TAMIL NADU WATER SUPPLY AND DRAINAGE BOARD

E-. Mail: eerwsslm2010@gmail.com Phone:0427-2448261

981/2023.

From

Er.C.Mathiyalagan.M.E., Executive Engineer, TWAD RWS Division, No.24, Palaniyappa Nagar; Salem Го

The Managing Director,

SIPCOT,

19-A, Rukmani Lakhsmipathy Road,

Post Box No. 7223, Egmore,

Chennai - 600 008

Lr No.F.SIPCOT /JDO/RWS/SLM/2023/Dated.10.01.2023

Sir,

Sub: TWAD Board - RWS Division - Salem - Providing 3.20 MLD Water supply from 10.00 MLD Dedicated water supply scheme to AIIRLIVAS site at Thalaivasal Koot Road in Salem District - Request for obtaining concurrence by SIPCOT for drawal of 3.20 MLD from AIIRLIVAS belonging to Animal Husbandary Department - Reg.

Ref

- Managing Director, SIPCOT Lr. No. CD/KKC/WSS/2022/Dt. 01.12.2022
- EODB Application No. TWAD 20220081 Dt. 08.11.2022
- G.O.(Ms) No. 183 / Animal Husbandry, Dairying and Fisheries (AH2) Department /Dt. 16.12.2019

I kindly submit that TWAD Board has been requested for providing 3.20 MLD Water supply to SIPCOT Industrial park at A. Sathanur in Ulunthurpet Taluk from 10.00 MLD dedicated Water supply scheme to Advanced Institute for Integrated Research on Livestock and Animal Sciences (AIIRLIVAS) Institute at Thalaivasal koot road in Salem District vide reference 1st cited. Necessary application has been filed in EoDB on 08.11.2022 vide reference 2nd cited.

In this regard, I kindly submit that dedicated water supply scheme has been executed by TWAD Board as per the administrative sanction vide reference 3rd cited as deposit work exclusively for AliRLIVAS belonging to Animal Husbandary department. Hence I request that necessary concurrence for drawal of 3.20 MLD water from Water Supply Scheme to AliRLIVAS may kindly be obtained by SIPCOT for further processing of the above water supply requirement.

Executive Engineer, TWAD

RWS Division, Salem

Cottos

4348

17559/2023.

ந.க.எண்.8587/ILP/2022

இயக்குநர் அலுவலகம் கால்நடை பராமரிப்பு மற்றும் மருத்துவப் பணிகள் கால்நடை பண்முக மருத்துவமனை வளாகம் 571, அண்ணா சாலை, நந்தனம், சென்னை – 35. நாள்: 24.04.2023.

அனுப்புநர்: திருமதி. எம்.லஷ்மி, இ.ஆ.ப., இயக்குநர் கால்நடை பராமரிப்பு மற்றும் மருத்துவப் பணிகள் சென்னை – 35.

பெறுநர்:

மேலாண் இயக்குநர்,

தமிழ்நாடு அரசு_தொழில் முன்னேற்றக் கழகம் (SIPCOT), 19A, ருக்மணி லக்ஷ்மிபதி ரோடு,

எழும்பூர், சென்னை.

* 27 APR 2023 *

CHENNAI - 600 008

of Mars

பொருள் :

தமிழ்நாடு அரசு தொழில் முன்னேற்றக் கழகம் (SIPCOT) தூத் சாத்தனூர் தொழிற்பூங்கா – கால்றடை மற்றும் விலங்கின அறிவியலுக்கான ஒருங்கிணைந்த உயர் ஆராய்ச்சி நிலையத்தின் (AliRLIVAS) செயல்பாட்டிற்காக 10MLD தண்ணீர் பயன்படுத்தும் திட்டம் – 3.2MLD தண்ணீர் – தொழிற்பூங்காவிற்கு ஆணை வழங்குதல் தொடர்பாக.

പന്ദ്രതെ :

- தமிழ்நாடு அரசு தொழில் முண்ணேற்றக் கழகம் (SIPCOT)
 Lr.No.CD/KKC/WSS/2023 நாள்: 19.01.2023.
- புரிந்துணர்வு ஒப்பந்தம் தமிழ்நாடு குடிநீர் வடிகால் வாரியம் மற்றும் கால்நடை பராமரிப்புத்துறை, நாள்: 29.05.2020
- T.O.Lr.No.CD/KKC/WSS/2022 Dated. 26.09.2022 and 01.12.2022 addressed to the Managing Director TWAD Board, Chennai–5.
- E.E/TWAD/RWSDivision/Salem/Lr.No.F.SIPCOT/JDO/RWS/SLM/2023
 Dated 10.01.2023 addressed to the Managing Director, SIPCOT.
- 5. TWAD BOARD B.P.Ms.No.88, நான்: 08.11.2017.

சேலம் மாவட்டம், தலைவாசல் கூட்டுரோட்டிற்கு அருகில் தேசிய நெடுஞ்சாலை எண்.79–ஐ ஒட்டி அமைந்துள்ள கால்நடை பராமரிப்புத்துறைக்கு சொந்தமான 1102. 25 ஏக்கர் பரப்பில் கால்நடை பராமரிப்பு, பால்வளம் மற்றும் மீன்வள

one copy Mo. to. CT-INC. on 215/23.

TA (1

5804

நடைமுறைகள் மற்றும் தொழில்நுட்பங்களை உள்ளடக்கிய ஒருங்கிணைந்த பல்துறை பல்நோக்குடன் கூடிய கால்நடை மற்றும் விலங்கின அறிவியலுக்கான ஒருங்கிணைந்த உயர் ஆராய்ச்சி நிலையம் (AllRLIVAS) ரூ564.44 கோடி மதிப்பீட்டில் நிறுவப்பட்டுவருகிறது.

இந்நிலையத்திற்காக தமிழ்நாடு குடிநீர் வடிகால் வாரியம் மூலம் ரூ262.16 கோடி மதிப்பீட்டில் மேட்டூர் அணையிலிருந்து சுமார் 156 கிலோ மீட்டர் தூரம் குழாய்கள் மற்றும் Pumping Station, Water Purification Plant, Ridge Sump, Three Break Pressure Tank ஆகிய கட்டமைப்புகள் மூலம் தண்ணீர் பெற்றிட பணிகள் செய்து முடிக்கப்பட்டுள்ளது. இத்தண்ணீரை சேமிக்க 60 (25+25+10) இலட்சம் லிட்டர் கொள்ளனவு கொண்ட 3 மேல்நிலை தண்ணீர் தொட்டிகள் அமைக்கப்பட்டுள்ளது.

கால்நடை மற்றும் விலங்கின அறிவியலுக்கான ஒருங்கிணைந்த உயர் ஆராய்ச்சி நிலையம் 2023ஆம் ஆண்டு பயன்பாட்டிற்கு கொண்டுவருவதற்கான ஆயத்தப்பணிகள் நடைபெற்றுவருகிறது.

இந்நிலையில் பார்வை 1 க் காணும் தமிழ்நாடு அரசு தொழில் முன்னேற்றக் கழகத்தின் (SIPCOT) கடிதத்தின் படி கள்ளக்குறிச்சி மாவட்டம் A சாத்தனூரில் அமைக்கப்படவுள்ள தொழிற்பூங்காவிற்கு 3.2 MLD (3.2 Million Litres per day) தண்ணீர் வழங்கிட கால்நடை பராமரிப்புத்துறையின் ஒப்புதல் கோரப்பட்டுள்ளது.

தமிழ்நாடு குடிநீர் வடிகால் வாரியமானது அரசு, தொழில் மற்றும் வணிக ரீதியான நிறுவனங்களுக்கு தண்ணீர் வழங்குவது தொடர்பாக பார்வை 5–ன் வழி கீழ்கண்டவாறு கட்டணம் நிர்ணயம் செய்துள்ளதாக தெரியவருகிறது.

வ.எண்	நிறுவனம்	கட்டண விகிதம்
1	அரசு நிறுவனங்கள்	ரூ30/1000 லிட்டர்
2	தொழில் மற்றும் வணிக நீதியான நிறுவனங்கள்	ரு60/1000 லிட்ட ர்

கால்நடை மற்றும் விலங்கின அறிவியலுக்கான ஒருங்கிணைந்த உயர் ஆராய்ச்சி நிலையத்திற்கு நாள் ஒன்றிற்கு 10MLD (18hrs/Day) தண்ணீர் தேவைப்படும். இந்த 10MLD தண்ணீர், 18 மணி நேரம் பம்பிங் செய்வதன் மூலம் பெறப்படும். மேலும் பார்வை 1ல் காணும் SIPCOT நிறுவன கடிதவழி, கோரப்பட்டுள்ள 3.2MLD தண்ணீர், எஞ்சிய 6 மணி நேரம் பம்பிங் செய்வதன் மூலம், பெற்று பயன்படுத்திட இதன்வழி இசைவு தெரிவிக்கப்படுகிறது. அதற்குரிய கட்டணத்திணை தமிழ்நாடு குடிநீர் வடிகால் வாரியம் வழிகாட்டுதலின்படி செலுத்தவேண்டும் எனவும் தெரிவிக்கப்படுகிறது.

> ஒம்/– எம்.லஷ்மி இயக்குநர் கால்நடை பராமரிப்பு (ம) மருத்துவப் பணிகள் சென்னை – 35.

// உண்மை நகல் // அனுப்பப்படுகிறது

இய்களுந் (பணிக்கைக்க) கூடுதல் இயக்குநர் (பணிக்கைக்க) இயக்குநர் அலுவலகம் கால்நடை பராமரிப்பு (ம) மருத்துவப் பணிகள் சென்னை – 35.

ഉള്ളു കയിുനുനുളിൽ

ിക്കുള്ളവായ അവുള്ള അവുള്ള വേധ്യായ്ക്കുള്ള വേയ്യായ്ക്കുള്ള വേയ്യായിലെ പ്രത്യായിലെ പ്രവാധിക്കാന് പ്രത്യായിലെ പ്രവാധിക്കാന് പ്രവാധിക് പ്രവാധിക്കാന് പ്രവാധിക്

<u>SIPCOT – KALLAKURICHI</u>

MONITORING PHOTOGRAPHS

AMBIENT AIR QUALITY MONITORING PHOTOS:

NEAR PROJECT AREA



Kanaiyar



Ulundurpettai



Pallidangal



Sathanur



GROUND WATER SAMPLING PHOTOS

Near Project area Kanaiyar Fidolikkot, Tama Pakolit, Ingila Remayar, Tamai Nacot, Ingila Rem

Ulundurpettai



NOISE SAMPLING PHOTOGRAPH



Kanaiyar



Ulundurpettai








Sathanur



SOIL MONTORING PHOTOGRAPH



Sathanur



SURFACE WATER SAMPLING PHOTOGRAPH

Kunamangalam Lake



26.03.2025

Lake near Ajees Nagar



ENVIRONMENTAL MANAGEMENT CELL

1. INTRODUCTION:

- 1.1. For effective implementation and monitoring of environmental management system, it is necessary to have a permanent organizational set-up as Environmental Management Cell (EMC). This is done by assigning responsibility to the concerned personnel for implementation of environmental control measures.
- 1.2. SIPCOT Environmental Management Cell consist of 7 team members headed by SIPCOT Managing Director, General Manager (Projects), Manager and two Environmental Consultants assisted by two Office Staffs which will enforce and implement the Environmental Plan.
- 1.3. The Organization of Environmental Management Cell (EMC) proposed is given in **Figure 1**.




Figure - 1 Organogram for Environmental Management Cell


2. RESPONSIBILITIES OF ENVIRONMENTAL MANAGEMENT CELL:

- 2.1. Environmental Management Cell (EMC) shall obtain all applicable statutory clearances and approvals as mandated by the regulatory authorities and maintain the Industrial Parks in compliance with all applicable rules and regulations.
- 2.2. Other responsibilities of the cell will include:
 - a) Review the progress of regulatory compliance of SIPCOT and initiate necessary action for the compliance of the same.
 - b) The EMC will review, implement, update, and comply with the Environment Policy to ensure the effective implementation of environmental safeguard measures.
 - c) Keeping the Board updated on regular basis about the activities carried out under environmental measures and suggests measures to improve environment preservation and protection.
 - d) Encourages allottee units to implement, adopt and use of green and sustainable technologies such as Solar, Wind, Thermal, Biomass, Electric & Hybrid vehicles, etc. to achieve more resource-efficient, clean and resilient growth towards reducing pollution during their process, manufacturing and transportation of goods and encourages energy recovery for self sustainability from their Industrial process.
 - e) Mandate industries to reduce the use of one time use plastics, Styrofoam, and other plastic material during the packing and delivery of goods.


Table - 1: Roles and responsibilities of EMC

S.No.	Designation	Responsibilities
		> Responsible for overall environmental management.
		> Regularly conduct meeting with EMC and take feedback
		regarding all the activities performed under
1	Managing Director	Environmental Management and give directions to
		succeeding component.
		> Approval of funds for carrying out environmental
		management activities.
		> Keep aware about all the activities performed under
		EMC in the industrial parks.
		> Issuing direction to Project officers for implementing
2	GM - Projects	Greenbelt development, Storm water management, rain
		water harvesting, etc.
		> To deal with legal entity pertaining to environmental
		issues.
		> To prepare and allocate budget for Environment
		Management Plan.
		Ensuring compliance to the conditions prescribed by
3	Manager	statutory authority.
		Mandating member industries to comply with the
		conditions stipulated in the statutory approvals and
		non-compliance if any shall be reported to GM and
		immediately required action will be taken.
		Obtaining Statutory Approvals from MoEF&CC / SEIAA / TNDCB at a
		TNPCB, etc.
		Addressing the various queries received from statutory
1	Environmental	authorities on environmental front.
4	Consultants (Two)	Submitting Environmental compliance report and
		coordinating with project officers for Environmental monitoring, audit, etc.
		Compliance with the environmental laws and
		implications which dynamically changes from time to
		time due to the emerging challenges.
		diffe due to the efficiency challenges.

Annexure -7



Annexure -8



P-IV/EC/I/179105/2024/KKI

To, The Member Secretary, Tamil Nadu Pollution Control Board, No.76, Mount Salai, Guindy, Chennai – 600 032.

(BY PPAP)

Date: 30.09.2024

Sir,

Sub: SIPCOT SEZ at A.Sathanur, Kallakurichi – Environmental Statement for the Financial Year ending 31st March 2024 - Submitted – Reg.

Ref: SEIAA EC Letter No.SEIAA-TN/F.No.9898/8(b)/EC.No.:1001/2023 dated 10.01.2024.

With reference to the above, we hereby submit the Environmental Statement in Form-V as prescribed under the Environmental (Protection) Rules, 1986 and its subsequent amendment in respect of Development Special Economic Zone (SEZ) at A.Sathanur Village, Ulundurpet Taluk, Kallakurichi District, Tamil Nadu for the Financial Year ending 31st March 2024.

Yours faithfully, Sd/-MANAGING DIRECTOR

Encl: As above.

/Forwarded by Order/

ASSISTANT GENERAL MANAGER (P-IV)

Sir,
fecumpanel
O/c.



A-21, III Phase, Thiru Vi Ka Industrial Estate,

Guindy, Chennai - 600 032.

Ph: 42985555 / 43635555 Fax: 42985500

E-mail: labsales@hecs.in



Laboratory Services Division

(Chemical & Biological Testing) Recognized by CPCB (MoEF & CC) BIS FSSAI Notified Laboratory ISO 9001, 14001 & 45001 Certified.



Name of the Client

TEST REPORT

Page: 1 of 1

ULR

: TC1231025000016333F

Report No.

: HECS/AP/101/260325

Sample ID No

: 260325157

26/03/2025

: 04/04/2025

: 04/04/2025

Sampling Date

Received Date

Completed On:

Sample quantity : NA

Report Date

Commenced Date: 26/03/2025

: 26/03/2025

Address of the Client

: kallakurichi

: M/s. SIPCOT

Group

Atmospheric Pollution

Sample Name

: Ambient Air

Sample Mark

: NA

Sample Reference Sample Drawn By : NA

: M/s. Hubert Enviro care Systems (P) Ltd.

Sample Location

Near Project Area

: Temperature (°C): 31.4 | Humidity (%): 53.0


Environmental Condition Sampling Method & Plan

: 18 5182 Part 5 & Part 14

S.No.	Test Parameters	Units	Results	Test Method	NAAQ Stand	dards : 2009
Discip	dine : Chemical					
1	Arsenic	ng/m3	BLQ (LOQ: 2.0)	HECS-G/INS/SOP/ 041 Issue No.:01 Issue Date:01.03,2021	6 (Annual)	6 (Annual)
2	Nickel	ng/m3	BLQ (LOQ: 2.0)	HECS-G/INS/SOP/ 041 Issue No.:01 Issue Date:01.03.2021	20 (Annual)	20 (Annual)
3	Benzene-AAQ	µg/m3	BLQ (LDQ: 0.1)	IS 5182 Part F1: 2006	5 (Annual)	5 (Annual)
4	Benzo (a) pyrme-AAQ	ngini.	BLQ (LOQ: 0.1)	18 : 5182 Part 12: 2004	I (Annual)	f (Annual)
9	Ammonia as NH3	µg/m²	15.12	IS 5182 (Part 25) 2018	400 (24 hours)	100 (Annual)
6	Carbon Mosoxide (CO)	mg/ m ³	BLQ(LOQ 0.05)	IS 5182 (Part 10) Clause 4 1999	4 (1 hours)	2 (8 hours)
7	Nitrogen dioxides as NO2	µg/m³	24.07	15 5182 (Part 6) 2006	80 (24 hours)	40 (Annual)
8	Ozone as O.3	µg/m³	17.00	1S 5182 (Part 9) 1974	180 (1 hours)	100 (8 hours
9	Particulate matter (Size less than 10 µm)	µg/m³	72.48	IS 5182 (Part 23) 2006	100 (24 hours)	60 (Annual)
10	Particulate matter (Size less than 2.5 μm)	ht/m,	25.76	IS 5182 (Part 24) 2019	60 (24 hours)	40 (Annual)
11	Sulphur dioxide as SO2	µg/m³	14.34	IS 5182 (Part 2) 2001	80 (24 hours)	50 (Annual)
12	1.ead	µg/m3	BLQ (LOQ: 0.002)	HECS-G/INS/SOP/ 041 Issue No.:01 Issue Date:01.03;2021	1 (24 bours)	0.5 (Annual)

Note:- BLQ - Below the Limit of Quantification, LOQ- Limit of Quantification, pg/m2- Micrograms per cubic meter, mg/m3-Milligrams per cubic meter, ng/m3-Nanograms per cubic meter.

Remarks: The Tested Parameters as above are within the Limits of NAAQ Standards 2009. "End of Report"



D.Anusuya

Lab Manager

Authorized Signatory

A-21, III Phase, Thiru Vi Ka Industrial Estate,

Guindy, Chennai - 600 032.

Ph: 42985555 / 43635555 Fax: 42985500

E-mail: labsales@hecs.in

Laboratory Services Division

(Chemical & Biological Testing) Recognized by CPCB (MoEF & CC) BIS, FSSAI Notified Laboratory ISO 9001, 14001 & 45001 Certified.

TEST REPORT

Page: 1 of 1

Report No.

- HECS/AP/101/260325/N

Sample ID No.

260325157

Sampling Date : 26/03/2025

Address of the Client

Name of the Client

: kallakurichi

M/s. SIPCOT

÷ 26/03/2025

Sample Name

Group

: Atmospheric Pollution : Ambient Air

Received Date Commenced Date: 26/03/2025

Sample Mark

: NA

Completed On 04/04/2025

Sample Reference

: NA

Report Date

04/04/2025

Sample Drawn By

: M/x.Hubert Enviro care Systems (P) Ltd.

Sample quantity : NA

Sample Location Environmental Condition Near Project Area

: Temperature (°C) : 31.4 | Humidity (%) : 53.0

Sampling Method & Plan

: IS 5182 Part 5 & Part 14

S.No.	Test Parameters	Units	Results	Test Method	
Discipline :	Chemical				
TVO	c	ppmv	BLQ(LOQ 0.1)	HECS-G/ENV/AAQ/SOP/005 1ss No.:01 Issue Date:02:07 2020	

Note:- BLQ - Below the Limit of Quantification, LOQ- Limit of Quantification, ppmv- Parts per million by Volume. ***End of Report***



A-21, III Phase, Thiru Vi Ka Industrial Estate,

Guindy, Chennal - 600 032.

Ph: 42985555 / 43635555 Fax: 42985500

E-mail: labsales@hecs.in

Name of the Client

Group



Laboratory Services Division

(Chemical & Biological Testing) Recognized by CPCB (MoEF & CC) BIS FSSAI Notified Laboratory ISO 9001, 14001 & 45001 Certified.

TEST REPORT

Page: 1 of 1

ULR : TC1231025000016334F Report No. : HECS/AP/102/260325

Sample ID No : 260325158

Sampling Date : 26/03/2025

Address of the Client : kallakurichi

Atmospheric Pollution

- M/s, SIPCOT

Sample Name : Ambient Air

Sample Mark : NA Sample Reference : NA

Sample Drawn By : M/s. Hubert Enviro care Systems (P) Ltd.

Sample Location : Kanaiyar

Environmental Condition : Temperature (°C): 31.4 | Humidity (%): 53.0

Sampling Method & Plan : 1S 5182 Part 5 & Part 14

Received Date : 26/03/2025

Commenced Date: 26/03/2025 Completed On : 04/04/2025 Report Date : 04/04/2025

Sample quantity : NA

S.No.	Test Parameters	Units	Results	Test Method	NAAQ Stand	dards : 2009
Discip	dine : Chemical					
I	Arsenic	ng/m3	BLQ (LOQ: 2.0)	HECS-G/INS/SOP/ 041 Issue No.:01 Issue Date:01.03.2021	6 (Annual)	6 (Armual)
2	Nickel	ng/m3	BLQ (LOQ: 2.0)	HECS-G/INS/SOP/ 041 Issue No.:01 Issue Date:01.03.2021	20 (Annual)	20 (Annual)
1	Benzene-AAQ	44g/m3	BLQ (LOQ: 0.1)	3S 5182 Part 11: 2006	5 (Annual)	5 (Annual)
d .	Henzo (a) pyrme AAQ	1195/1107	BLQ (LOQ: 0.1)	15 : 5182 Pwt 12: 2004	1 (Annual)	1 (Annual)
5	Amenonia as NH3	ug/ms	BLQ(LOQ 5)	15-5182 (Part 25) 2018	400 (24 hours)	100 (Annual)
6	Carbon Monoxide (CO)	mg/ m³	BLQ(LOQ 0.05)	15-5182 (Part 10) Clause 4 1999	4 (1 hours)	2 (8 hours)
7	Nitrogen dioxides as NO2	µg/m³	20.62	IS 5182 (Part 6) 2006	80 (24 hours)	40 (Annual)
1	Ozone as O3	µg/m²	BLQ(LOQ 10)	IS 5182 (Part 9) 1974	180 (1 hours)	100 (8 hours)
2.	Particulate matter (Size less than 10 jum)	µg/m³	79.31	IS 5182 (Part 23) 2006	100 (24 bours)	60 (Annual)
10	Particulate matter (Size less than 2.5 µm)	μg/m ¹	28.69	IS 5182 (Part 24) 2019	60 (24 hours)	40 (Annual)
ij.	Sulphur dioxide as SO2	µg/m²	12.08	IS 5182 (Part 2) 2001	80 (24 hours)	50 (Annual)
12	1.cad	µg/m3	BLQ (LOQ: 0.002)	HECS-G/INS/SOP/ 041 Issue No.:01 Issue Date:01.03.2021	I (24 hours)	0.5 (Annual)

Note:- BLQ - Below the Limit of Quantification, LOQ- Limit of Quantification, μg/m¹- Micrograms per cubic meter, mg/m¹-Milligrams per cubic meter, ng/m¹-Nanograms per cubic meter.

Remarks: The Tested Parameters as above are within the Limits of NAAQ Standards 2009.

End of Report



The report is full or part shall not be used for any promotional or publicity purpose without written consent by HECS organization. 2. Samples are not drawn by HECS oriens or otherwise mentioned. 3. Unless specifically requested by continue the best items will not be retained more than 15 days from the date of lease of test report. 4. Under no occurredances lab accepts any liability or loss? damage caused by use or misuse of test report after invoicing or issue of test report. 5. The test results relate only to the text items.

Hubert Enviro Care Systems (P) Ltd. A-21, III Phase, Thiru Vi Ka Industrial Estato,

Guindy, Chennai - 600 032.

Ph: 42985555 / 43635555 Fax: 42985500

E-mail: labsales@hecs.in

Laboratory Services Division

(Chemical & Biological Testing) Recognized by CPCB (MoEF & CC) BIS, FSSAI Notified Laboratory ISO 9001, 14001 & 45001 Certified

TEST REPORT

Page: 1 of 1

Report No.

HECS/AP/102/260325/N

Sample ID No

: 260325158

Sampling Date

: 26/03/2025

Address of the Client

Name of the Client

: kallakurichi

: M/s. SIPCOT

Received Date

26/03/2025

Sample Name

Group

Atmospheric Pollution Ambient Air

Commenced Date: 26/03/2025

Sample Mark

: NA

Completed On

104/04/2025 : 04/04/2025

Sample Reference Sample Drawn By : NA

Report Date

Sample Location

: M/s.Hubert Enviro care Systems (P) Ltd. : Kanniyar

Sample quantity: NA

Environmental Condition

: Temperature ("C): 31.4 | Humidity (%): 53.0

Sampling Method & Plan

: IS 5182 Part 5 & Part 14

S.No.	Test Parameters	Units	Results	Test Method
Discipline :	Chemical		7.	No.
TVO	C	ppmv	BLQ(LOQ 0.1)	HECS-G/ENV/AAQ/SOP/005 Issue No.:01 Issue Date:02:07:2020

Note:- BLQ - Below the Limit of Quantification, LOQ-Limit of Quantification, ppmy- Parts per million by Volume. ***End of Report***

A-21, III Phase, Thiru Vi Ka Industrial Estate,

Guindy, Chennai - 600 032.

Ph: 42985555 / 43635555 Fax: 42985500

E-mail: labsales@hecs.in

Name of the Client



Laboratory Services Division

(Chemical & Biological Testing) Recognized by CPCB (MoEF & CC) **BIS FSSAI Notified Laboratory** ISO 9001, 14001 & 45001 Certified.

TEST REPORT

Page: 1 of 1

ULR : TC1231025000016335F

1 26/03/2025

: 04/04/2025

: 04/04/2025

HECS/AP/103/260325 Sample ID No : 260325159

Report No.

Received Date

Completed On

Sample quantity : NA

Report Date

Sampling Date 26/03/2025

Commenced Date: 26/03/2025

Address of the Client : kallakurichi

Group Atmospheric Pollution

: Ambient Air Sample Name

Sample Mark : NA Sample Reference : NA

Sample Drawn By : M/s. Hubert Enviro care Systems (P) Ltd.

- M/s, SIPCOT

Sample Location : Ulundurpettai

Environmental Condition : Temperature (°C): 31.4 | Humidity (%): 53.0

Sampling Method & Plan : 15 5182 Part 5 & Part 14

S.No.	Test Parameters	Units	Results	Test Method	NAAQ Stane	dards: 2009
Discip	oline : Chemical					
1	Arsenic	ng/m3	BLQ (LOQ: 2.0)	HECS-G/INS/SOP/ 041 Issue No.:01 Issue Date:01.03.2021	6 (Annual)	6 (Annual)
2	Nickel	ng/m3	BLQ (LOQ: 2.0)	HECS-G/INS/SOP/ 041 Issue No.:01 Issue Date:01:03:2021	20 (Annual)	20 (Annual)
3	Benzene-AA()	Intime.	BE Ó (1.00-0.1)	19 5182 Part 11 2006	5 (Annual)	5 (Annual)
4	Benzo (a) pyrene-AAQ	nat/m²	BLQ (LXQ: 0.1)	1S : 5182 Part 12: 3004	1 (Ammod)	1 (Annual)
5	Ammonia as NH3	hg/m1	0.50	15/5182 (Part 35) 2018	400 (34 hours)	100 (Annual
6	Carbon Monoxide (CO)	mg/ m³	BLQ(LOQ 0.05)	IS 5182 (Part 10) Clause 4 1999	4 (1 hours)	2 (8 hours)
7	Nitrogen dioxides as NO2	µg/m³	26.95	IS 5182 (Part 6) 2006	80 (24 hours)	40 (Annual)
8	Ozone as O3	µg/m³	12.14	IS 5182 (Part 9) 1974	180 (1 hours)	100 (8 hours
9	Particulate matter (Size less than 10 μm)	µg/m³	89.47	IS 5182 (Part 23) 2006	100 (24 hours)	60 (Armual)
10	Particulate matter (Size less than 2.5 µm)	μg/m²	27,47	IS 5182 (Part 24) 2019	60 (24 hours)	40 (Armual)
11	Sulphur dioxide as SO2	µg/m ¹	12.31	IS 5182 (Part 2) 2001	80 (24 hours)	50 (Annual)
12	Lead	pg/m3	BLQ (LOQ: 0.002)	HECS-G/INS/SOP/ 041 Issue No.:01 Issue Date:01.03.2021	1 (24 hours)	0.5 (Annual)

Note:- BLQ - Below the Limit of Quantification, LOQ- Limit of Quantification, µg/m1- Micrograms per cubic meter, mg/m3-Milligrams per cubic meter, ng/m3-Nanograms per cubic meter.

Remarks: The Tested Parameters as above are within the Limits of NAAQ Standards 2009. ""End of Report"



D.Anusuya Lab Manager

Authorized Signatory

The report in full or part shall not be used for any premotioned or publicity purpose without written consent by RECS organization. 2. Samples are not desen by RECS unless or otherwise recificantly expenditurely exquested by expension by conformation and be extensed every flow to the set from the date of tests of test report. 4. Under no circomstances lab accepts any liability or loss / damage caused by use or misuse of test report after invoking or issue of test report. 5. The test results relate only to the test items. HECS-G/Q/FMT/049

A-21, III Phase, Thiru Vi Ka Industrial Estate.

Guindy, Chennai - 600 032.

Ph: 42985555 / 43635555 Fax: 42985500

E-mail: labsales@hecs.in

Laboratory Services Division

(Chemical & Biological Testing) Recognized by CPCB (MoEF & CC) BI5, FSSAI Notified Laboratory ISO 9001, 14001 & 45001 Certified.

TEST REPORT

Page: 1 of 1

Report No.

HECS/AP/103/260325/N

Sample ID No

260325159

Sampling Date

: 26/03/2025

Address of the Client

Name of the Client

: kallakurichi

- M/s, SIPCOT

26/03/2025

Sample Name

Group

S.No.

Atmospheric Pollution

Received Date

Commenced Date: 26/83/2025

Sample Mark

: Ambient Air : NA

Completed On

-04/04/2025

Sample Reference

INA

Test Parameters

Report Date

-04/04/2025

Sample Drawn By

: M/s. Hubert Enviro care Systems (P) Ltd.

Sample Location Environmental Condition : Ulundurpettai

Sample quantity : NA

Sampling Method & Plan

: Temperature (°C): 31.4 | Humidity (%): 53.0

: IS 5182 Part 5 & Part 14

Units

Results

Test Method

Discipline : Chemical

TVOC

ppmv

BLQ(LOQ:0.1)

HECS-G/ENV/AAQ/SOP/005 Issue

No.:01 Issue Date:02:07 2020

Note: BLQ - Below the Limit of Quantification, LOQ- Limit of Quantification, ppmv- Parts per million by Volume.

End of Report



D.Anusuya Lab Manager Authorized Signatory

 The report in full or part shall not be used for any promotional or publicity purpose without written consent by RECS organization. 2. Samples are not drawn by RECS critical or of manufactures are not drawn by RECS critical or of same of test report. 4. Under no circumstances lab accepts any Rabifly or loos / damage susual by use or misuse of last report after invoicing or issue of test report. 5. The test results relate only to the test items. HECS-G/O/FMT/49

A-21, III Phase, Thiru Vi Ka Industrial Estate,

Guindy, Chennai - 600 032.

Ph: 42985555 / 43635555 Fax: 42985500

E-mail: labsales@hecs.in



Laboratory Services Division

(Chemical & Biological Testing) Recognized by CPCB (MoEF & CC) **BIS FSSAI Notified Laboratory** ISO 9001, 14001 & 45001 Certified.

Name of the Client

TEST REPORT

Page: 1 of 1

ULR

: TC1231025000016336F

Report No.

HECS/AP/104/260325

Sample ID No

: 260325160

Sampling Date

: 26/03/2025

Address of the Client

: kallakurichi

2 M/s. SIPCOT

Group

: Atmospheric Pollution

Received Date

26/03/2025

Sample Name

Ambient Air

Commenced Date: 26/83/2025

Sample Mark

: NA : NA

Completed On

: 84/84/2025

Sample Reference

: M/s. Hubert Enviro care Systems (P) Ltd.

Report Date

04/04/2025

Sample Drawn By Sample Location

: Pallidangal

Sample quantity : NA

Environmental Condition

: Temperature (°C): 31.4 | Humidity (%): 53.0

Sampling Method & Plan

: 1S 5182 Part 5 & Part 14

S.No.	Test Parameters	Units	Results	Test Method	NAAQ Stand	dards : 2009
Discip	line : Chemical					ACCUSED TO SECUL
1	Arsenic	ng/m.i	BLQ (LOQ: 2.0)	HECS-G/INS/SOP/ 041 Issue No.:01 Issue Date:01.03.2021	6 (Annual)	6 (Annual)
2	Nickel	ng/m3	BLQ (LOQ: 2.0)	HECS-G/INS/SOP/ 041 Issue No.:01 Issue Date:01.03.2021	20 (Annual)	20 (Annual)
1.	Benzene-AAQ	ing/m?	BLQ (LDQ: 0.1)	15 5183 Part 11: 2000	5 (Armud)	5 (Annual)
1	Benzo (a) pyrene-AAQ	ngimi	BLQ (LOQ: 0.1)	15 : 5182 Part 12: 2004	i (Annual)	i (Ammai)
5	Ammonia se NH3	pgpm;	7.39	35 5182 (Part 25) 2018	400 (24 hours)	(00 (Annual
	Carbon Monoxide (CO)	mg/ m³	BLQ(LOQ 0.05).	IS 5182 (Part 10) Clause 4 1999	4 (1 hours)	2 (8 hours)
7	Nitrogen dioxides as NO2	µg/m³	24.67	IS 5182 (Part 6) 2006	80 (24 hours)	40 (Annual)
1	Ozone as O3	µg/m ⁺	13.18	IS 5182 (Part 9) 1974	180 (1 hours)	100 (8 hours
1	Particulate matter (Size less than 10 µm)	hB/m3	95.99	IS 5182 (Part 23) 2006	100 (24 hours)	60 (Annual)
0	Particulate matter (Size less than 2.5 µm)	µg/m ¹	32.84	1S 5182 (Part 24) 2019	60 (24 hours)	40 (Annual)
11	Sulphur dioxide as SO2	µg/m³	12.33	IS 5182 (Part 2) 2001	80 (24 hours)	50 (Annual)
2	Lead	µg/m3	BLQ (LOQ: 0.002)	HECS-G/INS/SOP/ 041 Issue No.:01 Issue Date:01.03.2021	1 (24 hours)	0.5 (Annual)

Note:- BLQ - Below the Limit of Quantification, LOQ- Limit of Quantification, µg/m1- Micrograms per cubic meter, mg/m'-Milligrams per cubic meter, ag/m'-Nanograms per cubic meter.

Remarks: The Tested Parameters as above are within the Limits of NAAQ Standards 2009. "End of Report"



The report in full or part shall not be used for any promotional or publicity purpose without written consent by RECS organization: 2. Samples are not drawn by RECS unless or otherwise manifolder 1. Unless specifically requested by continue of the text items will not be related more than 15 days from the date of lease of HECS-G/O/FMT/049

Hubert Enviro Care Systems (P) Ltd. A-21, III Phase, Thiru Vi Ka Industrial Estate,

Guindy, Chennai - 600 032.

Ph: 42985555 / 43635555 Fax: 42985500

E-mail: labsales@hecs.in

Laboratory Services Division

(Chemical & Biological Testing) Recognized by CPCB (MoEF & CC) BIS, FSSAI Notified Laboratory ISO 9001, 14001 & 45001 Certified.

TEST REPORT

Page: 1 of I

Report No:

HECS/AP/104/260325/N

Sample ID No

260325160

Sampling Date

26/03/2025

Address of the Client

Name of the Client

: kallakurichi

: M/s. SIPCOT

26/03/2025

Sample Name

Atmospheric Pollution

Received Date

Group

Ambient Air

Commenced Date: 26/03/2025

: 04/04/2025

Sample Mark

: NA : NA

Completed On

04/04/2025

Sample Reference Sample Drawn By

: M/s. Hubert Enviro care Systems (P) Ltd.

Report Date

Sample Location

: Pallidangal

Sample quantity : NA

Environmental Condition Sampling Method & Plan

: Temperature (°C) : 31.4 | Humidity (%) : 53.0

: 18 5182 Part 5 & Part 14

S.No.	Test Parameters	Units	Results	Test Method
Discip	line : Chemical			
	TVOC	ppmv	BLQ(LOQ 0.1)	HECS-G/ENV/AAQ/SOP/005 Issue

Note: BLQ - Below the Limit of Quantification, LOQ- Limit of Quantification, ppmy- Parts per million by Volume. ""End of Report""



The report in full or part shell not be used for any promotional or publicity purpose without written consent by HECS organization. 2. Samples are not drawn by HECS unless or otherwise manifested. 3. Unless a pacifically requested by customer the test items will not be retained more than 15 days from the date of issue of test report. 4. Under no circumstances tab accepts any liability or less / damage coursed by use or misuse of test report after invoicing or issue of test report. 5. The test results relate only to the test items.

HECS-C/O/FATT/49 HECS-G/Q/FNTT/49

A-21, III Phase, Thiru Vi Ka Industrial Estate,

Guindy, Chennai - 600 032.

Ph: 42985555 / 43635555 Fax: 42985500

E-mail: labsales@hecs.in



Laboratory Services Division

(Chemical & Biological Testing) Recognized by CPCB (MoEF & CC) **BIS FSSAI Notified Laboratory** ISO 9001, 14001 & 45001 Certified.



TEST REPORT

Page: 1 of 1

ULR

: TC1231025000016337F

Report No.

HECS/AP/105/260325

Sample ID No

: 260325161

Completed On

Sample quantity : NA

Report Date

: kallukurichi

: M/s. SIPCOT

Address of the Client

Sampling Date

Received Date : 26/93/2025

Commenced Date: 26/03/2025

: 26/03/2025

: 04/04/2025

: 04/04/2025

Group

Atmospheric Pollution

Sample Name

- Ambient Air

Sample Mark Sample Reference

: NA INA

Sample Drawn By

: M/s.Hubert Enviro care Systems (P) Ltd.

Sample Location Environmental Condition

: Temperature (°C): 31.4 | Humidity (%): 53.0

Sampling Method & Plan

: 15 5187 Part 5 & Part 14

S.No.	Test Parameters	Units	Results	Test Method	NAAQ Stan	dards : 2009
Disclp	line : Chemical					2,103,2,1,34,11
1	Arsenic	ng/m3	BLQ (LOQ: 2.0)	HECS-G/INS/SOP/ 041 Issue No.:01 Issue Date:01.03.2021	6 (Annual)	6 (Annual)
	Nickel	ng/m3	BLQ (LOQ: 2.0)	HECS-G/INS/SOP/ 041 Issue No.:01 Issue Date:01.03.2021	20 (Annual)	20 (Annual)
1	Benzene-AAQ	pg/m3	BLQ:(LOQ: 0.1)	IS 3192 Part 11: 2006	5 (Anomal)	5 (Annual)
	Benzo (a) pyrene-AAO	ng/mi	HLQ (LOQ: 0.1)	15 - 5182 Part 12: 2004	i (Ammi)	4 (Annual)
	Ammonia as NH3	papins"	10.16	15-3182 (Part 25) 2018	400 (24 hours)	100 (Annual
1	Carbon Monoxide (CO)	mg/ m³	BLQ(LOQ 0.05)	IS 5182 (Part 10) Clause 4 1999	4 (1 hours)	2 (8 hours)
	Nitrogen dioxides as NO2	pg/m³	25.72	IS 5182 (Part 6) 2006	80 (24 hours)	40 (Annual)
	Ozone as O3	µg/m³	16.27	IS 5182 (Part 9) 1974	180 (1 bours)	100 (8 hours
	Particulate matter (Size less than 10 µm)	μg/m [*]	104.56	IS 5182 (Part 23) 2006	100 (24 hours)	60 (Annual)
0	Particulate matter (Size less than 2.5 µm)	µg/m [†]	34.42	IS 5182 (Part 24) 2019	60 (24 hours)	40 (Annual)
1	Sulphur dioxide as SO2	jig/m³	16.58	IS 5182 (Part 2) 2001	80 (24 hours)	50 (Ainmal)
2	Lead	£m'gu	BLQ (LOQ: 0.002)	HECS-G/INS/SOP/ 041 Issue No.:01 Issue Date:01.03.2021	1 (24 hours)	0.5 (Annual)

Note:- BLQ - Below the Limit of Quantification, LOQ- Limit of Quantification, µg/m2- Micrograms per cubic meter, mg/m²-Milligrams per cubic meter, ng/m²-Nanograms per cubic meter.

Remarks: The Tested Parameters as above are within the Limits of NAAQ Standards 2009.



The report in full or part shall not be used for any promotional or publicity purpose without written consent by NECS organization.
 Samples are not drawn by NECS unless or otherwise mentioned.
 University agreement of the part shall not be used for any promotional or publicity purpose without written consent by NECS are placed by use or nations of test report.
 Under no circumstances like accepts any liability or loss / damage caused by use or nations of test report after invoicing or issue of test report.
 The test results retart only to the test items. HECS-G/O/FMT/049

Hubert Enviro Care Systems (P) Ltd. A-21, III Phase, Thiru VI Ka Industrial Estate,

Guindy, Chennai - 600 032.

Ph: 42985555 / 43635555 Fax: 42985500

E-mail: labsales@hecs.in

Laboratory Services Division

(Chemical & Biological Testing) Recognized by CPCB (MoEF & CC) BIS, FSSAI Notified Laboratory ISO 9001, 14001 & 45001 Certified.

TEST REPORT

Page: 1 of 1

Report No.

HECS/AP/105/260325/N

Sample ID No

: 260325161

Sampling Date

Received Date

Completed On

Sample quantity : NA

Report Date

26/03/2025

26/03/2025

: 04/04/2025

04/04/2025

Commenced Date: 26/03/2025.

Address of the Client

Name of the Client

: kallakurichi

: M/s. SIPCOT

: Atmospheric Pollution

Sample Name

Group

: Ambient Air

Sample Mark

: NA

Sample Reference

: NA

Sample Drawn By Sample Location M/s. Hubert Enviro care Systems (P) Ltd.

Environmental Condition

Sathanur

Temperature (°C): 31.4 | Humidity (%): 53.0

S.No	Test Parameters	Units	Results	Test Method
Discip	line : Chemical		11411	
	TVOC	ppmv	BLQ(LOQ 0.1)	HECS-G/ENV/AAQ/SOP/005 Issue No.:01 Issue Date:02-07 2020

Note: - BLQ - Below the Limit of Quantification, LOQ- Limit of Quantification, ppmv- Parts per million by Volume.

End of Report



The report in full or part shall not be used for any promotional or publicity purpose without written consent by NEC5 organization. 3. Samples are not drawn by NEC5 unless are observed mornilosed. 3. Unless appointment or expensional by customer the test items will not be retained more than 15 slays from the date of issue of test report. 4. Under no excumetances lab accepts any liability or ipsa / damage caused by use or misuse of test report after invoicing or issue of test report. 5. The test results relate only to the feet items.

HECS_C/CVENT/49 HECS-G/Q/FMT/49

A-21, III Phase, Thiru Vi Ka Industrial Estate,

Guindy, Chennai - 600 032.

Ph: 42985555 / 43635555 Fax: 42985500

E-mail: labsales@hecs.in



Laboratory Services Division

(Chemical & Biological Testing) Recognized by CPCB (MoEF & CC) BIS FSSAI Notified Laboratory ISO 9001, 14001 & 45001 Certified.



Name of the Client

TEST REPORT

Page 1 of 4

ULR

: TC1231025000017014F

Report No.

HECSL/WT/026/260325

Sample ID No.

: 260325162

Sampling Date

Received Date

Completed On

Report Date

Commenced Date: 26/03/2025

Sample quantity 2 Litres

26/03/2025

26/03/2025

: 07/04/2025

: 07/04/2025

Address of the Client

: kaltakurichi

M/s. SIPCOT

Group

Water

Sample Name

: Ground Water

Sample Mark

: NA

Sample Reference

INA

Sample Drawn By

: M/s.Hubert Enviro care Systems (P) Ltd. Near Project area

Sample Location Environmental Con-

S.Na.	Test Parameters	Units	Results.	Test Method	15 10500 : 2012		
					Acceptable Limits (Max)	Permissible Limits (Max)	
Discip	pline : Chemical						
1	Bi carbonate	mg/t	451.4	IS 3025 Part 51: 2001	NA	NA	
2	Horon as B	mg/l	Bt.Q(LOQ:0.1)	IS 3025 Part 57 -Curcumin Method: 2021	0.5	2.4	
3	Calcium as Ca	rig/s	52.10	IS 3025 Part 40: 1991 (EDTA Titrimetric Method)	75	200	
4	Carbonate	mg/t	BLQ(LOQ:1.0)	IS 3025 Part 51: 2001	NA	NA.	
5	Chloride as CI	ngd	39.59	IS 3025 Part 32: 1988 (Argentometric Method)	250	1000	
)	Cyanide as CN	mg/l	BLQ(LOQ:0.01)	15 3025 Part 27 Sec 1: 2021	0.05	No relaxation	
7	Electrical Conductivity at 25°C	μS/cm	886.0	IS 3025 Part-14: 2013	NA	NA	
1	Fluoride as F	mg/l	0.33	APHA 23rd edition (Method 4500F- B , D): 2017	1.0	1.5	
)	Iron as Fe	mg/l	0.038	IS 3025 (Part 53): 2003	1.0	No relaxation	
10	Magnesium as Mg	mg/l	31.59	IS 3025 Part 46: 1994 (Valumetric Method using EDTA)	30	100	
11	Nitrate as NO3	mg/l	2.07	APHA 23rd edition (Method 4500 NO3B): 2017	45	No relaxation	
12	Colour	Hazen units	BLQ(LOQ:1.0)	IS 3025 (Part4): 2021	5	15	
13	pH at 25°C	7	7.78	IS 3025(Part 11): 2022 (Electrometric method)	6.5-8.5	No relaxation	



D.Anusuya Lab Manager

Authorized Signatory

The report in full or part shall not be used for any promotional or publicity purpose without written consent by HECS organization. 2. Samples are not drawn by HECS unless or otherwise mentioned. 3. Unless appetficially requested by customer the fact items will not be retained more than 1% days from the date of lasue of test report. 4. Under ou circumstances tab accepts any liability or tree? damage caused by use or misuse of test report after invoicing or issue of test report. 5. The test results relate only to the test items.

HECS.COVENTIMAR HECS-G/Q/FMT/049

A-21, III Phase, Thiru Vi Ka Industrial Estate,

Guindy, Chennai - 600 032.

Ph: 42985555 / 43635555 Fax: 42985500

E-mail: labsales@hecs.in



Laboratory Services Division

(Chemical & Biological Testing) Recognized by CPCB (MoEF & CC) BIS FSSAI Notified Laboratory ISO 9001, 14001 & 45001 Certified.

Name of the Client

TEST REPORT

Page: 2 of 4

ULR

: TC1231025000017014F

Report No.

HECSL/WT/026/260325

Sample ID No

: 260325162

Address of the Client

: kallakurichi

: M/s. SIPCOT

Sampling Date

: 26/03/2025

Group

: Water

Received Date : 26/03/2025

Sample Name

: Ground Water

Commenced Date: 26/03/2025

Sample Mark

: NA

Completed On

: 07/04/2025

Sample Reference

: NA

Report Date

: 07/04/2025

Sample Drawn By

: M/s,Hubert Enviro care Systems (P) Ltd.

Sample quantity 72 Litres

Sample Location Environmental Condition

Near Project area

: Temperature (°C): 27.8 | Humidity (%): 56.0

Sampling Method & Plan

: IS 17614(Part-I):2021

S.No.	Test Parameters	Unite	Results	Test Method	IS 1050	0:2012
**					Acceptable Limits (Max)	Permissible Limits (Max)
14	Potassium as K	mg/l	10.0	IS 3025 Part 45: 1993 (Fleme emission Photometric Method)	NA	NA
15	Sodium as Na	mg/l	90.0	IS 3025 Part 45: 1993 (Fleme emission Photometric Method)	NA	NA
16	Sulphone as SCM	figm	11.74	(5 3025 Part 24 Sec 1: 2022) Turbidity Methody, Turbidity Method)	200	400)
1.7	Total dissolved solids	mg/l	511.0	IS 3025 (Part 16): 1984	500	2000
8	Total Suspended Solids	mg/l	BLQ(LOQ:2.0)	IS 3025 (Part 17): 1984	NA.	NA
9	Phosphorous as P	mg/l	BLQ(LOQ:0.02)	IS 3025 Part 31 Sec 1: 2022 (Stannous Chloride method)	NA.	NA.
20	Total hardness as CaCO3	mg/l	260.0	IS 3025 (Part 21): 2009	200	600
1	Turbidity, NTU	NTU	BLQ(LOQ:0.1)	IS 3025 (Part 10): 1984	1	600
2	Arsenic	mg/l	BLQ (LOQ: 0.005)	USEPA 200.8 : 1994	0.01	No relaxation
3	Barium	Pgm.	BLQ (LOQ: 0.01)	USEPA 200.8: 1994	0.7	No relaxation
	Cadmium	mg/l	BLQ (LOQ: 0.001)	USEPA 200.8 : 1994	0.003	No relaxation
5	Chromium	Tgm	BLQ (LOQ: 0.01)	USEPA 200.8 : 1994	0.05	No relaxation
fi.	Copper	mg/L	BLQ (LOQ: 0.01)	LISEPA 200.8: 1994	0.05	1.5



The report in full or part shall not be used the any promotional or publicity purpose without written consent by HECS organization. 2. Samples are not drawn by HECS unless or otherwise mentioned. 3. Unless specifically requested by customer the test items self not be retained more than 15 days from the date of issue of test report. 4. Under no circumstances late accepts any labelity or loss / demage caused by use or mission of test report after levelicing or issue of test report. 5. The test multis relate only to the test fices.

HECS-G/O/FMT/949 HECS-G/Q/FMT/049

A-21, III Phase, Thiru Vi Ka Industrial Estate,

Guindy, Chennai - 600 032.

Ph: 42985555 / 43635555 Fax: 42985500

E-mail: labsales@hocs.in



Laboratory Services Division

(Chemical & Biological Testing) Recognized by CPCB (MoEF & CC) BIS FSSAI Notified Laboratory ISO 9001, 14001 & 45001 Certified.



Name of the Client

Group

TEST REPORT

Page: 3 of 4

ULR : TC1231025000017014F

Report No. HECSL/WT/026/260325

: 07/04/2025

: 07/04/2025

Sample ID No : 260325162 Sampling Date : 26/03/2025

Received Date : 26/03/2025

Commenced Date: 26/03/2025

Sample quantity : 2 Litres

Completed On

Report Date

Address of the Client : kallakurichi

: Water

Sample Name : Ground Water

Sample Mark : NA

Sample Reference : NA

Sample Drawn By Sample Location : M/s. Hubert Enviro care Systems (P) Ltd.

3 M/s. SIPCOT

Sample Location : Near Project area
Environmental Condition : Temperature (°C)

Sampling Method & Plan

Near Project area

Temperature (°C): 27.8 | Humidity (%): 56.0 : IS 17614(Part-1):2021

S.Nn.	1101 1101 1101 1100 1100 1100 1100 110	Units	Results	Test Method	US-10500	1:2012
					Acceptable Limits (Max)	Permissible Limits (Max)
27	Lead	mg/l	BLQ (LOQ: 0.005)	USEPA 200.8: 1994	0.01	No relaxation
28	Mercury	mg/l	BLQ (LOQ: 0.0005)	USEPA 200.8: 1994	0.001	No relaxation
29	Nickel	mgri	IILQ (LOQ: nai)	USEPA 200.8 ; 1994	0.02	No relaxation
30	Zinc	rog/l	8t-Q (LOQ:	USEPA 200.8 - 1994	5	15
H:	Phenolic compounds as C6H5OH	mg/l	BLQ(LOQ:0.00 1)	IS 3025 Part 43 Sec 1: 2022	0.001	0.002
32	Anionic Surface Active agents as MBAS	mg/l	BLQ(LOQ:0.05)	APHA 23rd edition (Method 5540 B , C): 2017	0.2	T.
33	Percent Sodium	54	41.60	HECS /WT/SOP/002:: 2019	NA.	NA
34	Residual Sodium Carbonate	meq/l	BLQ(LOQ:1.0)	IS 11624; 2019	0.2	1.0
35	Ammonia as NH3	mg/l	BLQ(LOQ:0.02)	IS 3025 Part 34:Sec 2: 2021 (Nesslerization Method)	0.5	No relaxation
36	Sodium Adsorption Ratio(SAR)	Square root of (millimole/lit	2.4	3S 11624 : 2019	NA	NA
17	Dissolved oxygen	mg/l	6.5	IS 3025 (Part 38): 1989 (Titrimetric Method)	NA	NA



The report in full or part shall out be used for any promotional or publicity purpose without written consent by HECS organization. 2. Samples are not drawn by HECS orders or otherwise roundlessed. 3. Unless operationally requested by customer the tast items will not be entained more than 15 days from the date of lost report. 4. Under no circumstances tab accepts any liability or tous of damage caused by use or misuse of less report after invoking or issue of test report. 5. The test results notice only to the test forms.

HECS-G/Q/FMT/049

A-21, III Phase, Thiru Vi Ka Industrial Estate,

Guindy, Chennai - 600 032.

Ph: 42985555 / 43635555 Fax: 42985500

E-mail: labsales@hecs.in



Laboratory Services Division

(Chemical & Biological Testing) Recognized by CPCB (MoEF & CC) BIS FSSAI Notified Laboratory ISO 9001, 14001 & 45001 Certified.



Name of the Client

TEST REPORT

Page: 4 of 4

ULR

: TC1231025000017014F

Report No.

HECSL/WT/026/260325

Sample ID No

: 260325162

Sampling Date

: 26/03/2025

Address of the Client

: kallakurichi

M/s. SIPCOT

Received Date : 26/03/2025

Ground Water

Commenced Date: 26/03/2025

Sample Name Sample Mark

Group

: NA

: Water

Completed On

07/04/2025

Sample Reference

Report Date

: 07/04/2025

Sample Drawn By

Sample quantity 72 Litres

Sample Location

1 M/s. Hubert Enviro care Systems (P) Ltd. Near Project area

: Temperature (°C): 27.8 | Humidity (%): 56.0

Environmental Condition Sampling Method & Plan

: 1S 17614(Part-1):2021

S.No.	Test Parameters	Units	Results	Test Method	IS 10500	: 2012
				Acceptable Limits (Mix)	Permissible Limits (Max)	
38	Biological Oxygen Demand (BOD)@ 27°C For 3 days	mg/l	BLQ(LOQ:2.0)	IS 3025 Part 44: 1993	NA	NA
19	Chemical Oxygen Demand (COD)	Pgm	BLQ(LOQ:4.0)	1S 3025 Part 58: 2006	NA NA	NA
10	Phosphate as PG4	ring/fi	BLO(LOG-0.02)	JS 3025 Part 31 Sec 1-2022	NA.	NA
H	Selenium	mg/l	BLQ (LOQ: 0.005)	USEPA 200.8 : 1994	0.01	No relaxation
12	Manganese	mg/1	BLQ (LOQ: 0.01)	USEPA 200.8: 1994	0.1	0.3
13	Total alkalimity as CaCO3	mg/l	370.0	IS 3025 (Part 23): 1986	200	600

w the Limit of Quantification, LOQ-Limit of Quantification, NTU-Nephelometric Turbidity Unit, mg/l- Milligrams per litre, NA - Not Applicable.

End of Report



t. The report in full or part shall not be used for any promotional or publicity purpose without written consent by HECS organization. 2. Samples are not drawn by HECS unless or otherwise membraned. 3. Unless apacifically requested by customer the text items will not be retained more than 15 days from the date of issue of issue of issue of issue of counstances lab accepts any liability or inner / damage caused by use or nessee of text report after invoicing or issue of text report. 5. The text results relate only to the text items.

HECS-G/O/FMT/049 HECS-G/Q/FMT/049

A-21, III Phase, Thiru Vi Ka Industrial Estate,

Guindy, Chennai - 600 032.

Ph: 42985555 / 43635555 Fax: 42985500

E-mail: labsales@hecs.in

Laboratory Services Division (Chemical & Biological Testing) Recognized by CPCB (MoEF & CC) BIS, FSSAI Notified Laboratory ISO 9001, 14001 & 45001 Certified.

TEST REPORT

Page: 1 of 1

Report No. HECSL/WT/026/260325N

Sample ID No : 260325162

Sampling Date : 26/03/2025

Received Date 26/03/2025

Commenced Date: 26/03/2025

Completed On : 07/04/2025

Report Date : 07/04/2025

Sample quantity : 2 Litres

Address of the Client Group

Name of the Client

: Water

: M/s. SIPCOT

: kallakurichi

: Ground Water

Sample Mark

Sample Name

I NA

Sample Reference

INA

Sample Drawn By Sample Location : M/s.Hubert Enviro care Systems (P) Ltd. Near Project area

Environmental Condition

: Temperature ("C): 27.8 | Humidity (%): 56.0

Sampling Method & Plan : IS 17614(Part-1):2021

S.Nu.	Test Parameters	Units	Results	Yest Method
Philosophy P.L.	A 100 CO. C.			
oscipin	ne : Chemical			

Note:- BLQ: Below Limit of Quantification, LOQ: Limit of Quantification, mg/l: milligram per Litre. ***End of Report***



A-21, III Phase, Thiru Vi Ka Industrial Estate.

Guindy, Chennai - 600 032.

Ph: 42985555 / 43635555 Fax: 42985500

E-mail: labsales@hecs.in



Laboratory Services Division

(Chemical & Biological Testing) Recognized by CPCB (MoEF & CC) BIS FSSAI Notified Laboratory ISO 9001, 14001 & 45001 Certified.



TEST REPORT

Page: 1 of 4

ULR

: TC1231025000017015F

Report No.

HECSL/WT/027/260325

Sample ID No.

: 260325163

Sampling Date

Address of the Client

: M/s. SIPCOT

: 26/03/2025

Name of the Client

: kallakurichi

Received Date : 26/03/2025

Sample Name

Group

: Ground Water

Sample Mark

: NA

: Water

Commenced Date: 26/03/2025 Completed On : 07/04/2025

Sample Reference

: NA

Report Date

07/04/2025

Sample Drawn By

: M/s. Hubert Enviro care Systems (P) Ltd.

Sample quantity 2 Litres

Sample Location

: Ulundurpettni

: Temperature (°C): 27.8 | Humidity (%): 56.0

Environmental Condition Sampling Method & Plan

: 1S 17614(Part-1):2021

S.No.	Test Parameters	Units	Resides	Text Method	TS 10500	: 2012
				Acceptable Limits (Max)	Permissible Limits (Mas)	
Disci	pline : Chemical					
1	Bi carbonate	rog/l	585.6	IS 3025 Part 51: 2001	NA	NA
2	Boron as B	mg/t	BLQ(LOQ:0.1)	IS 3025 Part 57 -Curcumin Method: 2021	0.5	2,4
4.	Caterom as Ca	mpt	76.15	15 3025 Part 40: 1991 (EDTA Entrimetric Method)	75	200
4	Carionate	mg/i	BLQ(LOQ:1.0)	TS 3025 Part 51: 2001	NA	NA
5	Chloride as CI	mg/l	217.74	IS 3025 Part 32: 1988 (Argentometric Method)	250	1000
6	Cyanide as CN	mg/l	BLQ(LOQ:0.01)	IS 3025 Part 27 Sec 1: 2021	0.05	No relaxation
7	Electrical Conductivity at 25°C	µ5/cm	2105.	IS 3025 Part-14: 2013	NA	NA
8	Fluoride as F	mg/l	0.48	APHA 23rd edition (Method 4500F- B., D): 2017	1.0	1.5
9	Iron as Fe	mg/l	0.042	IS 3025 (Part 53): 2003	1.0	No relaxation
10	Magnesium as Mg	Pgm	38.88	IS 3025 Part 46: 1994 (Valumetric Method using EDTA)	30	100
11.	Nitrate as NO3	mg/I	37.24	APHA 23rd edition (Method 4500 NO3B): 2017	45	No relaxation
12	Colour	Hazen units	BLQ(LOQ:1.0)	IS 3025 (Pari4): 2021	5	15
13.	pH at 25°C		7.81	1S 3025(Part 11): 2022 (Electrometric method)	6.5-8.5	No relocation



The report in full or part shall not be used for any promotional or publicity purpose without written coresent by HECS organization: 2. Samples are not drawn by HECS unless or otherwise mentioned: 3. Unless specifically requested by customer the test does will not be retained more than 15 days from the date of issue of issue of issue or incrementances late accepts any tability or loss? damage caused by use or misuse of test report after invoicing or issue of test report. 5. The test results relate only to the test dams.

HECS-C/O/FMT/049 HECS-G/Q/FMT/049

A-21, III Phase, Thiru Vi Ka Industrial Estate,

Guindy, Chennai - 600 032.

Ph: 42985555 / 43635555 Fax: 42985500

E-mail: labsales@hecs.in



Laboratory Services Division

(Chemical & Biological Testing) Recognized by CPCB (MoEF & CC) BIS FSSAI Notified Laboratory ISO 9001, 14001 & 45001 Certified.



Name of the Client

TEST REPORT

Page: 2 of 4

ULR

: TC1231025000017015F

Report No.

HECSL/WT/027/260325

Sample ID-No

: 260325163

Sampling Date

: 26/03/2025

Address of the Client

: kallakurichi

: M/s. SIPCOT

Water

: Ground Water

Received Date | 26/03/2025

Sample Name

Commenced Date: 26/03/2025

Sample Mark

Group

Completed On

: 07/04/2025 07/04/2025

Sample Reference

: NA

Report Date

Sample quantity : 2 Litres.

Sample Drawn By Sample Location

: M/s.Hubert Enviro care Systems (P) Ltd. : Ulundurpettai

Environmental Condition Sampling Method & Plan

: Temperature (°C): 27.8 | Humidity (%): 56.0

: 15 17614(Part-1):2021

S.Nn.	Test Parameters	Units	Hessits	Test Method	IS 10500	: 2012
					Acceptable Limits (Max)	Permissible Limits (Max)
14	Potassium as K	mg/l	24.0	IS 3025 Part 45: 1993 (Fleme emission Photometric Method)	NA	NA
15	Sodium as Na	mg/l	274,0	IS 3025 Part 45: 1993 (Fleme emission Photometric Method)	NA	NA
10	Sulphone as 5434	migp*(122.48	15 3025 Part 24 Sec 1: 2022; Turbidity Method), Turbidity Method)	200	400
17	Total dissolved solids	mg/i	1096,0	15 3025 (Part 16): 1984	500	2000
18	Total Suspended Solids	mg/l	BLQ(LOQ:2.0)	IS 3025 (Part 17): 1984	NA	NA.
19	Phosphorous as P	mg/l	0.691	IS 3025 Part 31 Sec 1: 2022 (Stannous Chloride method)	NA	NA
20	Total hardness as CaCO3	ing/l	350.0	IS 3025 (Part 21): 2009	200	600
21	Turbidity, NTU	NTU	BLQ(LOQ:0.1)	IS 3025 (Part 10): 1984	1	5
22	Arsenic	Pager	BLQ (LOQ: 0,005)	USEPA 200.8 : 1994	0.01	No relaxation
23	Barium	mg/l	BLQ (LOQ: 0.01)	USEPA 200.8: 1994	0.7	No relaxation
24	Cadroium	reg/l	BLQ (LOQ: 0.001)	USEPA 200.8: 1994	0.003	No relaxation
25	Chromium	mg/I	BLQ (LOQ: 0.01)	LISEPA 200.8 : 1994	0.05	No relaxation
26	Copper	mg/l	BLQ (LOQ: 0.01)	USEPA 200.8 : 1994	0.05	1.5



The report in full or part shall not be used for any promotional or publicity purpose without written consent by HECS organization. 2. Samples are not drawn by HECS unless or otherwise sectional. 3. Unless specifically requested by customer the test items will not be retained more than 15 days from the date of lesses of seat report. 4. Under on circumstances tab accepts any tability or less / damage-caused by use or missise of test report after invoicing or lesses of test report. 5. The test results miste only to the test items.

HECS.CO/FACT.0409 HECS-G/Q/FMT/049

A-21, III Phase, Thiru Vi Ka Industrial Estate,

Guindy, Chennai - 600 032.

Ph: 42985555 / 43635555 Fax: 42985500

E-mail: labsales@hecs.in



Laboratory Services Division

(Chemical & Biological Testing) Recognized by CPCB (MoEF & CC) BIS FSSAI Notified Laboratory ISO 9001, 14001 & 45001 Certified.



TEST REPORT

Page: 3 of 4

ULR

: TC1231025000017015F

Report No.

HECSL/WT/027/260325

Sample ID No.

: 260325163

Sampling Date

: 26/03/2025

Address of the Client

Name of the Client

: kallakurichi

M/s. SIPCOT

Received Date : 26/03/2025

Sample Name

Group

Water

: Ground Water

Commenced Date: 26/03/2025

: 07/04/2025

Sample Mark

: NA

Completed On

Sample Reference

INA

Report Date

: 07/04/2025

Sample Drawn By Sample Location : M/s.Hubert Enviro care Systems (P) Ltd. · Ulundurpettai

Sample quantity 22 Litres

Environmental Condition

- Temperature (°C): 27.8 | Humidity (%): 56.0

Sampling Method & Plan

: IS 17614(Part-1):2021

S.No.	Test Parameters	Units	Results	Test Method	IS 10500	1:2012
					Acceptable Limits (Max)	Permissible Limits (Max)
27	Lead	Ngm	BLQ (LOQ: 0.005)	USEPA 200.8 : 1994	0.01	No relaxation
28	Mercury	Pgm	BLQ (LOQ: 0.0005)	USEPA 200.8: 1994	0.001	No relaxation
29	Nickel	mg/l	BEO (FOO:	USEPA 200.8 : 1994	8.02	No relaxation
30.	Zinc	ma/l	BLQ (LOQ. 0.01)	USEPA 200.8 : 1994	3	15
31	Phenolic compounds as C6H5OH	Pgm	BLQ(LOQ:0.00 1)	IS 3025 Part 43 Sec 1: 2022.	0.001	0,002
12	Anionic Surface Active agents as MBAS	Pgm	BLQ(LOQ:0.05)	APHA 23rd edition (Method 5540 B , C): 2017	0.2	1.
33	Percent Sodium	%	60.86	HECS /WT/SOP/002:: 2019	NA	NA
34	Residual Sodium Carbonate	Typoem	BLQ(LOQ:1.0)	IS 11624: 2019	0.2	1.0
35	Ammonia as NH3	Pam	BLQ(LOQ:0.02)	1S 3025 Part 34:Sec-2: 2021 (Nesslerization Method)	0.5	No relaxation
36	Sodium Adsorption Ratio(SAR)	Square root of (millimole/lit	6.3	IS 11624 : 2019	NA	NA
3.7	Dissolved oxygen	mg/l	6.5	IS 3025 (Part 38): 1989 (Terrimetric Method)	NA.	NA



The report in full or part shall not be used for any promotional or publicity purpose without written consent by HECS organization. 2. Samples are not drawn by HECS unless or otherwise sensitioned. 3. Unless specifically requested by customer the test items will not be retained more than 15 days from the date of lesse of test report. 4. Under no circumstances tall accepts any tability or less a date age caused by use or misses of test report after invoicing or issue of test report. 5. The test results relate only to the test items.

HECS-C/O/FMT7049 HECS-G/Q/FMT/849

A-21, III Phase, Thiru Vi Ka Industrial Estate,

Guindy, Chennai - 600 032.

Ph: 42985555 / 43635555 Fax: 42985500

E-mail: labsales@hecs.in



Laboratory Services Division

(Chemical & Biological Testing) Recognized by CPCB (MoEF & CC) BIS FSSAI Notified Laboratory ISO 9001, 14001 & 45001 Certified.



Name of the Client

TEST REPORT

Page: 4 of 4

ULR

: TC1231025000017015F

Report No.

HECSL/WT/027/260325

Sample ID No

Received Date : 26/03/2025

Commenced Date: 26/03/2025

Sample quantity : 2 Litres

: 260325163

Sampling Date

Completed On

Report Date

: 26/03/2025

107/04/2025

: 07/04/2025

Address of the Client

: kallakurichi

M/s. SIPCOT

Group

: Water

Sample Name

Ground Water

Sample Mark

: NA

Sample Reference Sample Drawn By

Sample Location

: NA

: M/s. Hubert Enviro care Systems (P) 1.td.

: Ulundurpettai

: Temperature (°C): 27.8 | Humidity (%): 56.0

Environmental Condition Sampling Method & Plan

: IS 17614(Part-1):2021

S.No.	Test Parameters	Units	Results	Test Method	15.10500	: 2012
					Acceptable Limits (Max)	Permissible Limits (Max)
38	Biological Oxygen Demand (BOD)@ 27°C For 3 days	Pigm	BLQ(LOQ:2.0)	IS 3025 Part 44: 1993	NA.	NA
39	Chemical Oxygen Demand (COD)	mg/l	BLQ(LOQ:4.0)	IS 3025 Part 58: 2006	NA NA	NA
40	Phosphate as PO4	mg/ft	0.691	15 3025 Part 31 Sec 1, 2022	NA I	NΔ
41	Selenium	mgd	HLQ (LOQ: 0.005)	USEPA 200.8 - 1994	0.01	No retaxation
42	Manganese	mg/l	BLQ (LOQ: 0.01)	USEPA 200.8 : 1994	0.1	0.3
43	Total alkalinity as CaCO3	mg/l	480.0	IS 3025 (Port 23): 1986	200	600

untification, LOQ-Limit of Quantification, NTU-Nephelometric Turbidity Unit, mg/l- Milligrams per litre, NA - Not Applicable.

End of Report

D.Anusuya Lab Manager Authorized Signatory

 The report in full or part shall not be used for any promotional or publicity purpose without written cansent by HECS engangation. 2. Samples are not drawn by HECS unless or otherwise mentioned. 3. Unless appointually requested by customer the best items will not be retained more than 15 days from the date of issue of text report. 4. Under no circumstances lab accepts any substity or loss I damage caused by use or misuse of text report after investing or issue of text report. 5. The lest results relate only to the text items.

HECS-G/O/FMT/049 HECS-G/Q/FMT/049 **Hubert Enviro Care Systems (P) Ltd.** A-21, III Phase, Thiru Vi Ka Industrial Estate,

Guindy, Chennai - 600 032.

Ph: 42985555 / 43635555 Fax: 42985500

E-mail: labsales@hecs.in

Name of the Chem

Address of the Client

Laboratory Services Division (Chemical & Biological Testing) Recognized by CPCB (MoEF & CC)

BIS, FSSAI Notified Laboratory ISO 9001, 14001 & 45001 Certified.

TEST REPORT

Page: 1 of 1

Report No.

HECSL/WT/027/260325N

Sample ID No

: 260325163

Sampling Date

: 26/03/2025

Group

Water

Received Date : 26/03/2025

Sample Name

: Ground Water

: M/s. SIPCOT

: kallakurichi

Commenced Date: 26/03/2025 Completed On

: 07/04/2025

Sample Mark

: NA : NA

07/04/2025

Sample Reference Sample Drawn By

: M/s.Hubert Enviro care Systems (P) Ltd.

Report Date

Sample Location Environmental Condition Ulundurpettai

1 Temperature ("C): 27.8 | Humidity (%): 56.0

Sample quantity : 2 Litres

Sampling Method & Plan

: IS 17614(Part-1):2021

S.No.	Test Parameters	Units	Results	Test Method
Discip	line : Chemical			
1	Hexavalent Chromium as Cr6+	rng/I	BLQ(LOQ:0:01)	IS 3025 Part 52 Clause 6: 2003

Note:- BLQ : Below Limit of Quantification, LOQ: Limit of Quantification, mg/l: milligram per Litre. ***End of Report***



A-21, III Phase, Thiru Vi Ka Industrial Estate,

Guindy, Chennai - 600 032.

Ph: 42985555 / 43635555 Fax: 42985500

E-mail: labsales@hecs.in



Laboratory Services Division

(Chemical & Biological Testing) Recognized by CPCB (MoEF & CC) **BIS FSSAI Notified Laboratory** ISO 9001, 14001 & 45001 Certified.

TEST REPORT

Page: 1 of 4

ULR

: TC1231025000017016F

Report No.

HECSL/WT/028/260325

Sample ID No

: 260325164

Sampling Date

Received Date

Completed On

Report Date

Commenced Date: 26/03/2025

Sample quantity 2 Litres

26/03/2025

26/03/2025

: 07/04/2025

: 07/04/2025

Address of the Client

Name of the Client

: kalfakurichi

M/s. SIPCOT:

Group

Water

Sample Name

: Ground Water

Sample Mark

: NA

Sample Reference

: NA

Sample Drawn By

: M/s. Hubert Enviro care Systems (P) Ltd.

Sample Location

: Kanaiyar

Environmental Condition

: Temperature (°C) : 27.8 | Humidity (%) : 56.0

Sampling	Method & Plan	: 18	17614(Part-1)):2021
S.No.	Test Parameters		Units	Results

S.No.	Test Parameters	Units	Results.	Test Method	IS 10500	: 2012
I HIVE CO.				Acceptable Limits (Max)	Permissible Limits (Max)	
Disci	pline : Chemical		72			
1	Bi carbonate	figm	463.6	IS 3025 Part 51: 2001	NA NA	NA.
2	Boron as B	Лди	BLQ(LOQ:0.1)	IS 3025 Part 57 -Curcumin Method: 2021	0.5	2.4
,)	Culcium as Ca	ing/i	88.18	IS 3025 Part 40: 1991(EDTA Titrimeeric Method)	75	200
4	Carbonate	Paper.	BLQ(L0Q:1.0)	15 3025 Part 51: 2001	NA	NA.
5	Chloride as Cl	mg/l	148,46	IS 3025 Part 32: 1988 (Argentometric Method)	250	1000
6	Cyanide as CN	mg/l	BLQ(LOQ:0.01)	IS 3025 Part 27 Sec 1: 2021	0,05	No relaxation
7	Electrical Conductivity at 25°C	μS/cm	1387.0	IS 3025 Part-14: 2013	NA	NA
8	Fluoride as F	ng/l	0.44	APHA 23rd edition (Method 4500F- B , D): 2017	1.0	1.5
9	Iron as Fe	mg/l	0.047	IS 3025 (Part 53): 2003	1.0	No relaxation
10	Magnesium as Mg	mg/I	53,46	15 3025 Part 46: 1994 (Valumetric Method using EDTA)	30	100
11	Nitrate as NO3	mg/l	15.61	APHA 23rd edition (Method 4500 NO3B): 2017	.45	No relaxation
12	Colour	Hazen units	BLQ(LOQ:1.0)	IS 3025 (Part4): 2021	5	15
13	pH at 25°C	-	7.66	IS 3025(Part 11): 2022 (Electrometric method)	6.5-8.5	No relaxation



D.Anusuya Lab Manager

Authorized Signatory

^{1.} The report in full or part shall not be used for any promotional or publicity purpose without written consent by HECS organization. 2. Samples are not drawn by HECS unless or otherwise neutrinosed. 3. Unless specifically requested by continue of the test items will not be entired more than 15 days from the date of issue of seal report. 4. Under no decuesalances lab accepts any liability or loss / demands only to the test items.

HECS-C/O/FMT/049 HECS-G/Q/FMT/049

A-21, III Phase, Thiru Vi Ka Industrial Estate,

Guindy, Chennai - 600 032.

Ph: 42985555 / 43635555 Fax: 42985500

E-mail: labsales@hecs.in



Laboratory Services Division

(Chemical & Biological Testing) Recognized by CPCB (MoEF & CC) BIS FSSAI Notified Laboratory ISO 9001, 14001 & 45001 Certified.



Name of the Client

TEST REPORT

Page: 2 of 4

ULR

: TC1231025000017016F

Report No.

HECSL/WT/028/260325

Sample ID No.

: 260325164

Sampling Date

:26/03/2025

Address of the Client

: kallakurichi

: M/s. SIPCOT

: Water

Sample Name

Group.

: Ground Water

Sample Mark

: NA

Sample Reference

: NA

Sample Drawn By

Sample Location

: M/s. Hubert Enviro care Systems (P) Ltd.

Environmental Condition

- Temperature (°C): 27.8 | Humidity (%): 56.0

Sampling Method & Plan

: IS 17614(Part-1):2021

Received Date	1.26/03/2026	

Commenced Date: 26/03/2025

Completed On : 07/04/2025 Report Date : 07/04/2025

Sample quantity : 2 Litres

S.Nu.	Test Parameters	Units	Results	Test Method	IS 10500 : 2012	
					Acceptable Limits (Max)	Permissible Limits (Max)
14	Potassium as K	mg/l	11.0	IS 3025 Part 45: 1993 (Fleme emission Photometric Method)	NA	NA
5	Sodium as Na	mg/l	98.0	IS 3025 Part 45: 1993 (Fleme emission Photometric Method)	NA	NA
16	Sulphate at SO4	mg/i	85.36	IS 3025 Part 24 Sec. 1: 2027(Turbidity Method); Turbuity Method)	200	400
7	Total dissolved solids	Ngm:	746.0	IS 3025 (Part 16): 1984	500	2000
8	Total Suspended Solids	mg/l	BLQ(LOQ:2.0)	IS 3025 (Part 17): 1984	NA	NA
9	Phosphorous as P	mg/l	0.083	IS 3025 Part 31 Sec 1: 2022 (Stannous Chloride method)	NA	NA
20	Total hardness as CaCO3	mg/l	440.0	IS 3025 (Part 21): 2009	200	600
1	Turbidity, NTU	NTU	BLQ(LOQ:0.1)	IS 3025 (Part 10): 1984	1	5
22	Arsenic	mg/l	BLQ (LOQ: 0.005)	USEPA 200.8 : 1994	0.01	No relaxation
23:	Barium	mg/l	BLQ (LOQ: 0.01)	USEPA 200.8: 1994	0.7	No relaxation
14	Cadmium	mg/t	BLQ (LOQ: 0.001)	USEPA 200.8: 1994	0.003	No relaxation
15	Chromium	mg/l	BLQ (LOQ: 0.01)	USEPA 200.8 : 1994	0.05	No relaxation
26	Copper	mg/l	BLQ (LOQ: 0.01)	USEPA 200.8 : 1994	0.05	1.5



The report in full or part shall not be used for any promotional or publicity purpose without written consent by HECS urganization. 2. Samples are not drawn by HECS unless or otherwise resolutioned. 3. Unless aspecifically requested by customer the test increase in a capital any both the retained more than 15 days from the date of issue of set report. 4. Under no circumstances tall accepts any biblifty or loss / damage caused by use or minute of test report after involving or issue of test report. 5. The test results relate only to the test items.

HECS.COSENT.040 HECS-G/Q/FMT/049

A-21, III Phase, Thiru Vi Ka Industrial Estate, Guindy, Chennai - 600 032.

Ph: 42985555 / 43635555 Fax: 42985500

E-mail: labsales@hecs.in



Laboratory Services Division

(Chemical & Biological Testing) Recognized by CPCB (MoEF & CC) BIS FSSAI Notified Laboratory ISO 9001, 14001 & 45001 Certified.

TEST REPORT

Page: 3 of 4

ULR

: TC1231025000017016F

Report No.

HECSL/WT/028/260325

Sample ID No

: 260325164

Sampling Date

Address of the Client

: kallakurichi

: M/s. SIPCOT

: 26/03/2025

Group

Water

Received Date : 26/03/2025

Sample Name

: Ground Water

Commenced Date: 26/03/2025

Sample Mark

: NA

Completed On

: 07/04/2025

Sample Reference

Name of the Client

: NA

Report Date

: 07/04/2025

Sample Drawn By

: M/s.Hubert Enviro care Systems (P) Ltd.

Sample Location

: Kanaiyar

Sample quantity 2 Litres

Environmental Condition Sampling Method & Plan

: Temperature (°C): 27.8 | Humidity (%): 56.0

: IS 17614(Part-1):2021

S.No.	Test Parameters	Units	Results	Test Method	15 19500	: 2012
					Acceptable Limits (Max)	Permissible Limits (Max)
27	Lead	mg/l	BLQ (LOQ: 0.005)	USEPA 200.8: 1994	0.01	No relaxation
28	Mercury	mg/l	BLQ (LOQ: 0.0005)	USEPA 200.8: 1994	100.0	No relaxation
29	Nickel	mg/l	BLQ (LOQ: 0.01)	USEPA 200.8: 1904	0.02	No retexation
2	Zior	mg/1	ULQ (LOQ: 0.01)	USEPA 200,8 ; 1994		13
31	Phenotic compounds as C6H5OH	Pigeri	BLQ(LOQ:0.00 1)	1S 3025 Part 43 Sec 1: 2022	0.001	0.002
32	Anionic Surface Active agents as MBAS	Ngm	BLQ(LOQ:0.05)	APHA 23rd edition (Method 5540 B , C): 2017	0.2	E
33	Percent Sodium	96	31.78	HECS/WT/SOP/002:: 2019	NA	NA.
34	Residual Sodium Carbonate	meg/l	BLQ(LOQ:1.0)	IS 11624: 2019	0.2	1.0
35	Ammonia as NH3	Pgm	BLQ(LOQ:0.02)	18:3025 Part 34:Sec 2: 2021 (Nesslerization Method)	0.5	No relaxation
36	Sodium Adsorption Ratio(SAR)	Square root of (millimole/lit	2.0	IS 11624 : 2019	NA	NA
37	Dissolved oxygen	mg/l	6.6	IS 3025 (Part 38): 1989 (Titrimetric Method)	NA	NA



^{1.} The report in full or part shall not be used for any promotional or publicity purpose without written consent by HECS organization. 2. Samples are not drawn by HECS unless or otherwise. mentioned: 3. Unless specifically requested by continuer the test items will not be retained more than 15 days from the date of test report. 4. Under no circumstances bit accepts any liability or loss / damage caused by use or misuse of test report after investing or issue of test report. 5. The test results relate only to the test flows.

HECS-COD/FATT/0.59 HECS-G/Q/FMT/049

A-21, III Phase, Thiru Vi Ka Industrial Estate, Guindy, Chennai - 600 032.

Ph: 42985555 / 43635555 Fax: 42985500

E-mail: labsales@hecs.in



Laboratory Services Division

(Chemical & Biological Testing) Recognized by CPCB (MoEF & CC) BIS FSSAI Notified Laboratory ISO 9001, 14001 & 45001 Certified.



TEST REPORT

Page: 4 of 4

ULR

: TC1231025000017016F

Report No.

HECSL/WT/028/260325

Sample ID No.

: 260325164

Sampling Date

Completed On

Report Date

Received Date : 26/03/2025

Commenced Date: 26/03/2025

Sample quantity ?2 Litres

: 26/03/2025

: 07/04/2025

: 07/04/2025

Address of the Client

Name of the Client

: kallakurichi

: M/s. SEPCOT

Group

Water

Sample Name

: Ground Water

Sample Mark

: NA

Sample Reference

: NA

Sample Drawn By

: M/s.Hubert Enviro care Systems (P) Ltd.

Sample Location

Kanaiyar

Environmental Condition

: Temperature (°C): 27.8 | Humidity (%): 56.0

S.No.	Test Parameters	est Parameters Units	Results	Results Test Method		1S 10500 : 2012		
					Acceptable Limits (Max)	Permissible Limits (Max)		
38	Biological Oxygen Demand (BOD)@ 27°C For 3 days	mg/l	BLQ(LOQ:2.0)	IS 3025 Part 44: 1993	NA	NA		
39	Chemical Oxygen Demand (COD)	mg/t	BLQ(LOQ:4.0)	IS 3025 Part 58: 2006	NA	NA		
60).	Phosphate as PO4	mg/l	0.093	III 3025 Part 31 Sec 1: 2022	NA NA	NA		
41	Selenium	mg/t	DLQ (LOQ: 0.005)	USEPA 200.8 : 1994	0.01	No reinamon		
42	Manganese	f/gm	BLQ (LOQ: 0.01)	USEPA 200.8: 1994	0.1	0.3		
43	Total alkalimity as CaCO3	mg/l	380.0	1S 3025 (Part 23): 1986	200	600		

Note :- BLQ - Below the Limit of Quantification, LOQ- Limit of Quantification, NTU- Nephelometric Turbidity Unit, mg/l- Milligrams per litre, NA - Not Applicable.

End of Report



^{1.} The report in full or part shall not be used for any promotional or publicity purpose without written consent by HECS organization. 2. Samples are not drawn by HECS unless or otherwise mentioned: 3. Unless specifically requested by quaternor the test items will not be returned more than 15 stays from the date of issue of test report. 4. Under no circumstances tab accepts any tability or loss / slamage caused by use or relation of test report after invoicing or issue of test report. 5. The test regular relate may to the test items.

HECS. C/CATATT man HECS-G/Q/FMT/049

A-21, III Phase, Thiru Vi Ka Industrial Estate,

Guindy, Chennai - 600 032.

Ph: 42985555 / 43635555 Fax: 42985500

E-mail: labsales@hecs.in

Laboratory Services Division (Chemical & Biological Testing) Recognized by CPCB (MoEF & CC) BIS, FSSAI Notified Laboratory ISO 9001, 14001 & 45001 Certified.

TEST REPORT

Page: 1 of 1

Report No.

: HECSL/WT/028/260325N

Sample ID No

Completed On

Report Date

Received Date : 26/03/2025

Commenced Date: 26/03/2025

Sample quantity 2 Litres

: 260325164

Sampling Date

: 26/03/2025

: 07/04/2025

: 07/04/2025

Address of the Client

Name of the Client

: kallakurichi

: M/s. SIPCOT

Group

S.No.

: Water

Sample Name

: Ground Water

Sample Mark

: NA

Sample Reference

: NA

Sample Drawn By

: M/s.Hubert Enviro care Systems (P) Ltd.

Units

mg/l

Sample Location

1 Kanalyar

Environmental Condition

Temperature (°C) : 27.8 | Humidity (%) : 56.0

Sampling Method & Plan

Discipline : Chemical

Test Parameters

Hexavalent Chromium as Cr6+

: IS 17614(Part-1):2021

		Results	L
20	-	BLQ(LOQ:0.01)	T

Note:- BLQ : Below Limit of Quantification, LOQ: Limit of Quantification, mg/l: milligram per Litre.

End of Report



A-21, III Phase, Thiru Vi Ka Industrial Estate,

Guindy, Chennai - 600 032.

Ph: 42985555 / 43635555 Fax: 42985500

E-mail: labsales@hecs.in



Laboratory Services Division

(Chemical & Biological Testing) Recognized by CPCB (MoEF & CC) BIS FSSAI Notified Laboratory ISO 9001, 14001 & 45001 Certified.

TEST REPORT

ULR

Page: 1 of 4

Report No.

: TC1231025000017034F

HECSL/WT/029/260325

Sample ID No

: 260325165

Sampling Date

: 26/03/2025

Address of the Client

Name of the Client

: kallakurichi

: M/s. SIPCOT

: Water

: Surface Water

Received Date

26/03/2025

Sample Name Sample Mark

: NA

Commenced Date: 26/83/2025

Group

Completed On : 07/04/2025

Sample Reference

Report Date

: 07/04/2025

Sample Drawn By

: M/s. Hubert Enviro care Systems (P) Ltd.

Sample quantity 2 Litres

Sample Location Environmental Condition Kunamangalam Lake

: Temperature (°C): 27.8 | Humidity (%): 56.0

Sampling Method & Plan

: IS 17614(Part-1):2021

S.No.	Test Parameters	Units	Results	Test Method	Inland Surface water Standards (Schedule -VI)
Discip	line : Chemical				
1	Total alkalinity as CaCO3	rng/t	90.0	IS 3025 Part 23: 1986	NA.
2	Hi carbonate	mg/I	109.8	IS 3025 Part 51: 2001	NA
1	Biological Oxygen Denied (BOD)66 77% For Ldays	Figure	2.0	IS 3025 Part 44: 1993	3.0
4	Boren as B	rugo)	BLQ(LQQ(8.1)	15-3025 Part 57: 2021 (Curcumin Method)	NA.
5	Calcium as Ca	mg/l	16.03	IS 3025 Part 40: 1991(EDTA Titrimetric Method)	NA
6	Chemical Oxygen Demand (COD)	mg/l	16.0	1S 3025 Part 58: 2006	250
7	Chloride as CI	mg/I	12.37	1S 3025 Part 32: 1988 (Argentometric Method)	NA
8	Colour	Hazen units	BLQ(LOQ:1.0)	IS 3025 Part 4: 2021	NA.
9	Dissolved oxygen	mg/I	6.0	IS 3025 Part 38: 1989	NA
10	Electrical Conductivity at 25°C	µS/cm	250.0	IS:3025 Part 14: 2013	NA
11	Fluoride as F	mg/l	0.22	APHA 23rd edition Method 4500 F -B,D: 2017	
12	Iron as Fe	Ing/I	0.238	JS 3025 Part 53: 2003	3.0
13	Nitrate as NO3	Pgm	5.04	APHA 23rd edition Method 4500 NO3B: 2017	NA NA



D.Anusuya Lab Manager

Authorized Signatory

The report in full or part shall not be used for any promotional or publicity purpose willoust written consent by HECS organization. 2. Samples are not drawn by HECS unless or otherwise seedlosed. 3. Unless appealingly requested by customer the test terms will not be retained more than 15 days from the date of issue of test report. 4. Under no circumstances tall accepts say tability or lose / shall or year and accepts any tability or lose / shall only the test items.

HECS_COVENTY.0.49

**TOTALE OF THE TOTALE HECS-G/O/FMT/049

A-21, III Phase, Thiru Vi Ka Industrial Estate,

Guindy, Chennai - 600 032.

Ph: 42985555 / 43635555 Fax: 42985500

E-mail: tabsales@hecs.in



Laboratory Services Division

(Chemical & Biological Testing) Recognized by CPCB (MoEF & CC) BIS FSSAI Notified Laboratory ISO 9001, 14001 & 45001 Certified.



Name of the Client

TEST REPORT

Page: 2 of 4

ULR

: TC1231025000017034F

Report No.

: HECSL/WT/029/260325

Sample ID No

: 260325165

Sampling Date

: 26/03/2025

Address of the Client

: kallakurichi

: M/a. SIPCOT

Group

Water

Sample Name

Surface Water

Sample Mark

: NA

Sample Reference

Sample Drawn By

: NA

Sample Location

: M/s. Hubert Enviro care Systems (P) Ltd.

- Kunamangatam Lake

Sampling Method & Plan

: IS 17614(Part-1):2021

Received Date : 26/03/2025 Commenced Date: 26/03/2025 Completed On : 07/04/2025

Report Date

: 07/04/2025 Sample quantity 12 Litres

Environmental Condition

: Temperature (°C): 27.8 | Humidity (%): 56.0

S.No.	Test Parameters	Units	Results	Test Method	Inland Surface water Standards (Schedule -VI)
14	Манданезе	mg/l	BLQ (LOQ: 0.01)	USEPA 200.8: 1994	2.0
15	Selenium	mg/l	BLQ (LOQ: 0.005)	USEPA 200.8: 1994	0.05
16	Planghate as PO4	mg/r	m.Q(LOQ:0.02)	APHA 23rd odition Method 4500-P B.D: 2017	NA.
12	pH at 25%;		7.96	15 3023 Part 11: 2022 (Electrometric Method)	3.3 - 9.0
18	Total dissolved solids	mg/l	132.0	IS 3025 Part 16: 1984	NA
19	Carbonate	mg/l	BLQ(LOQ:1.0)	IS 3025 Part 51: 2001	NA
20	Cyanide as CN	mg/l	BLQ(LOQ:0.01)	JS 3025 Part 27 sec 1: 2021	0.2
21	Magnesium as Mg	mg/l	9.72	IS 3025 Part 46: 1994 (Valumetric Method using EDTA)	NA
22	Potassium as K.	mg/I	2.0	IS 3025 Part 45: 1993	NA.
23	Sodium as Na	mg/L	16:0	JS 3025 Part 45: 1983	NA.
24	Sulphate as SO4	mg/l	3.12	IS 3025 Part 24 Sec 1: 2022	NA
25	Phenolic compounds as C6H5OH	mg/l	BLQ(LOQ:0.001)	IS 3025 Part 43:Sec 1: 2022	1.0
26	Anionic Surface Active agents as MBAS	mg/l	BLQ(1.0Q:0.05)	APHA 23rd edition Method 5540 B . C: 2017	NA.



The report in full or part shall not be used for any promotional or publicity purpose without written consent by HECS organization. 2. Samples are not drawn by HECS unless or atherwise mentioned. 3. Unless specifically requested by customer the test items sell not be related more than 15 days from the date of issue of test report. 4. Under one circumstances bits occupts any liability or loss / damage caused by use or release of test report after involving or issue of test report. 5. The test results relate only to the test items.

HECS-G/O/FMT/040 HECS-G/Q/FMT/049

A-21, III Phase, Thiru Vi Ka Industrial Estate.

Guindy, Chennai - 600 032.

Ph: 42985555 / 43635555 Fax: 42985500

E-mail: labsales@hecs.in



Laboratory Services Division

(Chemical & Biological Testing) Recognized by CPCB (MoEF & CC) BIS FSSAI Notified Laboratory ISO 9001, 14001 & 45001 Certified.



Name of the Client

TEST REPORT

Page: 3 of 4

ULR

: TC1231025000017034F

Report No.

HECSL/WT/029/260325

Sample ID No

: 260325165

Sampling Date

: 26/03/2025

Address of the Client

: kallakurichi

F M/s. SIPCOT

Group

38

10

Chromium

Copper

1 Water

Sample Name

Surface Water

Sample Mark

: NA

Sample Reference

: NA

Sample Drawn By

Sample Location

: M/s. Hubert Enviro care Systems (P) Ltd. : Kunamangalam Lake

Environmental Condition

: Temperature (°C): 27.8 | Humidity (%): 56.0

Received Dute - 26/03/2025

Commenced Date: 26/03/2025 Completed On 07/04/2025

Report Date 07/04/2025

Sample quantity : 2 Litres

S.No.	Test Parameters	Units	Results	Test Method	Inland Surface water Standards (Schedule -V1)
27	Percent Sodium	144	29.50	HECSG /WT/SOP/002 Issue No:01,Issue date 18,12: 2021	NA -
28	Barium	mg/l	BLQ (LOQ: 0.01)	USEPA 200.8 : 1994	NA
29	Residual Sodium Carbonate	mg/l	BLQ(LOQ:1.0)	IS 11624: 2019	NA
30	Ammonia as NH3	mgri	0.48	(S 3025 Part 34 Sec 2: 2021	5.0
311	Sodium Adsorption Ratio(SAR)	Square root of (millimole/lit r	0.77	IS 11624: 2019	NA
32	Total Hardness as CaCO3	mg/I	80.0	IS 3025 Part 21: 2009	NA
33	Total Phosphorous as P	Pgm	BLQ(LOQ:0.02)	IS 3025 Part 31 Sec 1: 2022	NA
34	Total Suspended Solids	Pgm	31.0	IS 3025 Part 17: 1984	100
35	Turbidity	NTU	13.4	IS 3025 Part 10: 1984	NA
36	Arsenic	mg/l	BLQ (LOQ: 0.005)	USEPA 200.8 : 1994	0.2
37	Cadmium	mg/l	BLQ (LOQ:	USEPA 200.8 : 1994	2.0

0.001)

BLQ (LOQ: 0.01)

BLQ (LOQ: 0.01)

mg/I

mg/f



USEPA 200.8 : 1994

USEPA 200.8: 1994

2.0

3.0

The report in hill or part shall not be used for any promotional or publicity purpose without written consent by NECS organization. 2. Samples are not drawn by NECS unless or otherwise meetings.
 United Specifically requested by customer the test items will not be retained more than 15 days from the date of lesse of test report. 4. Under no circumstances lab accepts any liability or less / damage caused by use or miseas of test report after invoicing or issue of fest report. 5. The test results retain only to the test items.

HECS-C/D/FATT/949 HECS-G/Q/FMT/049

A-21, III Phase, Thiru Vi Ka Industrial Estate.

Guindy, Chennai - 600 032.

Ph: 42985555 / 43635555 Fax: 42985500

E-mail: labsales@hecs.in



Laboratory Services Division

(Chemical & Biological Testing) Recognized by CPCB (MoEF & CC) **BIS FSSAI Notified Laboratory** ISO 9001, 14001 & 45001 Certified.



TEST REPORT

Page: 4 of 4

ULR

TC1231025000017034F

Report No.

HECSL/WT/029/260325

Sample ID No

: 260325165

: kallakurichi

Sampling Date

: 26/03/2025

Address of the Client

Name of the Client

: M/s. SIPCOT

Group

: Water

Received Date

26/03/2025

Sample Name

: Surface Water

Commenced Date: 26/03/2025

Sample Mark

: NA

Completed On

: 07/04/2025

Sample Reference

: NA

Report Date

07/04/2025

Sample Drawn By

M/s. Hubert Enviro care Systems (P) Ltd.

Sample quantity : 2 Litres

Sample Location Environmental Condition Kunamangalam Lake

: Temperature (°C): 27.8 | Humidity (%): 56.0

Sampling Method & Plan

: IS 17614(Part-1):2021

S.No.	Test Parameters	Units	Results	Test Method	Inland Surface water Standards (Schedule -VI)
40	i.ead	mg/l	BLQ (LOQ: 0.005)	USEPA 200.8: 1994	0.1
41	Mercury	l/gm	BLQ (LOQ: 0.0005)	USEPA 200.8: 1994	0.01
42	Nicket	mg/l	BLQ (LOQ- 0.01)	USEPA 200.8 ; 1994	3.0
43	Zinc:	mg/l	BLQ (LOQ. 0.01)	USEPA 2008: 1994	5.0

Note:- BLQ - Below the Limit of Quantification, LOQ- Limit of Quantification, mg/l - Milligrams per liter. ***End of Report***



The report in fail or part shall not be used for any promotional or publicity purpose without written consent by HECS organization. 2. Samples are not drawn by HECS unless or otherwise recordinally requested by customer the lest items will out be extended more than 15 days from the date of lesses of test report. 4. Under an circumstances fail accepts any liability or loss / damage caused by use or exists or two report after invoicing or issue of test report. 5. The test results only to the test items.

HECS.CO/FATT/049 HECS-G/Q/FMT/049

Guindy, Chennal - 600 032.

Ph: 42985555 / 43635555 Fax: 42985500

E-mail: labsales@hecs.in

Name of the Client

Laboratory Services Division (Chemical & Biological Testing) Recognized by CPCB (MoEF & CC) BIS, FSSAI Notified Laboratory ISO 9001, 14001 & 45001 Certified.

TEST REPORT

Page: 1 of 1

Report No.

HECSL/WT/029/260325N

Sample ID No

: 260325165

Sampling Date

Received Date

Completed On

Report Date

26/03/2025

26/03/2025

: 07/04/2025

: 07/04/2025

Commenced Date: 26/03/2025

Sample quantity: 2 Litres

Address of the Client

: kallakurichi

I M/s. SIPCOT

Group

: Water

Sample Name

: Surface Water

Sample Mark

: NA

Sample Reference

: NA

Sample Drawn By

: M/s.Hubert Enviro care Systems (P) Ltd.

Sample Location

* Kunamangalam Lake

Environmental Condition

* Temperature ("C): 27.8 | Humidity (%): 56.0

Sampling Method & Plan

: IS 17614(Part-1):2021

S.No.	Test Parameters	Units	Results	Test Method	Inland Surface water Standards (Schedule -VI)
Discip	oline : Chemical				
1	Hexavalent Chromaun as Cr6+	rng/l	BLQ(LOQ:0.01)	IS 3025 Part 52 Clause 6: 2003	0.1

Note:- BLQ : Below the Limit of Quantification, LOQ: Limit of Quantification, mg/l: milligram per Litre, % - Percentage.



A-21, III Phase, Thiru Vi Ka Industrial Estate. Guindy, Chennal - 600 032.

Ph: 42985555 / 43635555 Fax: 42985500

E-mail: labsales@hecs.in



Laboratory Services Division

(Chemical & Biological Testing) Recognized by CPCB (MoEF & CC) BIS FSSAI Notified Laboratory ISO 9001, 14001 & 45001 Certified.

TEST REPORT

: M/s, SIPCOT

ULR

Page: 1 of 4

: TC1231025000017035F

Report No.

HECSL/WT/030/260325

Sample ID No.

: 260325166

Sampling Date

: 26/03/2025

: kallakurichi

Address of the Client

Name of the Client

2 Water

Received Date = 26/03/2025

Sample Name

Group

Surface Water

Commenced Date: 26/03/2025

: NA

: 07/04/2025

Sample Mark

Completed On

: 07/04/2025

Sample Reference Sample Drawn By INA

Report Date:

Sample Location

3 M/s. Hubert Enviro care Systems (P) Ltd. : Near Ajees Nagar

Sample quantity 2 Litres

Environmental Condition Sampling Method & Plan

: Temperature (°C): 27.8 | Humidity (%): 56.0

: 15 17614(Part-1):2021

S.No. Test Parameters Units Results Test Method Inland Surface water Standards (Schedule -V1) Discipline: Chemical Total alkalinity as CaCO3 mg/t 113.0 1S 3025 Part 23: 1986 NA Bi carbonate mg/f 140.3 1S 3025 Part 51: 2001 NA Biological Oxygen Demand (BOD)@ 2.0 mg/f 15 3825 Part 44: 1993 30 27°C For 3 days Boron as B mg/1 BLO(LOQ:0.1) IS 3025 Part 57: 2021 (Curcumin NA Method) Calcium as Ca mg/l 28.06 IS 3025 Part 40: 1991(EDTA NA Titrimetric Method) 6 Chemical Oxygen Demand (COD) mg/l 16.0 IS 3025 Part 58: 2006 250 Chloride as Cl IS 3025 Part 32: 1988 (22.21 mg/l NA Argentometric Method) 8 Colour Hazen units BLQ(LOQ:1.0) IS 3025 Part 4: 2021 NA 9 Dissolved asygen 6.0 mg/t IS 3025 Part 38: 1989 NA 10 Electrical Conductivity at 25°C 340.0 IS:3025 Part 14: 2013 µS/cm NA 11 Fluoride as F APHA 23rd edition Method 4500 F 0.25 ting/I 2.0 B.D. 2017 12 Iron as Fe mg/l 0.112 15 3025 Part 53: 2003 3.0 13 Nitrate as NO3 3.38 mg/t APHA 23rd edition Method 4500 NA NO3B: 2017



^{1.} The report in full or part shall not be used for any promotional or publicity purpose without written assessed by HECS separated as an not drawn by HECS unless or observing mentioned. 3. Unless apecifically requested by conformal the text items will not be retained more than 15 days from the date of lesses of lost report. 4. Under no circumstances lab accepts any sublifity or loss / damage caused by use or misuse of lest report after invoking or issue of text report. 5. The text results relate only to the feet liters.

HECS CONFACT on an HECS-G/Q/FMT/049

A-21, III Phase, Thiru Vi Ka Industrial Estate, Guindy, Chennai - 600 032.

Ph: 42985555 / 43635555 Fax: 42985500

E-mail: labsales@hecs.in



Laboratory Services Division

(Chemical & Biological Testing) Recognized by CPCB (MoEF & CC) BIS FSSAI Notified Laboratory ISO 9001, 14001 & 45001 Certified.



TEST REPORT

Page: 2 of 4

ULR

: TC1231025000017035F

Report No.

HECSL/WT/030/260325

Sample ID No.

: 260325166

Sampling Date

: 26/03/2025

Address of the Client

Name of the Client

: kallukurichi

: M/s. SIPCOT

Received Date : 26/03/2025

Sample Name

Water Surface Water

Commenced Date : 26/03/2025

Sample Mark

Gepup

: NA

Completed On

: 07/04/2025

Sample Reference

: NA

: 07/04/2025

Report Date

Sample Drawn By Sample Location : M/s.Hubert Enviro care Systems (P) Ltd. Near Ajees Nagar

Sample quantity 2 Litres

Environmental Condition

Temperature (°C): 27.8 | Humidity (%): 56.0

Sampling Method & Plan

: 1S 17614(Part-1):2021

S.No.	Test Parametera	Units	Results	Test Method	Inland Surface water Standards (Schedule -V1)
14	Manganese	mg/I	BLQ (LOQ: 0.01)	USEPA 200.8: 1994	2.0
15	Selenium	mg/l	BLQ (LOQ: 0.005)	USEPA 200.8: 1994	0.05
16	Phosphate as PO4	mg/l	0.065	APHA 23rd edition Method 4500-P B,D: 2017	NA.
17	p81 at 25°C	18	8.14	IS 3025 Part 11: 2022 (Electrometric Method)	5.5 - 9.0
18	Total dissolved solids	mg/l	181.0	IS 3025 Part 16: 1984	NA
19	Carbonate	mg/I	BLQ(1.OQ:1.0)	IS 3025 Part 51: 2001	NA
20	Cyanide as CN	mg/T	BLQ(LOQ:0.01)	1S 3025 Part 27 sec 1: 2021	0.2
21	Magnesium as Mg	mg/I	10.94	IS 3025 Part 46: 1994 (Valumetric Method using EDTA)	NA
22	Potassium as K.	mg/T	3.0	1S 3025 Part 45: 1993	NA
23	Sodium as Na	mg/l	19.0	IS 3025 Part 45: 1983	NA.
24	Sulphate as SO4	mg/l	11,75	IS 3025 Part 24 Sec 1: 2022	NA
2.5	Phenolic compounds as C6H5OH	mg/l	BLQ(LOQ:0.001)	IS 3025 Part 43:Sec 1: 2022	1.0
26	Amonic Surface Active agents as MBAS	mg/l	BLQ(LOQ:0.05)	APHA 23rd edition Method 5540 B , C: 2017	NA



The report in full or part shall not be used for any promotional or publicity purpose without written consent by HECS organization. 2. Samples are not drawn by HECS unless or otherwise mentioned. 3. Unless specifically requested by customer the test forms will not be retained more than 15 days from the date of issue of issue of issue of seal report. 4. Under no obstances tall excepts any liability or loss / demand counted by use or misuse of test report after invoicing or issue of test report. 5. The test results relate only to the test tions.

445°CS_CANCESTER 10.00. HECS-G/Q/FMT/049

A-21, III Phase, Thiru Vi Ka Industrial Estate.

Guindy, Chennai - 600 032.

Ph: 42985555 / 43635555 Fax: 42985500

E-mail: labsales@hecs.in



Laboratory Services Division

(Chemical & Biological Testing) Recognized by CPCB (MoEF & CC) BIS FSSAI Notified Laboratory ISO 9001, 14001 & 45001 Certified.



Name of the Client

Address of the Client

TEST REPORT

Page: 3 of 4

ULR

: TC1231025000017035F

Report No.

HECSL/WT/030/260325

Sample ID No

: 260325166

Sampling Date

: 26/03/2025

Group

Water

Received Date : 26/03/2025

Sample Name

: Surface Water

3 M/s. SIPCOT

: kallakurichi

Commenced Date: 26/03/2025

Sample Mark

: 07/04/2025

: NA

Completed On

Sample Reference

: NA

Report Date

: 07/04/2025 Sample quantity 2 Litres

Sample Drawn By Sample Location

: M/s.Hubert Enviro care Systems (P) Ltd. Near Ajees Nagar

Environmental Condition

: Temperature (°C): 27.8 | Humidity (%): 56.0

Sampling Method & Plan

: IS 17614(Part-1):2021

S.No.	Test Parameters	Units	Results	Test Method	Inland Surface water Standards (Schedule -VI)
27	Percent Sodium	%	26.68	HECSG /WT/SOP/002 Issue No:01,Issue date 18.12: 2021	NA
28	Barium	mg/l	BLQ (LOQ: 0.01)	USEPA 200.8 : 1994	NA
20	Rendual Sodium Carbonate	mg/l	BLQILOQ:1.01	IS 11624: 2019	NA
10	Ammonia as NH3	mg/l	0.45	IS 3025 Part 34 Sec 2: 2021	5.0
31	Sodium Adsorption Ratio(SAR)	Square root of (millimole/lit r	0.77	18 11624: 2019	NA
32	Total Hardness as CaCO3	mg/l	115.0	IS 3025 Part 21: 2009	NA.
33	Total Phosphorous as P	Pgm	0.020	IS 3025 Part 31 Sec 1: 2022	NA
34	Total Suspended Solids	mg/l	7.0	IS 3025 Part 17: 1984	100
35	Turbidity	NTU	2.9	IS 3025 Part 10: 1984	NA.
36	Arsenic	T/gm	BLQ (LOQ: 0.005)	USEPA 200.8: 1994	0.2
37	Cadmium	mg/l	BLQ (LOQ: 0.001)	USEPA 200.8 ; 1994	2.0
38	Chromium	mg/I	BLQ (LOQ: 0.01)	USEPA 200.8: 1994	2.0
30	Copper	mg/l	BLQ (LOQ: 0.01)	USEPA 200.8: 1994	3.0



D.Anusuya Lab Manager Authorized Signatory

 The report in hit or part shall not be used for any promotional or publicity purpose without written consent by HECS organization. 2. Samples are not drawn by HECS unless or otherwise received one.
 Unless specifically requested by customer the test iteres will not be related more than 15 days from the state of liseus of test report. 4. Under no circumstances tab accepts any tability or hose damage caused by use or misses of test report after invoicing or issue of test report. 5. The test results mister only to the test items.

HECS-C/C/FMT/0449 HECS-G/Q/FMT/049

A-21, III Phase, Thiru Vi Ka Industrial Estate. Guindy, Chennai - 600 032.

Ph: 42985555 / 43635555 Fax: 42985500

E-mail: labsales@hecs.in



Laboratory Services Division

(Chemical & Biological Testing) Recognized by CPCB (MoEF & CC) BIS FSSAI Notified Laboratory ISO 9001, 14001 & 45001 Certified.



Name of the Client

Address of the Client

TEST REPORT

Page: 4 of 4

ULR

: TC1231025000017035F

Report No.

HECSL/WT/030/260325

Sample ID No

: 260325166

Sampling Date

: 26/03/2025

: kallakurichi

Group

Water

Received Date : 26/03/2025

: Surface Water

: M/s. SIPCOT

Commenced Date: 26/03/2025.

Sample Mark

Sample Name

: NA

Completed On

-07/04/2025

Sample Reference

: NA

Report Date

: 07/04/2025

Sample Drawn By Sample Location : M/s.Hubert Enviro care Systems (P) Ltd. Near Ajees Nagar

Sample quantity : 2 Litres

Environmental Condition

: Temperature (°C): 27.8 | Humidity (%): 56.0

Sampling Method & Plan

: IS 17614(Part-1):2021

S.No.	Test Purameters	Units	Results	Test Method	Inland Surface water Standards (Schedule -VI)
40	Lead	mg/l	BLQ (LOQ: 0.005)	USEPA 200.8: 1994	0.1
41	Mercury	mg/l	BLQ (LOQ: 0.0005)	HSEPA 200 8 - 1908	0.01
42	Nickel	mg/t	BLQ (LOQ: 0.01)	USEPA 200.8: 1994	3.0
41	Zinc	mg/l	BLQ (LOQ: 0.01)	USEPA 200.8: 1994	5.0

Note:- BLQ - Below the Limit of Quantification, LOQ-Limit of Quantification, mg/l - Milligrams per liter. ***End of Report***

A-21, III Phase, Thiru Vi Ka Industrial Estate,

Guindy, Chennai - 600 032.

Ph: 42985555 / 43635555 Fax: 42985500

E-mail: labsales@hecs.in

Name of the Client

Address of the Client

Laboratory Services Division

(Chemical & Biological Testing) Recognized by CPCB (MoEF & CC) BIS, FSSAI Notified Laboratory ISO 9001, 14001 & 45001 Certified.

TEST REPORT

Page: 1 of 1

Report No.

HECSL/WT/030/260325N

Sample ID No

260325166

Sampling Date

: 26/03/2025

: kallakurichi

Group

S.No.

: Water

Received Date

26/03/2025

Sample Name

: Surface Water

M/s. SIPCOT

Commenced Date: 26/03/2025

Sample Mark

: NA

Completed On

: 07/04/2025

Sample Reference

: NA

Test Parameters

Report Date

: 07/04/2025

Sample Drawn By

: M/s. Hubert Enviro care Systems (P) Ltd.

Sample Location Environmental Condition Near Ajees Nagar

Sample quantity 2 Litres

Sampling Method & Plan

2 Temperature (°C): 27.8 | Humidity (%): 56.0 : IS 17614(Part-1):2021

Units

Test Method

Inland Surface water Standards

(Schedule -VI)

Discipline : Chemical

Hexavalent Chromium as Cr6+

mg/i BLQ(LOQ:0.01)

Results

IS 3025 Part 52 Clause 6: 2003

0.1

Note:- BLQ : Below the Limit of Quantification, LOQ: Limit of Quantification, mg/l: milligram per Litre, % - Percentage. ***End of Report***



D.Annsuya Lab Manager

Authorized Signatory

A-21, III Phase, Thiru Vi Ka Industrial Estate, Guindy, Chennai - 600 032.

Ph: 42985555 / 43635555 Fax: 42985500

E-mail: labsales@hecs.in



Laboratory Services Division

(Chemical & Biological Testing) Recognized by CPCB (MoEF & CC) BIS FSSAI Notified Laboratory ISO 9001, 14001 & 45001 Certified.



Name of the Client

TEST REPORT

Page: 1 of 2

ULR : TC1231025000017017F

> 07/04/2025 : 07/04/2025

Report No. HECS/PE/028/260325

Sample ID No : 260325167

Sampling Date : 26/03/2025

Received Date : 26/03/2025

Commenced Date : 26/03/2025

Sample quantity 1 Kg

Completed On

Report Date

Address of the Client : kallakurichi

Group : Pollution & Environment

: Soil Sample Name Sample Mark : NA Sample Reference INA

Sample Drawn By : M/s. Hubert Enviro care Systems (P) Ltd.

3 M/s, SIPCOT

Sample Location Project Area

Environmental Condition * Temperature (°C) : 27.8 | Humidity (%) : 56.0

S.No.	Test Parameters	Units	Results	Test Method
Discip	dine : Chemical			7/
1	Cadmium	mg/Kg	BLQ (LOQ: 0.1)	HECS-G/INS/SOP/ 042 Issue No.:01 Issue Date:01.03.2021
2	Chromium.	mg/Kg	11.41	HECS-G/INS/SOP/ 042 Issue No.:01 Issue Date:01.03.2021
1	Copper	mg/Kg	22.31	HECS-G/INS/SOP/ 042 Issue No.:01 Issue Date:01.03.2021
•	Zanc	mgag	20.77	HECS-G/INS/SOP/ 042 Issue No.:01 Issue Date:01.03.2021
5	Soil Texture	52	Loam	FAO of United Nations, Rome Chapter III 2008
	Soil Texture i)Sand	%	37.2	FAO of United Nations, Rome Chapter III 2008
7	Soil Texture ii)Silt	%	45.8	FAO of United Nations, Rome Chapter III 2008
8	Soil Texture iii)Clay	86	17.0	FAO of United Nations, Rome Chapter III 2008
9	pH Value @ 25 ° C (1 : 2.5)	-	8.24	IS 2720 (Part 26) 1987
0	Electrical conductivity @ 25 ° C (1:2)	µS/cm	150.6	IS 14767: 2000



The report in full or part shall not be used for any promotional or politicity purpose without written consent by HECS organization. 2. Samples are not drawn by HECS unless a otherwise mentioned. 3. Unless specifically requested by continuer the test items will not be retained more flow 15 stays from the date of test report. 4. Unless on decumnations and accepts any liability or loss J durage caused by use or misuse of test report after invoicing or issue of test report. 5. The test results relate only to the test items.

HECS_CONTANTION OF HECS-G/Q/FMT/049

A-21, III Phase, Thiru Vi Ka Industrial Estate, Guindy, Chennal - 600 032.

Ph: 42985555 / 43635555 Fax: 42985500

E-mail: labsales@hecs.in



Laboratory Services Division

(Chemical & Biological Testing) Recognized by CPCB (MoEF & CC) BIS FSSAI Notified Laboratory ISO 9001, 14001 & 45001 Certified.



Name of the Client

TEST REPORT

Page: 2 of 2

ULR

: TC1231025000017017F

Report No.

HECS/PE/028/260325

Sample ID No

: 260325167

Sampling Date

Completed On

Report Date

Received Date : 26/03/2025

Commenced Date: 26/03/2025

Sample quantity: 1 Kg

: 26/03/2025

07/04/2025

07/04/2025

Address of the Client

: kallakurichi

: M/v. SIPCOT

Group

Pollution & Environment

Sample Name

Soil

Sample Mark

: NA

Sample Reference

: NA

Sample Drawn By

: M/s.Hubert Enviro care Systems (P) Ltd.

Sample Location

Project Area

Environmental Condition

: Temperature (°C): 27.8 | Humidity (%): 56.0

S.No.	Test Parameters	Units	Results	Test Method
1.1	Bulk Density	gm/cm3	0.99	FAO of United Nations Rome 2007
12	Organic Carbon	16	0.29	IS 2720 (Part 22) Section 1 1972
13	Organic Matter	.54	0.50	IS 2720 (Part 22) Section I 1972
14	Available Phosphorous as P	14t/E	6.05	FAO of United Nations, Rome Chapter III 2008
5	Available Potassium	mEq/100g	23.59	FAO of United Nations, Rome Chapter 111 2008
0	Horon au B	mg/kg	BLQ(LOQ 0.1)	HECS-G/ENV/SSW/SOP/018 fature No.:01 Issue Date:02:07 2020
7	Total Nitrogen as N	%	0.0074	IS 14684 Clause 4 1999
8	Exchangable Calcium as Ca	mEq/L	15.81	FAO of United Nations, Rome Chapter III 2008
9	Exchangable Magnesium as Mg	mEq/L	7.90	FAO of United Nations, Rome Chapter III 2008
MF	Cation Exchange Capacity	mEq/100g	2.6	IS 2720 (Part 24) Clause 5 1976
1	Water Holding capacity	%	29.6	IS 14765: 2000
2	Colour		Brown	HECS-G/ENV/SSW/SOP/011 Issue

Note:- BLQ : Below the Limit of Quantification, LOQ: Limit of Quantification, mg/kg: milligram per kilogram, % - Percentage_ ***End of Report***



^{1.} The report in full or part shall not be used for any promotional or publicity purpose without written consent by HECS organization. 2. Sangles are not desent by HECS unless or otherwise mentioned. 3. Unless aspecifically requested by conformer the test items will not be retained soon than 15 days from the date of tests of sent report. 4. Under no circumstances lab accepts any liability or loss / damage caused by use or misuse of test report after involving or issue of test report. 5. The test results relate only to the test items.

HECS CONTRACTURAL HECS-G/Q/FMT/049

Guindy, Chennai - 600 032.

Ph: 42985555 / 43635555 Fax: 42985500

E-mail: labsales@hecs.in

Laboratory Services Division

(Chemical & Biological Testing) Recognized by CPCB (MoEF & CC) BIS, FSSAI Notified Laboratory ISO 9001, 14001 & 45001 Certified.

TEST REPORT

Page: 1 of 1

Report No.

HECS/PE/028/260325/N

Sample ID No

260325167

Sampling Date

: 26/03/2025

Address of the Client

Name of the Client

: kallakurichi

: M/s, SIPCOT

Group Sample Name Pollution & Environment

Received Date : 26/03/2025

: Soil

Commenced Date: 26/03/2025 Completed On

: 07/04/2025

Sample Mark

: NA INA

07/04/2025

Sample Reference Sample Drawn By

: M/s.Hubert Enviro care Systems (P) Ltd.

Report Date

Inhouse method

Sample Location

S.No.

Project Area

Sample quantity 1 Kg.

Environmental Condition Sampling Method & Plan

Discipline: Chemical Moisture

Manganese

Infiltration Rate

fron.

: Temperature (°C): 27.8 | Humidity (%): 56.0

: ICARDA:2013

Test Parameters Units Results Test Method 3.98 HECS-G/ENV/SSW/SOP/003 Issue No.:01 Issue Date:02:07: 2020 mg/kg 112.10 HECS-G/INS/SOP/ 042 mg/kg 2.17 behavir method.

0.8

Note:- BLQ : Below the Limit of Quantification, LOQ: Limit of Quantification, mg/kg: milligram per kilogram, % - Percentage... ***End of Report***



A-21, III Phase, Thiru Vi Ka Industrial Estate,

Guindy, Chennal - 600 032.

Ph: 42985555 / 43635555 Fax: 42985500

E-mail: labsales@hecs.in



Laboratory Services Division (Chemical & Biological Testing) Recognized by CPCB (MoEF & CC) BIS, FSSAI Notified Laboratory ISO 9001, 14001 & 45001 Certified.



Name of the Client

TEST REPORT

Page: 1 of 2

ULR

35.37

Loam

44.0

38.6

17.4

6.45

85.4

: TC1231025000017018F

Report No.

HECS/PE/029/260325

Sample ID No.

260325168

Sampling Date

: 26/03/2025

Address of the Client

: kallakurichi

: M/s, SIPCOT

Ciroup

· Pollution & Environment

Sample Name

: Soil

: NA

Sample Mark

Sample Reference

INA

Sample Drawn By

: M/s.Hubert Enviro care Systems (P) Ltd.

Sample Location

Zinc

Soil Texture

Soil Texture ()Sand

Soil Texture ii)Silt

Soil Texture (ii)Clay

pH Value @ 25°C (1:2.5)

Electrical conductivity (ii) 25 " C (1:2)

5

6

7

8

0

10

: Kanaiyar

Environmental Condition

Temperature (°C): 27.8 | Humidity (%): 56.0

Received Date : 26/03/2025

Commenced Date: 26/03/2025 Completed On : 07/04/2025

Report Date

07/04/2025

fusure (2ste:01.03.2021

HECS-G/INS/SOP/ 042 Issue No.:01 Issue Date:01:03:2021

FAO of United Nations, Rome Chapter -III 2008

FAO of United Nations, Rome Chapter

III 2008

FAO of United Nations, Rome Chapter-

III 2008

FAO of United Nations, Rome Chapter

HI 2008

15-2720 (Part 26) 1987

IS 14767: 2000

Sample quantity ? 1 Kg.

Sampling Method & Plan : ICARDA:2013 S.No. Test Parameters Units Results Test Method Discipline: Chemical Cadmium mg/Kg HECS-G/INS/SOP/ 042 Issue No.:01 BLQ (LOQ: 0.1) Issue Date:01.03.2021 Chromium mg/Kg 13.35 HECS-G/INS/SOP/042 Issue No:01 Issue Date:01.03.2021 Copper mg/Kg 24,64 HECS-G/INS/SOP/ 042 Issue No.:01

ищоже

56

%

1%

µS/cm

D.Anusuya Lab Manager Authorized Signatory

1. The report in full or part shall not be used for any promotional or publicity purpose without written openent by HECS organization. 3. Samples are not drawn by HECS unless or otherwise remittened. 3. Univers specifically requested by customer the test items will find be related more than 15 days from the date of lesse of less report. 4. Under no circumstances tals accepts any liability or loss / damage caused by use or essues of less report after involving or tesses of less report. 5. The test results relate only to the test items. HECS-G/O/FMT/49

A-21, III Phase, Thiru Vi Ka Industrial Estate, Guindy, Chennai - 600 032.

Ph: 42985555 / 43635555 Fax: 42985500

E-mail: labsales@hecs.in



Laboratory Services Division

(Chemical & Biological Testing) Recognized by CPCB (MoEF & CC) BIS FSSAI Notified Laboratory ISO 9001, 14001 & 45001 Certified.



Name of the Client

TEST REPORT

Page: 2 of 2

ULR

: TC1231025000017018F

Report No.

HECS/PE/029/260325

Sample ID No

Sampling Date

: 260325168

: 26/03/2025

Address of the Client

: kallakurichi

: M/s, SIPCOT

Received Date : 26/03/2025

Sample Name

Group

: Pollution & Environment

Commenced Date: 26/03/2025

Soil

Sample Mark

: NA

Completed On

107/04/2025

Sample Reference

: NA

Report Date

: 07/04/2025

Sample Drawn By

: M/s. Hubert Enviro care Systems (P) Ltd.

Sample Location

Kanaiyar

Sample quantity 11 Kg

Environmental Condition

: Temperature (°C): 27.8 | Humidity (%): 56.0

Sampling Method & Plun

: ICARDA-2013

S.No.	Test Parameters	Units	Results	Test Method
11	Bulk Density	gm/cm3	1.00	FAO of United Nations Rome 2007
12	Organic Curbon	%	0.28	IS 2720 (Part 22) Section I 1972
13	Organic Matter	%	0.48	IS 2720 (Part 22) Section I 1972
14	Available Phosphorous as P	h/B/F	BLQ(LOQ 5.0)	FAO of United Nations, Rome Chapter - 111 2008
15	Available Potassium	##Eq/100g	21.53	FAO of United Nations, Rome Chapter - HF 2008
14	Boron ne fi	mg/kg	BLO(LOQ 0.1)	HECS-G/ENV/SSW/SOP/018 feme No.:01 Issue Date:02:07 2020
17	Total Nitrogen as N	%	0.0096	IS 14684 Clause 4 1999
18	Exchangable Calcium as Ca	mEq/L	3.83	FAO of United Nations, Rome Chapter - III 2008
19	Exchangable Magnesium as Mg	mEq/L	7.67	FAO of United Nations, Rome Chapter - 111 2008
20	Cation Exchange Capacity	mEq/100g	1.4	IS 2720 (Part 24) Clause 5 1976
21	Water Holding capacity	%	30.8	IS 14765: 2000
22	Colour		Brown	HECS-G/ENV/SSW/SOP/011 Issue

Note: - BLQ : Below the Limit of Quantification, LOQ: Limit of Quantification, mg/kg: milligram per kilogram, % - Percentage... ***End of Report***



D.Anusuya. Lab Manager Authorized Signatory

t. The report in full or part whall not be used for any precontinual or publicity purpose without written account by HECS organization. 2. Samples are not desire by HECS unless or otherwise mentioned. 3. Unless specifically requested by customer the test items will not be retained more than 15 days from the date of traus of test report. 4. Under no observables and tability or loss / damage caused by use or misuse of test report after invoicing or issue of test report. 5. The test results relate only to the test items.

HECS-G/O/FMT/049 HECS-G/Q/FMT/049

Guindy, Chennai - 600 032.

Ph: 42985555 / 43635555 Fax: 42985500

E-mail: labsales@hecs.in

Laboratory Services Division (Chemical & Biological Testing) Recognized by CPCB (MoEF & CC)

BIS, FSSAI Notified Laboratory ISO 9001, 14001 & 45001 Certified.

TEST REPORT

Page: 1 of 1

Report No.

- HECS/PE/029/260325/N

Sample ID No

:260325168

Sampling Date

: 26/03/2025

Address of the Client

Name of the Client

: kallakurichi

: M/s. SIPCOT

Group

: Pollution & Environment

Received Date

: 26/03/2025

Sample Name

: Soil

Commenced Date 7 26/03/2025

Sample Mark

: NA : NA

Completed On

: 07/04/2025

Sample Reference

: M/s. Hubert Enviro care Systems (P) Ltd.

Report Date

: 07/04/2025

Sample Drawn By Sample Location

: Kanaiyar

Sample quantity 1 Kg

Environmental Condition

: Temperature (°C): 27.8 | Humidity (%): 56.0

Sampling Method & Plan

: ICARDA:2013

S.Ne	test Parameters	Units	Results	Test Method
Disc	ipline : Chemical			
1	Moisture	74	2.70	HECS-G/ENV/SSW/SOP/003 Issue No.:01 Issue Date:02:07: 2020
2	Manganese	mg/kg	117.12	HECS-G/INS/SOP/ 042
):	fron	mg/kg	BLO(LOO 0.02)	Inhouse method
4	Infiltration Rate	1 -	0.9	Inhouse method

Note:- BLQ: Below the Limit of Quantification, LOQ: Limit of Quantification, mg/kg: milligram per kilogram, % - Percentage. ***End of Report***



A-21, III Phase, Thiru Vi Ka Industrial Estate, Guindy, Chennai - 600 032.

Ph: 42985555 / 43635555 Fax: 42985500

E-mail: labsales@hecs.in



Laboratory Services Division

(Chemical & Biological Testing) Recognized by CPCB (MoEF & CC) BIS FSSAI Notified Laboratory ISO 9001, 14001 & 45001 Certified.



Name of the Client

TEST REPORT

Page: 2 of 2

ULR

: TC1231025000017019F

Report No.

HECS/PE/030/260325

Sample ID No

: 260325169

Sampling Date

Completed On

Report Date

Received Date 26/03/2025

Commenced Date: 26/03/2025

Sample quantity 1 Kg

: 26/03/2025

: 07/04/2025

: 07/04/2025

Address of the Client

: kallakurichi

: M/s. SIPCOT

: Pollution & Environment

Group

Sample Name

Soil

Sample Mark

: NA

Sample Reference

Sample Drawn By

1 NA

: M/s. Hubert Enviro care Systems (P) Ltd.

: Ulundurpettai

Sample Location Environmental Condition

: Temperature (°C): 27.8 | Humidity (%): 56.0

Sampling Method & Plan

* ICARDA-2013

S.No.	Test Parameters	Units	Results	Test Method
11	Bulk Denaity	gm/cm3	0.97	FAO of United Nations Rome 2007
12	Organic Carbon	74	1.75	IS 2720 (Part 22) Section 1 1972
13	Organic Matter	16	3.02	IS 2720 (Part 22) Section 1 1972
14	Available Phosphorous as P	не/е	13.18	FAO of United Nations, Rome Chapter III 2008
15	Available Potassium	mEq/100g	22.29	FAO of United Nations, Rame Chapter - III 2008
16	Boron as B	mg/kg	BLQ(LOO 6.1)	HECS-G/ENV/SSW/SOP/018 Issue No.:01 Issue Date:02:07 2020
17	Total Nitrogen as N	%	0.0168	IS 14684 Clause 4 1999
18	Exchangable Calcium as Ca	mEq/L	11.54	FAO of United Nations, Rome Chapter 111 2008
19	Exchangable Magnesium as Mg	mEq/L	7.69	FAO of United Nations, Rome Chapter 111 2008
20	Cation Exchange Capacity	mEq/100g	2.1	tS 2720 (Part 24) Clause 5 1976
21	Water Holding capacity	%	18.8	IS 14765; 2000
22	Colour	4	Black	HECS-G/ENV/SSW/SOP/011 Issue

Note: BLQ: Below the Limit of Quantification, LOQ: Limit of Quantification, mg/kg: milligram per kilogram, % - Percentage... ***End of Report**



The report in full or part shell not be used for any promotional or publicity purpose without written summed by HECS urganization. 2. Samples are not drawn by HECS urises or otherwise mentioned. 3. Univers specifically requested by customer the text items will not be retained note than 15 days from the date of lesses of text report. 4. Under no circumstances lab accepts any tability or loss / damage caused by use or misuse of text report after invoicing or issue of text report. 5. The text results relate only to the text items.

HECS-G/O/FMT/049 HECS-G/Q/FMT/049

Guindy, Chennai - 600 032.

Ph: 42985555 / 43635555 Fax: 42985500

E-mail: labsales@hecs.in



Laboratory Services Division

(Chemical & Biological Testing) Recognized by CPCB (MoEF & CC) BIS, FSSAI Notified Laboratory ISO 9001, 14001 & 45001 Certified.



Name of the Client

TEST REPORT

Page: 1 of 2

ULR

Received Date : 26/03/2025

Commenced Date : 26/03/2025

Completed On : 07/04/2025

Sample quantity 1 Kg

: TC1231025000017019F

Report No.

HECS/PE/030/260325

Sample ID No.

: 260325169

Sampling Date

Report Date

: 26/03/2025

07/04/2025

Address of the Client

: kallakuriehi

: M/s. SIPCOT

Group

Pollution & Environment

Sample Name

Soil

Sample Mark

: NA

Sample Reference

: NA

Sample Drawn By

: M/s. Hubert Enviro care Systems (P) Ltd.

Sample Location

Ulundurpettai

Environmental Condition

: Temperature (°C): 27.8 | Humidity (%): 56.0

Sampline Method & Plan

: ICARDA:2013

S.No.	Test Parameters	Units	Results	Test Method
Discip	dine : Chemical			
1	Cadmium	mg/Kg	BLQ (LOQ: 0.1)	HECS-G/INS/SOP/042 Issue No.:01 Issue Date:01.03.2021
2	Chromium.	mg/Kg	17.55	HECS-G/INS/SOP/042 Issue No.:01 Issue Date:01.03.2021
3	Copper	mg/Kg	6.38	HECS-G/INS/SOP/ 042 Issue No.:01 Issue Date:01.03.2021
4	Zinc	mg/kg	6.44	HECS-G/INS/SOP/ 042 Issue Nec:01 Issue Date:01.03.2021
5	Soil Texture	-	Clay loam	FAO of United Nations, Rome Chapter III 2008
6	Soil Texture ()Sand	%	26.8	FAO of United Nations, Rome Chapter HI 2008
7	Soil Texture ii)Silt	%	42.4	FAO of United Nations, Rome Chapter III 2008
8	Soil Texture iii)Clay	%	30.8	FAO of United Nations, Rome Chapter III 2008
9	pH Value @ 25 " C (1 : 2.5)		6.77	15 2720 (Part 36) 1987
10	Electrical conductivity (iii 25 ° C (1 : 2)	µS/cm	206.0	1S 14767; 2000



^{1.} The report in full or part shall not be used for any promotional or publishy purpose without written consent by HECS organization. 2. Samples are not drawn by HECS unless or otherwise mentioned. 3. Unless specifically requested by customer the test items will not be retained more than 15 days from the date of issue of test report. 4. Under no zircumstances lab accepts any liability or loss/damage caused by use or misuse of test report after invoicing or issue of test report. 5. The test results relate only to the test items.

IEECS. C. VELSTICATO. HECS-G/Q/FMT/49

Guindy, Chennai - 600 032.

Ph: 42985555 / 43635555 Fax: 42985500

E-mail: labsales@hecs.in

Laboratory Services Division

(Chemical & Biological Testing) Recognized by CPCB (MoEF & CC) BIS, FSSAI Notified Laboratory ISO 9001, 14001 & 45001 Certified.

TEST REPORT

Page: 1 of 1

Report No.

HECS/PE/030/260325/N

Sample ID No.

: 260325169

Sampling Date

: 26/03/2025

Address of the Client

Name of the Client

: kallakurichi

M/s. SIPCOT

Group Sample Name : Pollution & Environment

Received Date

1 26/03/2025

- Soil

Commenced Date = 26/03/2025

Sample Mark

: NA

Completed On

07/04/2025

Sample Reference

INA

Report Date

07/04/2025

Sample Drawn By Sample Location

: M/s. Hubert Enviro care Systems (P) Ltd.

Environmental Condition

Ulundurpettai

Sample quantity 71 Kg

Samueline Method & Plan

* ICAPDA - 2013

- Temperature (°C): 27.8 | Humidity (%): 56.0

S.N	o. Test Parameters	Units	Results	Test Method
Disc	ipline : Chemical			
	Moisture	%	4.78	HECS-G/ENV/SSW/SOP/003 Issue No.:01 Issue Date:02:07: 2020
1	Manganese	mg/kg	150.74	HECS-G/INS/SOP/ 042
	Iron	mg/kg	9.42	Inhouse method
4	Infiltration Rate	-	0.7	Inhouse method

Note:- BLQ ; Below the Limit of Quantification, LOQ: Limit of Quantification, mg/kg: milligram per kilogram, % - Percentage.. ***End of Report***



Guindy, Chennai - 600 032.

Ph: 42985555 / 43635555 Fax: 42985500

E-mail: labsales@hecs.in



Laboratory Services Division (Chemical & Biological Testing) Recognized by CPCB (MoEF & CC) BIS, FSSAI Notified Laboratory ISO 9001, 14001 & 45001 Certified.



Name of the Client

Group

TEST REPORT

Page: 1 of 2

ULR : TC1231025000017020F

Report No. HECS/PE/031/260325

Sample ID No : 260325170

Sampling Date : 26/03/2025

Address of the Client : kallakurichi

: Pollution & Environment

Received Date = 26/03/2025

Soil Commenced Date: 26/83/2025 Sample Name Sample Mark : NA Completed On : 07/04/2025 Sample Reference : NA Report Date : 07/04/2025

Sample quantity : 1 Kg Sample Drawn By : M/s.Hubert Enviro care Systems (P) Ltd. Sample Location - Pallidangal

Environmental Condition Temperature (°C): 27.8 | Humidity (%): 56.0

Samuling Method & Plan : ICARDA-2013

: M/s. SIPCOT

S.No	o. Test Parameters	Units	Results	Test Method
Disci	ipline : Chemical			Alic
1	Cadmium	mg/Kg	BLQ (LOQ: 0.1)	HECS-G/INS/SOP/ 042 Issue No.:01 Issue Date:01.03.2021
2	Chromium	mg/Kg	15.42	HECS-G/INS/SOP/042 Issue No.:01 Issue Date:01.03.2021
3	Copper	mg/Kg	7.80	HECS-G/INS/SOP/ 042 Issue No :01 Issue Date:01:03:2021
4	Zinc	mg/kg	5.85	HECS-G/INS/SOP/ 042 Issue No.:01 fssue Date:01.03.2021
5	Soil Texture	-	Clay loam	FAO of United Nations, Rome Chapter III 2008
6	Soil Texture i)Sand	%	31.6	FAO of United Nations, Rome Chapter 1H 2008
7	Soil Texture ii)Silt	%	40.8	FAO of United Nations, Rome Chapter 111 2008
8	Soil Texture iii)Clay	%	27.6	FAO of United Nations, Rome Chapter III 2008
9	pH Value @ 25 ° C (1 : 2.5)		8.75	IS 2720 (Part 26) 1987
10	Electrical conductivity @ 25 ° C (1 : 2)	μS/cm	290.0	IS 14767: 2000



A-21, III Phase, Thiru Vi Ka Industrial Estate, Guindy, Chennai - 600 032.

Ph: 42985555 / 43635555 Fax: 42985500

E-mail: labsales@hecs.in



Laboratory Services Division

(Chemical & Biological Testing) Recognized by CPCB (MoEF & CC) BIS FSSAI Notified Laboratory ISO 9001, 14001 & 45001 Certified.



Name of the Client

TEST REPORT

Page: 2 of 2

ULR

: TC1231025000017020F

Report No.

HECS/PE/031/260325

Sample ID No

: 260325170

Sampling Date

: 26/03/2025

Address of the Client

: kallakurichi

: M/s, SIPCOT

Sample Name

Group

: Pollution & Environment

Received Date : 26/83/2025

Soil

Commenced Date: 26/03/2025 Completed On

07/04/2025

Sample Mark

: NA

Sample Reference

: NA

Report Date

07/04/2025

Sample Drawn By

: M/s. Hubert Enviro care Systems (P) Ltd.

Sample Location

: Pallidangal

Sample quantity 1 Kg

Environmental Condition

: Temperature (°C): 27.8 | Humidity (%): 56.0

Sampling Method & Plan

: ICARDA:2013

S.No.	Test Parameters	Units	Results	Test Method
11	Bulk Density	gm/cm3	0.99	FAO of United Nations Rome 2007
12	Organic Carbon	74	0.26	15 2720 (Part 22) Section I 1972
13:	Organic Matter	54	0.45	IS 2720 (Part 22) Section I 1972
14	Available Phosphorous as P	ve/s	BLQ(LOQ 5.0)	FAO of United Nations, Rome Chapter III 2008
15	Available Potassium	mEq/100g	28.44	FAO of United Nations, Rome Chapter III 2008
16	Boron as B	mti/kti	HLQ(LOQ 0.1)	HECS-G/ENV/SSW/SOP/018 Issue No.:01 Issue Date:02:07 2020
17	Total Nitrogen as N	%	0.0104	IS 14684 Clause 4 1999
18	Exchangable Calcium as Ca	mEq/L	11.38	FAO of United Nations, Rome Chapter III 2008
19	Exchangable Magnesium as Mg	mEq/L	11,38	FAO of United Nations, Rome Chapter III 2008
20	Cation Exchange Capacity	mEq/100g	2.7	IS 2720 (Part 24) Clause 5 1976
21	Water Holding capacity	%	19.2	IS 14765: 2000
22	Colour		Brown	HECS-G/ENV/SSW/SOP/011 Issue

Note:- BLQ: Below the Limit of Quantification, LOQ: Limit of Quantification, mg/kg: milligram per kilogram, % - Percentage... ***End of Report***



HECS-G/Q/FMT/049

A-21, III Phase, Thiru Vi Ka Industrial Estate,

Guindy, Chennal - 600 032.

Ph: 42985555 / 43635555 Fax: 42985500

E-mail: labsales@hecs.in

Laboratory Services Division

(Chemical & Biological Testing) Recognized by CPCB (MoEF & CC) BIS, FSSAI Notified Laboratory ISO 9001, 14001 & 45001 Certified.

TEST REPORT

Page: 1 of 1

Report No.

- HECS/PE/031/260325/N

Sample ID No

: 260325170

Sampling Date

: 26/03/2025

Address of the Client

Name of the Client.

: kallakurichi

: M/s, SIPCOT

Received Date

26/03/2025

Sample Name

: Pollution & Environment

Commenced Date: 26/03/2025

Sample Mark

Group

: Soil : NA

Completed On

07/04/2025

Sample Reference

: NA

Report Date

: 07/04/2025

Sample Drawn By Sample Location : M/s.Hubert Enviro care Systems (P) Ltd. - Pattidangal

Sample quantity 11 Kg

Environmental Condition

: Temperature (°C): 27.8 | Humidity (%): 56.0

Sampling Method & Plan : ICARDA:2013

S.No.	. Test Parameters	Units	Results	Test Method
Disci	pline : Chemical			
1	Moisture	%	6,90	HECS-G/ENV/SSW/SOP/003 Issue No.:01 Issue Date:02:07: 2020
2	Manganese	mg/kg	141.83	HECS-G/INS/SOP/ 042
3	tron	mg/kg	3.88	Inhouse method
ŧ.	Infiltration Rate	-	8.0	Inhouse method

Note:- BLQ : Below the Limit of Quantification, LOQ: Limit of Quantification, mg/kg: milligram per kilogram, % - Percentage... ***End of Report***



A-21, III Phase, Thiru Vi Ka Industrial Estate,

Guindy, Chennal - 600 032.

Ph: 42985555 / 43635555 Fax: 42985500

E-mail: labsales@hecs.in



Laboratory Services Division (Chemical & Biological Testing) Recognized by CPCB (MoEF & CC) BIS, FSSAI Notified Laboratory ISO 9001, 14001 & 45001 Certified.



Name of the Client

TEST REPORT

Page: Lof 2

ULR

: TC1231025000017021F

Report No.

HECS/PE/032/260325

Sample ID No

: 260325171

Completed On

Report Date

Received Date : 26/03/2025

Commenced Date: 26/03/2025

Sample quantity 1 Kg

Sampling Date

: 26/03/2025

: 07/04/2025

07/04/2025

Address of the Client

: kallakurichi

: M/s. SIPCOT

Group

Pollution & Environment

Sample Name

: Soil

Sample Mark

: NA

Sample Reference

INA

Sample Drawn By

Sample Location

M/s. Hubert Enviro care Systems (P) Ltd.

Sathanur

Environmental Condition

Temperature (°C): 27.8 | Humidity (%): 56.0

Sampling Method & Plan

: ICARDA-2013

S.No.	Test Parameters	Units	Results	Test Method
Discip	line : Chemical			
1	Cadmium	mg/Kg	BLQ (LOQ: 0.1)	HECS-G/INS/SOP/ 042 Issue No.:01 Issue Date:01.03.2021
2	Chromisms	mg/Kg	15.04	HECS-G/INS/SOP/042 Issue No.:01 Issue Date:01:03.2021
3	Copper	mg/Kg	6.67	HECS-G/INS/SOP/ 042 Issue No01 Issue Date:01.03.2021
•	Zinc	mg/kg	4.87	HECS-G/INS/SOP/ 042 Issue No.:01 Issue Date:01.03.2021
5	Soil Texture		Silty clay	FAO of United Nations, Rome Chapter III 2008
6	Soil Texture i)Sand	%	14.8	FAO of United Nations, Rome Chapter III 2008
_	Soil Texture ii)Silt	%	45.0	FAO of United Nations, Rome Chapter 111 2008
8.	Soil Texture iii)Clay	56	40.2	FAO of United Nations, Rome Chapter III 2008
)	pH Value (i): 25 ° C (1 : 2.5)		7.94	IS 2720 (Part 26) 1987
10	Electrical conductivity @ 25 ° C (1 : 2)	μS/cm	172.0	IS 14767: 2000



D.Anusuya Lab Manager

Authorized Signatory

A-21, III Phase, Thiru Vi Ka Industrial Estate,

Guindy, Chennai - 600 032.

Ph: 42985555 / 43635555 Fax: 42985500

E-mail: labsales@hecs.in



Laboratory Services Division

(Chemical & Biological Testing) Recognized by CPCB (MoEF & CC) BIS FSSAI Notified Laboratory ISO 9001, 14001 & 45001 Certified.



Name of the Client

TEST REPORT

Page: 2 of 2

ULR

: TC1231025000017021F

Report No.

HECS/PE/032/260325

Sample ID No.

: 260325171

Received Date

Completed On

Report Date

Commerced Date: 26/03/2025

Sample quantity 11 Kg

Sampling Date

: 26/03/2025

26/03/2025

: 07/04/2025

: 07/04/2025

Address of the Client

: kallakurichi

I M/s. SIPCOT

Group

: Pollution & Environment

Sample Name Sample Mark

Soil : NA

Sample Reference

: NA

Sample Drawn By

: M/s.Hubert Enviro care Systems (P) Ltd.

Sample Location

Suthanur

Environmental Condition

* Temperature (°C): 27.8 | Humidity (%): 56.0

S.No.	Test Parameters	Units	Results	Test Method
11	Bulk Dennity	gm/cm3	0.96	FAO of United Nations Rome 2007
12	Organic Carbon	%	0.96	1S 2720 (Part 22) Section 1 1972
13	Organic Matter	%	1.66	15 2720 (Part 22) Section 1 1972
14	Available Phosphorous as P	ru/e	16.94	FAO of United Nations, Rome Chapter III 2008
15	Available Potassium	mFa/100g	22.70	FAO of United Nations, Rome Chapter 111 2008
te .	Borns as B	mp4g	BLQ(LOQ 0.1)	HECS-G/ENV/SSW/SOP/018 Issue No:01 Issue Date:02:07 2020
17	Total Nitrogen as N	%	0.0149	IS 14684 Clause 4 1999
18	Exchangable Calcium as Ca	mEq/L	7,80	FAO of United Nations, Rome Chapter III 2008
19	Exchangable Magnesium as Mg	mEq/L	11.71	FAO of United Nations, Rome Chapter III 2008
20	Cation Exchange Capacity	mEq/100g	2.2	IS 2720 (Part 24) Clause 5 1976
21	Water Holding capacity	%	22.4	IS 14765: 2000
22	Colour	7.0	Black	HECS-G/ENV/SSW/SOP/011 Issue:

Note: - BLQ : Below the Limit of Quantification, LOQ: Limit of Quantification, mg/kg: milligram per kilogram, % - Percentage... ***End of Report***



^{1.} The report in fail or part shall not be used for any promotional or publicity purpose without written consent by RECS organization. 2. Seruptus are not drawn by RECS unless of otherwise mentioned. 3. Unless specifically requested by customer the test items will not be retained more than 15 days from the date of lesse of test report. 4. Under no circumstances lab accepts any traditity or issue of assault are later only to the test times.

HECS-C/O/FMT/040 HECS-G/Q/FMT/049

Guindy, Chennai - 600 032.

Ph: 42985555 / 43635555 Fax: 42985500

E-mail: labsales@hecs.in

Laboratory Services Division

(Chemical & Biological Testing) Recognized by CPCB (MoEF & CC) BIS, FSSAI Notified Laboratory ISO 9001, 14001 & 45001 Certified.

TEST REPORT

Page: 1 of 1

Report No.

HECS/PE/032/260325/N

Sample ID No.

: 260325171

Sampling Date

: 26/03/2025

Address of the Client

Name of the Client

: kallakurichi

: M/s. SIPCOT

: Pollution & Environment

Sample Name

Group

Received Date

26/03/2025

Soil

Commenced Date 26/03/2025

Sample Mark

INA

Completed On

: 07/04/2025

Sample Reference

INA

Report Date

07/04/2025

Sample Drawn By Sample Location M/x.Hubert Enviro care Systems (P) Ltd.

Sample quantity 1 Kg

Environmental Condition

Sathanur

Temperature (°C): 27.8 | Humidity (%): 56.0

Sampling Method & Plan

: ICARDA:2013

S.No.	Test Parameters	Units	Results	Test Method
Disciplin	se : Chemical			and the second
1 1	Moisture	%	6.34	HECS-G/ENV/SSW/SOP/003 Issue No.:01 Issue Date:02:07: 2020
	Manganese	mg/kg	129.85	HECS-G/INS/SOP/ 042
1	non	mg/kg	5.85	Inhouse method
1	mhitration Kase	-	0.7	Inhouse method

Note:- BLQ : Below the Limit of Quantification, LOQ: Limit of Quantification, mg/kg: milligram per kilogram, % - Percentage... ***End of Report***



D.Anusuya Lab Manager Authorized Signatory

 The report is full or part shall not be used for any promotional or publicity purpose without written consent by HECS organization. 2. Samplex are not drawn by HECS unless or otherwise mentioned. 3. Unless specifically requested by customer the last items will not be retained more than 15 days from the date of issue of test report. 4. Under no chromosomer lab accopts any liability or loss? damage caused by use or misuse of test report after involving or issue of test report. 5. The test results relate only to the test items. HECS-G/Q/FMT/49

A-21, III Phase, Thiru Vi Ka Industrial Estate,

Guindy, Chennai - 600 032.

Ph: 42985555 / 43635555 Fax: 42985500

E-mail: labsales@hecs.in



Laboratory Services Division (Chemical & Biological Testing) Recognized by CPCB (MoEF & CC) BIS, FSSAI Notified Laboratory ISO 9001, 14001 & 45001 Certified.

Name of the Client

TEST REPORT

Page: 1 of 1

ULR

: TC1231025000016338F

Report No.

HECS/AP/106/260325

Sample ID No

: 260325172

Sampling Date

: 26/03/2025

Address of the Client

: M/s. SIPCOT : kallakurichi

Sample Name

Group

Atmospheric Pollution

Received Date +26/03/2025

Sample Mack

Ambient Noise Levels (Excluding vibration)

Commenced Date: 26/03/2025

Sample Reference

: Noise

Completed On 64/04/2025

Sample Drawn By

INA : M/s.Hubert Enviro care Systems (P) Ltd. Report Date 04/04/2025 Sample quantity : NA

Sample Location

Environmental Condition Compliant Mathed & Wes

: Temperature (°C): 27.8 | Humidity (%): 56.0

S.No	Sampling Location	Day Noise level in dB (A)	Night Noise level in dB (A)
1	Near Project area	52.3	41.3
2	Kanaiyar	51.2	43.8
×	Ulandarpettai	54.6	45.0
4	Pallidangal,	53.8	80.8
5	Sathanur	55.7	41.1

Noise Standards - CPCB:

Industrial Area i.

Silence Zone

: Day Time-75 dB (A);

Night Time-70 dB (A).

ü.

iv.

Commercial Area

: Day Time-65 dB (A):

Night Time-55 dB (A).

iii. Residential Area

: Day Time-55 dB (A): : Day Time-50 dB (A);

Night Time-45 dB (A). Night Time-40 dB (A).

Note:

1. Day Time shall mean from 6.00 am to 10,00 pm.

Night Time shall mean from 10.00 pm to 6.00 am.

Remarks:- The noise level meets the requirement of CPCB Limit

End of Report



^{1.} The report in full or part shall not be used for any promotional or publicity purpose without written consent by HECS organization. 2. Earnples are not drawn by HECS unless or attherwise reactioned. 3. Unless specifically requested by conformer the less literal well not be retained more than 15 days from the date of issue of test report. 4. Under no circumstances fair accepts any Robility or loss / damage caused by use of misuse of less report after invoicing or issue of test report. 5. The test results relate only to the test items.

11ECS_CON_FRATILED. HECS-G/O/FMT/49

STORM WATER DRAIN PHOTOGRAPH

